

YOKOSUKA YK11-E05 Conductivity-Temperature-Depth Profiler (CTD)

Last Modified: 2014-09-12

[ReadMe](#) [Observation Data](#) [Data Format](#)

Cruise ID: [YK11-E05](#)

Conductivity-Temperature-Depth Profiler (CTD) Processed (DMO)-QCed

Data Policy: [JAMSTEC](#)

Observation Items: Pressure, Temperature, Salinity, Dissolved oxygen

Science Keywords:

OCEANS > OCEAN CHEMISTRY > OXYGEN
OCEANS > OCEAN TEMPERATURE > WATER TEMPERATURE
OCEANS > SALINITY/DENSITY > SALINITY

Cruise Report

http://www.godac.jamstec.go.jp/catalog/data/doc_catalog/media/YK11-E05_all.pdf

For Using Data

Principal Investigator

Data Management Office

Use Constraints

See [Terms and Conditions](#) about constrain of use.

Data Citation

See [Terms and Conditions](#) about data citation.

Overview

CTD(Conductivity-Temperature-Depth profiler) is used to observe the vertical profiles of temperature and conductivity.

Usually, this system is operated with multicylinder water sampler.

Observed signal is transmitted from sensor to the operation room on board using wire cable, and electric power is supplied from vessel to sensor.

Details of sensors attached to CTD system for YK11-E05 cruise are presented in "System".

The following software, developed and supplied by the Sea-Bird Electronics, Inc., was used in YK11-E05.

Seasave-Win32(ver 7.20g) for data acquisition

SBEDataProcessing-Win32(ver 7.18d) for data processing

Data presented on this website is averaged over 1db.

System

• Pressure sensor

Model : SBE9plus, Sea-Bird Electronics,Inc.

Serial number : 79492

Measurement range : up to 10500m

Accuracy : 0.015% F.S.

Resolution : 0.001% F.S.

• Temperature sensor

Model : SBE3, Sea-Bird Electronics,Inc.

Serial number : 035329

Measurement range : -5.0 to +35degC

Accuracy : 0.001degC

Resolution : 0.0002degC

• Salinity sensor

Model : SBE4, Sea-Bird Electronics,Inc.

Serial number : 043889

Measurement range : 0.0 to 7 S/m

Accuracy : 0.0003 S/m

Resolution : 0.00004 S/m

Calibration Information

Calibration Information is as follows.

[Calibration Information](#)

Note


(1) Data processing sequence for SEASOFT is as follows;

command	function
datcnv	Convert raw data to engineering units, and store converted data in file.
wildedit	Mark a data value with badflag to eliminate wild points.
celltm	Perform conductivity thermal mass correction.
filter	Low-pass filter columns of data.
section	Extract rows of data from file.
loopedit	Mark a scan with badflag if scan fails pressure reversal or minimum velocity tests.
binavg	Average data, basing bins on pressure, depth, scan number, or time range.
derive	Calculate salinity, density, etc..
split	Split data in file into upcast and downcast files.

(2) The time and position presented in the header is at the starting time of cast.

Related Information

YK11-E05
 Ship Name: YOKOSUKA
 Period: 2011-06-26 - 2011-07-06
 Chief Scientist: Tsutomu Takahashi (JAMSTEC)
 Proposal ▶ Sea Area Monitoring off Miyagi, Fukushima, and Ibaragi region
 Title:



[Enlarge Image](#)

Update History

2014-09-12	An observation data was registered.
2013-07-31	An observation data was registered.

<p>JAMSTEC Site Policy Privacy Policy Application for Data and Samples Data Policy</p> <p>What's New Update History Feeds</p>	<p>Lists Publication List Amount of Public Info.</p> <p>Data Map Search Data Tree Detailed Search</p>	<p>Information of the Ships NATSUSHIMA KAIYO YOKOSUKA MIRAI KAIREI CHIKYU KAIMEI SHINSEI MARU HAKUHO MARU</p>	<p>Information of the Submersibles KAIKO SHINKAI 2000 SHINKAI 6500 DEEP TOW HYPER-DOLPHIN URASHIMA YOKOSUKA DEEP TOW 6K Camera DEEP TOW 6K Sonar DEEP TOW KM-ROV POWER GRAB SAMPLER (SHELL) POWER GRAB SAMPLER (CLOW) BMS</p>	<p>Go to a Cruise Information Cruise ID: <input type="text"/> <input type="button" value="Go"/></p> <p>Go to a Dive Information Dive ID: <input type="text"/> <input type="button" value="Go"/></p>
--	--	---	---	---

Copyright 2011 Japan Agency for Marine-Earth Science and Technology



JAMSTEC 国立研究開発法人 海洋研究開発機構
 JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY

YOKOSUKA YK11-E05 Conductivity-Temperature-Depth Profiler (CTD)

Last Modified: 2014-09-12

[ReadMe](#) [Observation Data](#) [Data Format](#)

Cruise ID: [YK11-E05](#)

Conductivity-Temperature-Depth Profiler (CTD): Processed (DMO)-QCed

Data Policy: [JAMSTEC](#)

CTD DMO

Format Description for the Corrected Data

Provided in the Exchange Format of CCHDO (CLIVAR and Carbon Hydrographic Data Office). Please see the following link for details of Exchange Format.

[CCHDO | CLIVAR & Carbon Hydrographic Data Office](#)

Data in following cruise is not expressed with Exchange Format. Please see the site of each cruise for format.

MR02-K05 Leg1

MR04-05

Format Description for the QCed Data

Each data file contains one line header (meta data) followed by data lines for each cast.

The number of data lines are recorded in the header.

Header part

No.	Column	Content	Format	Remarks
1	1	Header ID	a1	fixed as '#'
2	3 - 6	Data ID	a4	CTD
3	8 - 22	Cruise ID	a15	MYYY-(K)XX(_legx)
4	24 - 31	Cast name	a8	
5	33 - 40	Date	i8	YYYYMMDD (UTC)
6	42 - 45	Time	i4	hhmm (UTC)
7	47 - 55	Latitude	i2,a1,f5.2,a1	dd-mm.mmN(S)
8	57 - 66	Longitude	i3,a1,f5.2,a1	ddd-mm.mmE(W)
9	68 - 71	Number of data lines	i4	
10	72 - 73	Terminator	-	CR+LF

Data part

No.	Column	Content	Unit	Format	Remarks
1	1 - 11	Pressure	dbar	f11.3	
2	12 - 22	Temperature	deg-C	f11.4	ITS-90
3	23 - 33	Salinity	PSU	f11.4	PSS-78
4	34 - 44	Dissolved oxygen	umol/kg	f11.3	
5	45 - 55	Flag	-	i11	1 - 7 : space 8 : flag of pressure 9 : flag of temperature 10 : flag of salinity 11 : flag of dissolved oxygen * reference : 'Definition of Quality Control Flags'
6	56 - 57	Terminator	-	-	CR+LF

Each contents of the data part is stored in 11 bytes.

Missing value is presented by '-5', and error value is presented by '-9'.

Definition of Quality Control Flags

1. Depth Flags

- 0 - accepted value
- 1 - error in recorded depth (same or less than previous depth)
- 2 - density inversion

2. Observed Level Flags

- N - missing value
- 0 - accepted value
- 1 - range outlier (outside of broad range check)
- 2 - failed inversion check
- 3 - failed gradient check
- 4 - zero anomaly
- 5 - failed combined gradient and inversion checks
- 6 - failed range and inversion checks
- 7 - failed range and gradient checks
- 8 - failed range and zero anomaly checks
- 9 - failed range and combined gradient and inversion checks
- A - failed visual check

QCed data were added flag according to the NODC (National Oceanographic Data Center) quality control procedure, additionally visually checked. Please see the site of NODC of the following link for quality control procedure.


[QUALITY CONTROL AND PROCESSING OF HISTORICAL OCEANOGRAPHIC TEMPERATURE, SALINITY, AND OXYGEN DATA](#)

Sample Program

[ex_read2.f](#)

Related Information

YK11-E05
 Ship Name: YOKOSUKA
 Period: 2011-06-26 - 2011-07-06
 Chief Scientist: Tsutomu Takahashi (JAMSTEC)
 Proposal ▶ Sea Area Monitoring off Miyagi, Fukushima, and Ibaragi region
 Title:



[Enlarge Image](#)

Update History

2014-09-12	An observation data was registered.
2013-07-31	An observation data was registered.

<p>JAMSTEC Site Policy Privacy Policy Application for Data and Samples Data Policy</p> <p>What's New Update History Feeds</p>	<p>Lists Publication List Amount of Public Info.</p> <p>Data Map Search Data Tree Detailed Search</p>	<p>Information of the Ships NATSUSHIMA KAIYO YOKOSUKA MIRAI KAIREI CHIKYU KAIMEI SHINSEI MARU HAKUHO MARU</p>	<p>Information of the Submersibles KAIKO SHINKAI 2000 SHINKAI 6500 DEEP TOW HYPER-DOLPHIN URASHIMA YOKOSUKA DEEP TOW 6K Camera DEEP TOW 6K Sonar DEEP TOW KM-ROV POWER GRAB SAMPLER (SHELL) POWER GRAB SAMPLER (CLOW) BMS</p>	<p>Go to a Cruise Information Cruise ID: <input type="text"/> <input type="button" value="Go"/></p> <p>Go to a Dive Information Dive ID: <input type="text"/> <input type="button" value="Go"/></p>
--	--	---	---	---

Copyright 2011 Japan Agency for Marine-Earth Science and Technology



JAMSTEC 国立研究開発法人 海洋研究開発機構
 JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY

YOKOSUKA YK11-E05 Conductivity-Temperature-Depth Profiler (CTD)

Last Modified: 2014-09-12

ReadMe **Observation Data** Data Format


Cruise ID: **YK11-E05**
 Conductivity-Temperature-Depth Profiler (CTD): Processed (DMO)-QCed
 Data Policy: **JAMSTEC**

Observation Items: Pressure, Temperature, Salinity, Dissolved oxygen
 Science Keywords:

- OCEANS > OCEAN CHEMISTRY > OXYGEN
- OCEANS > OCEAN > WATER
- TEMPERATURE TEMPERATURE
- OCEANS > SALINITY/DENSITY > SALINITY

Observation Map

1. Clicking the icon displays a balloon with observation information.
2. Then click the observation name, figures will be displayed.




— Observation Line — Navigation ● Observation, Dive Point, Hole Imagery reproduced from ...

Figures

001S01



YK11-E05: 001S01
 Conductivity-Temperature-Depth Profiler (CTD): Salinity



Only values evaluated as "good" : all flags are 0" are plotted in profiles.
 Please see Format Page for the definition of quality flags.

Data List


- File names
- 001S01.dat
- 002S01.dat
- 003S01.dat
- 004S01.dat
- 005S01.dat
- 006S01.dat
- 007S01.dat
- 008S01.dat
- 009S01.dat
- ex_read2.f (Sample Program)

● Observation List
 The list of observation is shown as follows.

Observation	Time and Date	Lat. [°]	Lon. [°]
-------------	---------------	----------	----------

Observation	Time and Date	Lat. (°)	Lon. (°)
001S01	2011-06-28 02:48	38.6569	142.0023
002S01	2011-06-28 23:49	37.9865	142.0023
003S01	2011-06-28 20:47	37.3330	141.9995
004S01	2011-06-28 09:13	37.3216	142.5021
005S01	2011-06-28 06:15	36.6668	142.4918
006S01	2011-06-28 04:08	36.6668	141.9895
007S01	2011-06-27 20:35	36.0005	142.0003
008S01	2011-06-27 22:47	35.9998	141.5485
009S01	2011-06-28 01:52	36.6328	141.4975

Related Information



[Enlarge Image](#)

YK11-E05

Ship Name: YOKOSUKA
 Period: 2011-06-26 - 2011-07-06
 Chief Scientist: Tsutomu Takahashi (JAMSTEC)
 Proposal ▶ Sea Area Monitoring off Miyagi, Fukushima, and Ibaragi region
 Title:

Update History

2014-09-12 An observation data was registerd.
 2013-07-31 An observation data was registerd.

JAMSTEC

Site Policy
 Privacy Policy
 Application for Data and Samples
 Data Policy
 What's New
 Update History
 Feeds

Lists
 Publication List
 Amount of Public Info.
 Data
 Map Search
 Data Tree
 Detailed Search

Information of the Ships

NATSUSHIMA
 KAIYO
 YOKOSUKA
 MIRAI
 KAIREI
 CHIKYU
 KAIMEI
 SHINSEI MARU
 HAKUHO MARU

Information of the Submersibles

KAIKO
 SHINKAI 2000
 SHINKAI 6500
 DEEP TOW
 HYPER-DOLPHIN
 URASHIMA
 YOKOSUKA DEEP TOW
 6K Camera DEEP TOW
 6K Sonar DEEP TOW
 KM-ROV
 POWER GRAB SAMPLER (SHELL)
 POWER GRAB SAMPLER (CLOW)
 BMS

Go to a Cruise Information

Cruise ID:

Go to a Dive Information

Dive ID:

