

MIRAI MR16-09 Leg1 Doppler Radar

Last Modified: 2019-01-24

ReadMe

Cruise ID: [MR16-09 Leg1](#)

Doppler Radar: Raw

Data Policy: [JAMSTEC](#)

Observation Items: Reflectivity, Doppler velocity

Science Keywords:

ATMOSPHERE > PRECIPITATION
ATMOSPHERE > CLOUDS
ATMOSPHERE > ATMOSPHERIC WINDS
SPECTRAL/ENGINEERING > RADAR > DOPPLER VELOCITY
SPECTRAL/ENGINEERING > RADAR > RADAR REFLECTIVITY

Cruise Report

http://www.godac.jamstec.go.jp/catalog/data/doc_catalog/media/MR16-09_leg1-4_all.pdf

For Using Data

Principal Investigator

Data Management Office

Use Constraints

See [Terms and Conditions](#) about constrain of use.

Data Citation

See [Terms and Conditions](#) about data citation.

Instrument

Instrument:

Doppler radar (MR14-04 Leg1 -)



Specifications

Doppler radar

Manufacturer/model: Toshiba Co., Japan/ TW4419A
Frequency: 5370MHz (C-band)
Transmitter: Solid-state transmitter
Pulse configuration : Using pulse-compression
Polarimetry: Horizontal and vertical
Peak power: 6kW(H) + 6kW(V)
Antenna diameter 4m
Beam angle: 1.0degree
Location (from sea surface): 24m (center position of antenna)

Inertial navigation system

Manufacturer/model: iXBlue SAS, France / PHINS
Location (from sea surface): 21m

Parameter

Surveillance Scan

Scan Interval [min] :	30
Elevations[deg] :	0.5
Pulse width (short/long) [μs] :	2 / 200
Scan speed [deg/sec] :	18
PRF*1 [Hz] :	400
Sweep integration (Pulse /Ray) :	16 samples
Ray spacing [deg] :	0.7
Bin spacing [m] :	150
Max. range [km] :	300

Volume Scan

Scan interval [min] :	6					
Elevations[deg] :	0.5	1.0, 1.8, 2.6, 3.4, 4.2, 5.1, 6.2, 7.6, 9.7, 12.2, 15.2	18.7, 23.0, 27.9 33.5, 40.0			
Pulse width (short/long) [μs] :	1 / 64	1 / 32	1 / 32			
Scan speed [deg/sec] :	18	24	36			
PRF*1[Hz]	dual PRF (ray alternative)*2					
	667	833	938	1250	1333	2000
Sweep integration (Pulse /Ray)	26 samples	33 samples	27 samples	34 samples	37 samples	55 samples
Ray spacing [deg] :	0.7	0.7			1.0	

Bin spacing [m] :	150		
Max. range [km] :	150	100	60


*1 Pulse Repetition Frequency

*2 During this cruise, the data were measured with the dual-PRF mode. Therefore, unfolding of Doppler velocity was applied automatically.

Need raw data?

If you would like the raw data set, please contact us from "Contact Us" above.

Related Information



MR16-09 Leg1

Ship Name: MIRAI

Period: 2016-12-26 - 2017-01-17

Chief Scientist: Akihiko Murata (JAMSTEC)

Proposal ▶ Ship-borne measurements of aerosols in the marine atmosphere: Investigation of potential influence of marine aerosol particles on the climate;

Update History

2019-01-24 An observation data was registerd.

JAMSTEC

[Site Policy](#)

[Privacy Policy](#)

[Application for Data and Samples](#)

[Data Policy](#)

What's New

[Update History](#)

[Feeds](#)

Lists

[Publication List](#)

[Amount of Public Info.](#)

Data

[Map Search](#)

[Data Tree](#)

[Detailed Search](#)

Information of the Ships

[NATSUSHIMA](#)

[KAIYO](#)

[YOKOSUKA](#)

[MIRAI](#)

[KAIREI](#)

[CHIKYU](#)

[KAIMEI](#)

[SHINSEI MARU](#)

[HAKUHO MARU](#)

Information of the Submersibles

[KAIKO](#)

[SHINKAI 2000](#)

[SHINKAI 6500](#)

[DEEP TOW](#)

[HYPER-DOLPHIN](#)

[URASHIMA](#)

[YOKOSUKA DEEP TOW](#)

[6K Camera DEEP TOW](#)

[6K Sonar DEEP TOW](#)

[KM-ROV](#)

[POWER GRAB SAMPLER \(SHELL\)](#)

[POWER GRAB SAMPLER \(CLOW\)](#)

[BMS](#)

Go to a Cruise Information

Cruise ID:

Go to a Dive Information

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology



JAMSTEC
JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY

国立研究開発法人
海洋研究開発機構

MIRAI MR16-09 Leg1 Doppler Radar

Last Modified: 2019-01-24

[ReadMe](#)

Cruise ID: [MR16-09 Leg1](#)
Doppler Radar: Raw
Data Policy: [JAMSTEC](#)
Observation Items: Reflectivity, Doppler velocity
Science Keywords:
ATMOSPHERE > PRECIPITATION
ATMOSPHERE > CLOUDS
ATMOSPHERE > ATMOSPHERIC WINDS
SPECTRAL/ENGINEERING > RADAR > DOPPLER VELOCITY
SPECTRAL/ENGINEERING > RADAR > RADAR
REFLECTIVITY

Cruise Report
http://www.godac.jamstec.go.jp/catalog/data/doc_catalog/media/MR16-09_leg1-4_all.pdf

For Using Data

Principal Investigator
Data Management Office

Use Constraints
See [Terms and Conditions](#) about constrain of use.

Data Citation
See [Terms and Conditions](#) about data citation.

Instrument
Instrument:
Doppler radar (MR14-04 Leg1 -)



Specifications

Doppler radar

Manufacturer/model: Toshiba Co., Japan/ TW4419A
Frequency: 5370MHz (C-band)
Transmitter: Solid-state transmitter
Pulse configuration : Using pulse-compression
Polarimetry: Horizontal and vertical
Peak power: 6kW(H) + 6kW(V)
Antenna diameter 4m
Beam angle: 1.0degree
Location (from sea surface): 24m (center position of antenna)

Inertial navigation system

Manufacturer/model: iXBlue SAS, France / PHINS
Location (from sea surface): 21m

Parameter


Surveillance Scan	
Scan Interval [min] :	30
Elevations[deg] :	0.5
Pulse width (short/long) [μs] :	2 / 200
Scan speed [deg/sec] :	18
PRF*1 [Hz] :	400
Sweep integration (Pulse /Ray) :	16 samples
Ray spacing [deg] :	0.7
Bin spacing [m] :	150
Max. range [km] :	300


Volume Scan						
Scan interval [min] :	6					
Elevations[deg] :	0.5	1.0, 1.8, 2.6, 3.4, 4.2, 5.1, 6.2, 7.6, 9.7, 12.2, 15.2			18.7, 23.0, 27.9 33.5, 40.0	
Pulse width (short/long) [μs] :	1 / 64		1 / 32		1 / 32	
Scan speed [deg/sec] :	18		24		36	
PRF*1[Hz]	dual PRF (ray alternative)*2					
	667	833	938	1250	1333	2000
Sweep integration (Pulse /Ray)	26 samples	33 samples	27 samples	34 samples	37 samples	55 samples
Ray spacing [deg] :	0.7		0.7		1.0	
Bin spacing [m] :	150					
Max. range [km] :	150		100		60	

*1 Pulse Repetition Frequency
*2 During this cruise, the data were measured with the dual-PRF mode. Therefore, unfolding of Doppler velocity was applied automatically.

Need raw data?
If you would like the raw data set, please contact us from "Contact Us" above.

MIRAI MR16-09 Leg1 Cruise Track



 [Enlarge Image](#)

MR16-09 Leg1
Ship Name: MIRAI
Period: 2016-12-26 - 2017-01-17
Chief Scientist: Akihiko Murata (JAMSTEC)
Proposal ▶ Ship-borne measurements of aerosols in the marine atmosphere: Investigation of potential influence of marine aerosol particles on the climate;

Update History	
2019-01-24	An observation data was registered.

JAMSTEC

Site Policy

Privacy Policy

Application for Data and Samples

Data Policy

What's New

Update History

Feeds

Lists

Publication List

Amount of Public Info.

Data

Map Search

Data Tree

Detailed Search

Information of the Ships

NATSUSHIMA

KAIYO

YOKOSUKA

MIRAI

KAIREI

CHIKYU

KAIMEI

SHINSEI MARU

HAKUHO MARU

Information of the Submersibles

KAIKO

SHINKAI 2000

SHINKAI 6500

DEEP TOW

HYPER-DOLPHIN

URASHIMA

YOKOSUKA DEEP TOW

6K Camera DEEP TOW

6K Sonar DEEP TOW

KM-ROV

POWER GRAB

SAMPLER (SHELL)

POWER GRAB

SAMPLER (CLOW)

BMS


Go to a Cruise Information

Cruise ID:

Go to a Dive Information

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology

 **JAMSTEC**
JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY

国立研究開発法人
海洋研究開発機構

MIRAI MR16-09 Leg1 Doppler Radar

Last Modified: 2019-01-24

ReadMe

Cruise ID: [MR16-09 Leg1](#)

Doppler Radar: Raw

Data Policy: [JAMSTEC](#)

Observation Items: Reflectivity, Doppler velocity

Science Keywords:

ATMOSPHERE > PRECIPITATION
ATMOSPHERE > CLOUDS
ATMOSPHERE > ATMOSPHERIC WINDS
SPECTRAL/ENGINEERING > RADAR > DOPPLER VELOCITY
SPECTRAL/ENGINEERING > RADAR > RADAR REFLECTIVITY

Cruise Report

http://www.godac.jamstec.go.jp/catalog/data/doc_catalog/media/MR16-09_leg1-4_all.pdf

For Using Data

Principal Investigator

Data Management Office

Use Constraints

See [Terms and Conditions](#) about constrain of use.

Data Citation

See [Terms and Conditions](#) about data citation.

Instrument

Instrument:

Doppler radar (MR14-04 Leg1 -)



Specifications

Doppler radar

Manufacturer/model: Toshiba Co., Japan/ TW4419A
Frequency: 5370MHz (C-band)
Transmitter: Solid-state transmitter
Pulse configuration : Using pulse-compression
Polarimetry: Horizontal and vertical
Peak power: 6kW(H) + 6kW(V)
Antenna diameter: 4m
Beam angle: 1.0degree
Location (from sea surface): 24m (center position of antenna)

Inertial navigation system

Manufacturer/model: iXBlue SAS, France / PHINS
Location (from sea surface): 21m

Parameter

Surveillance Scan

Scan Interval [min] :	30
Elevations[deg] :	0.5
Pulse width (short/long) [μs] :	2 / 200
Scan speed [deg/sec] :	18
PRF*1 [Hz] :	400
Sweep integration (Pulse /Ray) :	16 samples
Ray spacing [deg] :	0.7
Bin spacing [m] :	150
Max. range [km] :	300

Volume Scan

Scan interval [min] :	6					
Elevations[deg] :	0.5	1.0, 1.8, 2.6, 3.4, 4.2, 5.1, 6.2, 7.6, 9.7, 12.2, 15.2	18.7, 23.0, 27.9 33.5, 40.0			
Pulse width (short/long) [μs] :	1 / 64	1 / 32	1 / 32			
Scan speed [deg/sec] :	18	24	36			
PRF*1[Hz]	dual PRF (ray alternative)*2					
	667	833	938	1250	1333	2000
Sweep integration (Pulse /Ray)	26 samples	33 samples	27 samples	34 samples	37 samples	55 samples
Ray spacing [deg] :	0.7	0.7			1.0	

Bin spacing [m] :	150		
Max. range [km] :	150	100	60


*1 Pulse Repetition Frequency

*2 During this cruise, the data were measured with the dual-PRF mode. Therefore, unfolding of Doppler velocity was applied automatically.

Need raw data?

If you would like the raw data set, please contact us from "Contact Us" above.

Related Information



MR16-09 Leg1

Ship Name: MIRAI

Period: 2016-12-26 - 2017-01-17

Chief Scientist: Akihiko Murata (JAMSTEC)

Proposal ▶ Ship-borne measurements of aerosols in the marine atmosphere: Investigation of potential influence of marine aerosol particles on the climate;

Update History

2019-01-24 An observation data was registered.

JAMSTEC

[Site Policy](#)

[Privacy Policy](#)

[Application for Data and Samples](#)

[Data Policy](#)

What's New

[Update History](#)

[Feeds](#)

Lists

[Publication List](#)

[Amount of Public Info.](#)

Data

[Map Search](#)

[Data Tree](#)

[Detailed Search](#)

Information of the Ships

[NATSUSHIMA](#)

[KAIYO](#)

[YOKOSUKA](#)

[MIRAI](#)

[KAIREI](#)

[CHIKYU](#)

[KAIMEI](#)

[SHINSEI MARU](#)

[HAKUHO MARU](#)

Information of the Submersibles

[KAIKO](#)

[SHINKAI 2000](#)

[SHINKAI 6500](#)

[DEEP TOW](#)

[HYPER-DOLPHIN](#)

[URASHIMA](#)

[YOKOSUKA DEEP TOW](#)

[6K Camera DEEP TOW](#)

[6K Sonar DEEP TOW](#)

[KM-ROV](#)

[POWER GRAB SAMPLER \(SHELL\)](#)

[POWER GRAB SAMPLER \(CLOW\)](#)

[BMS](#)

Go to a Cruise Information

Cruise ID:

Go to a Dive Information

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology



JAMSTEC

国立研究開発法人
海洋研究開発機構
JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY