

## MIRAI MR00-K02 Doppler Radar

Last Modified: 2016-11-23

### ReadMe

Cruise ID: [MR00-K02](#)

Doppler Radar: Raw

Data Policy: [JAMSTEC](#)

Observation Items: Reflectivity, Doppler velocity

Science Keywords:

ATMOSPHERE > PRECIPITATION  
ATMOSPHERE > CLOUDS  
ATMOSPHERE > ATMOSPHERIC WINDS  
SPECTRAL/ENGINEERING > RADAR > DOPPLER VELOCITY  
SPECTRAL/ENGINEERING > RADAR > RADAR REFLECTIVITY

### For Using Data

#### Principal Investigator

Data Management Office

#### Use Constraints

See [Terms and Conditions](#) about constrain of use.

#### Data Citation

See [Terms and Conditions](#) about data citation.

### Instrument

Instrument:

Doppler radar (- MR14-02)



### Specifications

Manufacturer/model: Mitsubishi Electric Co. Ltd., Japan / RC-52B  
Location (from sea surface): 18m  
Frequency: 5290MHz (C band)  
Peak power: 250kW  
Beam angle: <1.5degree  
Inertial navigation system  
Manufacturer/model: Honeywell Inc., USA / DRUH  
Processing system  
Manufacturer/model: Vaisala Inc. Sigmet Product Line, USA / RVP-6  
Data acquisition software  
Manufacturer/model: Vaisala Inc. Sigmet Product Line, USA / IRIS ver. 6.07

### Parameter

	Surveillance scan	Volume scan
Pulse width [ $\mu$ s]	2.0	0.5
Scan speed [deg/sec]	18	18
PRF *1 [Hz]	260	900 / 720 *2
Sweep integration	32 samples	32 samples
Ray spacing [deg]	about 1.0	about 1.0
Bin spacing [m]	250	125
Elevations [deg]	0.7	0.7, 1.4, 2.1, 3.0, 4.0, 5.0, 6.0, 7.1, 8.2, 9.5, 11.0, 12.5, 14.5, 17.0, 20.0, 24.0, 30.0
Range [km]	300	160
Scan interval	30 min	10 min


\*1 Pulse Repetition Frequency

\*2 During this cruise, the data were measured with the dual-PRF mode. Therefore, unfolding of Doppler velocity was applied automatically.

### About this data

If you need the raw data set, please refer to "Contact Us" above.

### Related Information



 [Enlarge Image](#)

#### MR00-K02

Ship Name: MIRAI

Period: 2000-02-12 - 2000-03-25

Chief Scientist: Yoshifumi Kuroda (JAMSTEC)

Project Name: [Tropical Ocean Climate Study (TOCS)]

#### Update History

2016-11-23	An observation data was registerd.
------------	------------------------------------

#### JAMSTEC

[Site Policy](#)  
[Privacy Policy](#)  
[Application for Data and Samples](#)  
[Data Policy](#)

#### What's New

[Update History](#)  
[Feeds](#)

#### Lists

[Publication List](#)  
[Amount of Public Info.](#)

#### Data

[Map Search](#)  
[Data Tree](#)  
[Detailed Search](#)

#### Information of the Ships

[NATSUSHIMA](#)  
[KAIYO](#)  
[YOKOSUKA](#)  
[MIRAI](#)  
[KAIREI](#)  
[CHIKYU](#)  
[KAIMEI](#)  
[SHINSEI MARU](#)  
[HAKUHO MARU](#)

#### Information of the Submersibles

[KAIKO](#)  
[SHINKAI 2000](#)  
[SHINKAI 6500](#)  
[DEEP TOW](#)  
[HYPER-DOLPHIN](#)  
[URASHIMA](#)  
[YOKOSUKA DEEP TOW](#)  
[6K Camera DEEP TOW](#)  
[6K Sonar DEEP TOW](#)  
[KM-ROV](#)  
[POWER GRAB SAMPLER \(SHELL\)](#)  
[POWER GRAB SAMPLER \(CLOW\)](#)  
[BMS](#)

#### Go to a Cruise Information

Cruise ID:

#### Go to a Dive Information

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology



**JAMSTEC** 国立研究開発法人  
海洋研究開発機構  
JAPAN AGENCY FOR MARINE EARTH SCIENCE AND TECHNOLOGY

## MIRAI MR00-K02 Doppler Radar

Last Modified: 2016-11-23

### ReadMe

Cruise ID: [MR00-K02](#)

Doppler Radar: Raw

Data Policy: [JAMSTEC](#)

Observation Items: Reflectivity, Doppler velocity

Science Keywords:

ATMOSPHERE > PRECIPITATION  
ATMOSPHERE > CLOUDS  
ATMOSPHERE > ATMOSPHERIC WINDS  
SPECTRAL/ENGINEERING > RADAR > DOPPLER VELOCITY  
SPECTRAL/ENGINEERING > RADAR > RADAR  
SPECTRAL/ENGINEERING > RADAR REFLECTIVITY

### For Using Data

#### Principal Investigator

Data Management Office

#### Use Constraints

See [Terms and Conditions](#) about constrain of use.

#### Data Citation

See [Terms and Conditions](#) about data citation.

### Instrument

Instrument:

Doppler radar (- MR14-02)



### Specifications

Manufacturer/model: Mitsubishi Electric Co. Ltd., Japan / RC-52B  
Location (from sea surface): 18m  
Frequency: 5290MHz (C band)  
Peak power: 250kW  
Beam angle: <1.5degree  
Inertial navigation system  
Manufacturer/model: Honeywell Inc., USA / DRUH  
Processing system  
Manufacturer/model: Vaisala Inc. Sigmet Product Line, USA / RVP-6  
Data acquisition software  
Manufacturer/model: Vaisala Inc. Sigmet Product Line, USA / IRIS ver. 6.07

### Parameter

	Surveillance scan	Volume scan
Pulse width [ $\mu$ s]	2.0	0.5
Scan speed [deg/sec]	18	18
PRF *1 [Hz]	260	900 / 720*2
Sweep integration	32 samples	32 samples
Ray spacing [deg]	about 1.0	about 1.0
Bin spacing [m]	250	125
Elevations [deg]	0.7	0.7, 1.4, 2.1, 3.0, 4.0, 5.0, 6.0, 7.1, 8.2, 9.5, 11.0, 12.5, 14.5, 17.0, 20.0, 24.0, 30.0
Range [km]	300	160
Scan interval	30 min	10 min


\*1 Pulse Repetition Frequency

\*2 During this cruise, the data were measured with the dual-PRF mode. Therefore, unfolding of Doppler velocity was applied automatically.

### About this data

If you need the raw data set, please refer to "Contact Us" above.

### Related Information



[Enlarge Image](#)

#### MR00-K02

Ship Name: MIRAI  
Period: 2000-02-12 - 2000-03-25  
Chief Scientist: Yoshifumi Kuroda (JAMSTEC)  
Project Name: [Tropical Ocean Climate Study (TOCS)]

#### Update History

2016-11-23	An observation data was registerd.
------------	------------------------------------

#### JAMSTEC

[Site Policy](#)  
[Privacy Policy](#)  
[Application for Data and Samples](#)  
[Data Policy](#)  
[What's New](#)  
[Update History](#)  
[Feeds](#)

#### Lists

[Publication List](#)  
[Amount of Public Info.](#)

#### Data

[Map Search](#)  
[Data Tree](#)  
[Detailed Search](#)

#### Information of the Ships

[NATSUSHIMA](#)  
[KAIYO](#)  
[YOKOSUKA](#)  
[MIRAI](#)  
[KAIREI](#)  
[CHIKYU](#)  
[KAIMEI](#)  
[SHINSEI MARU](#)  
[HAKUHO MARU](#)

#### Information of the Submersibles

[KAIKO](#)  
[SHINKAI 2000](#)  
[SHINKAI 6500](#)  
[DEEP TOW](#)  
[HYPER-DOLPHIN](#)  
[URASHIMA](#)  
[YOKOSUKA DEEP TOW](#)  
[6K Camera DEEP TOW](#)  
[6K Sonar DEEP TOW](#)  
[KM-ROV](#)  
[POWER GRAB](#)  
[SAMPLER \(SHELL\)](#)  
[POWER GRAB SAMPLER \(CLOW\)](#)  
[BMS](#)

#### Go to a Cruise Information

Cruise ID:

#### Go to a Dive Information

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology

 **JAMSTEC** 国立研究開発法人  
海洋研究開発機構  
JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY

## MIRAI MR00-K02 Doppler Radar

Last Modified: 2016-11-23

### ReadMe

Cruise ID: [MR00-K02](#)

Doppler Radar: Raw

Data Policy: [JAMSTEC](#)

Observation Items: Reflectivity, Doppler velocity

Science Keywords:

ATMOSPHERE > PRECIPITATION  
ATMOSPHERE > CLOUDS  
ATMOSPHERE > ATMOSPHERIC WINDS  
SPECTRAL/ENGINEERING > RADAR > DOPPLER VELOCITY  
SPECTRAL/ENGINEERING > RADAR > RADAR REFLECTIVITY

### For Using Data

#### Principal Investigator

Data Management Office

#### Use Constraints

See [Terms and Conditions](#) about constrain of use.

#### Data Citation

See [Terms and Conditions](#) about data citation.

### Instrument

Instrument:

Doppler radar (- MR14-02)



### Specifications

Manufacturer/model: Mitsubishi Electric Co. Ltd., Japan / RC-52B  
Location (from sea surface): 18m  
Frequency: 5290MHz (C band)  
Peak power: 250kW  
Beam angle: <1.5degree  
Inertial navigation system  
Manufacturer/model: Honeywell Inc., USA / DRUH  
Processing system  
Manufacturer/model: Vaisala Inc. Sigmet Product Line, USA / RVP-6  
Data acquisition software  
Manufacturer/model: Vaisala Inc. Sigmet Product Line, USA / IRIS ver. 6.07

### Parameter

	Surveillance scan	Volume scan
Pulse width [ $\mu$ s]	2.0	0.5
Scan speed [deg/sec]	18	18
PRF *1 [Hz]	260	900 / 720 *2
Sweep integration	32 samples	32 samples
Ray spacing [deg]	about 1.0	about 1.0
Bin spacing [m]	250	125
Elevations [deg]	0.7	0.7, 1.4, 2.1, 3.0, 4.0, 5.0, 6.0, 7.1, 8.2, 9.5, 11.0, 12.5, 14.5, 17.0, 20.0, 24.0, 30.0
Range [km]	300	160
Scan interval	30 min	10 min


\*1 Pulse Repetition Frequency

\*2 During this cruise, the data were measured with the dual-PRF mode. Therefore, unfolding of Doppler velocity was applied automatically.

### About this data

If you need the raw data set, please refer to "Contact Us" above.

### Related Information



[Enlarge Image](#)

#### MR00-K02

Ship Name: MIRAI

Period: 2000-02-12 - 2000-03-25

Chief Scientist: Yoshifumi Kuroda (JAMSTEC)

Project Name: [Tropical Ocean Climate Study (TOCS)]

#### Update History

2016-11-23	An observation data was registerd.
------------	------------------------------------

#### JAMSTEC

[Site Policy](#)

[Privacy Policy](#)

[Application for Data and Samples](#)

[Data Policy](#)

#### What's New

[Update History](#)

[Feeds](#)

#### Lists

[Publication List](#)

[Amount of Public Info.](#)

#### Data

[Map Search](#)

[Data Tree](#)

[Detailed Search](#)

#### Information of the Ships

[NATSUSHIMA](#)

[KAIYO](#)

[YOKOSUKA](#)

[MIRAI](#)

[KAIREI](#)

[CHIKYU](#)

[KAIMEI](#)

[SHINSEI MARU](#)

[HAKUHO MARU](#)

#### Information of the Submersibles

[KAIKO](#)

[SHINKAI 2000](#)

[SHINKAI 6500](#)

[DEEP TOW](#)

[HYPER-DOLPHIN](#)

[URASHIMA](#)

[YOKOSUKA DEEP TOW](#)

[6K Camera DEEP TOW](#)

[6K Sonar DEEP TOW](#)

[KM-ROV](#)

[POWER GRAB SAMPLER \(SHELL\)](#)

[POWER GRAB SAMPLER \(CLOW\)](#)

[BMS](#)

#### Go to a Cruise Information

Cruise ID:

#### Go to a Dive Information

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology



**JAMSTEC**

国立研究開発法人  
海洋研究開発機構  
JAPAN AGENCY FOR MARINE EARTH SCIENCE AND TECHNOLOGY