

MIRAI MR17-04 Leg2 Doppler Radar

Last Modified: 2019-08-21

ReadMe

Cruise ID: [MR17-04 Leg2](#)

Doppler Radar: Raw

Data Policy: [JAMSTEC](#)

Observation Items: Reflectivity, Doppler velocity

Science Keywords:

ATMOSPHERE > PRECIPITATION
ATMOSPHERE > CLOUDS
ATMOSPHERE > ATMOSPHERIC WINDS
SPECTRAL/ENGINEERING > RADAR > DOPPLER VELOCITY
SPECTRAL/ENGINEERING > RADAR > RADAR REFLECTIVITY

Cruise Report

http://www.godac.jamstec.go.jp/catalog/data/doc_catalog/media/MR17-04_leg1-2_all.pdf

For Using Data

Principal Investigator

Data Management Office

Use Constraints

See [Terms and Conditions](#) about constrain of use.

Data Citation

See [Terms and Conditions](#) about data citation.

Instrument

Instrument:

Doppler radar (MR14-04 Leg1 -)



Specifications

Doppler radar

Manufacturer/model: Toshiba Co., Japan/ TW4419A
Frequency: 5370MHz (C-band)
Transmitter: Solid-state transmitter
Pulse configuration : Using pulse-compression
Polarimetry: Horizontal and vertical
Peak power: 6kW(H) + 6kW(V)
Antenna diameter 4m
Beam angle: 1.0degree
Location (from sea surface): 24m (center position of antenna)

Inertial navigation system

Manufacturer/model: iXBlue SAS, France / PHINS
Location (from sea surface): 21m

Parameter

Surveillance Scan

Scan Interval [min] :	30
Elevations[deg] :	0.5
Pulse width (short/long) [μs] :	2 / 200
Scan speed [deg/sec] :	18
PRF*1 [Hz] :	400
Sweep integration (Pulse /Ray) :	16 samples
Ray spacing [deg] :	0.7
Bin spacing [m] :	150
Max. range [km] :	300

Volume Scan

Scan interval [min] :	6					
Elevations[deg] :	0.5	1.0, 1.8, 2.6, 3.4, 4.2, 5.1, 6.2, 7.6, 9.7, 12.2, 15.2	18.7, 23.0, 27.9 33.5, 40.0			
Pulse width (short/long) [μs] :	1 / 64	1 / 32	1 / 32			
Scan speed [deg/sec] :	18	24	36			
PRF*1[Hz]	dual PRF (ray alternative)*2					
	667	833	938	1250	1333	2000
Sweep integration (Pulse /Ray)	26 samples	33 samples	27 samples	34 samples	37 samples	55 samples
Ray spacing [deg] :	0.7	0.7			1.0	

Bin spacing [m] :	150		
Max. range [km] :	150	100	60

*1 Pulse Repetition Frequency


*2 During this cruise, the data were measured with the dual-PRF mode. Therefore, unfolding of Doppler velocity was applied automatically.

Need raw data?

If you would like the raw data set, please contact us from "Contact Us" above.

Related Information

☒ Cruise Data ☐ Dive Data



[Enlarge Image](#)

MR17-04 Leg2

Ship Name: MIRAI

Period: 2017-08-05 - 2017-08-21

Chief Scientist: Yoshihiro Fujiwara (JAMSTEC)

Proposal ▶ Collaborative experiment on Biogeochemical and Ecosystem Studies for sub-Arctic sea

Title:

Update History

2019-08-21 An observation data was registered.

JAMSTEC

[Site Policy](#)

[Privacy Policy](#)

[Application for Data and Samples](#)

[Data Policy](#)

[Data Tree](#)

[What's New](#)

[Update History](#)

[Feeds](#)

Lists

[Publication List](#)

[Amount of Public Info.](#)

Data

[Map Search](#)

[Data Tree](#)

[Detailed Search](#)

Information of the Ships

[NATSUSHIMA](#)

[KAIYO](#)

[YOKOSUKA](#)

[MIRAI](#)

[KAIREI](#)

[CHIKYU](#)

[KAIMEI](#)

[SHINSEI MARU](#)

[HAKUHO MARU](#)

Information of the Submersibles

[KAIKO](#)

[SHINKAI 2000](#)

[SHINKAI 6500](#)

[DEEP TOW](#)

[HYPER-DOLPHIN](#)

[URASHIMA](#)

[YOKOSUKA DEEP TOW](#)

[6K Camera DEEP TOW](#)

[6K Sonar DEEP TOW](#)

[KM-ROV](#)

[POWER GRAB SAMPLER \(SHELL\)](#)

[POWER GRAB SAMPLER \(CLOW\)](#)

[BMS](#)

Go to a Cruise Information

Cruise ID:

Go to a Dive Information

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology



JAMSTEC

国立研究開発法人
海洋研究開発機構

JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY

MIRAI MR17-04 Leg2 Doppler Radar

Last Modified: 2019-08-21

[ReadMe](#)

Cruise ID: [MR17-04 Leg2](#)
Doppler Radar: Raw
Data Policy: [JAMSTEC](#)
Observation Items: Reflectivity, Doppler velocity
Science Keywords:
ATMOSPHERE > PRECIPITATION
ATMOSPHERE > CLOUDS
ATMOSPHERE > ATMOSPHERIC WINDS
SPECTRAL/ENGINEERING > RADAR > DOPPLER VELOCITY
SPECTRAL/ENGINEERING > RADAR > RADAR
REFLECTIVITY

Cruise Report
http://www.godac.jamstec.go.jp/catalog/data/doc_catalog/media/MR17-04_leg1-2_all.pdf

For Using Data

Principal Investigator
Data Management Office

Use Constraints
See [Terms and Conditions](#) about constrain of use.

Data Citation
See [Terms and Conditions](#) about data citation.

Instrument
Instrument:
Doppler radar (MR14-04 Leg1 -)



Specifications

Doppler radar

Manufacturer/model: Toshiba Co., Japan/ TW4419A
Frequency: 5370MHz (C-band)
Transmitter: Solid-state transmitter
Pulse configuration : Using pulse-compression
Polarimetry: Horizontal and vertical
Peak power: 6kW(H) + 6kW(V)
Antenna diameter 4m
Beam angle: 1.0degree
Location (from sea surface): 24m (center position of antenna)

Inertial navigation system

Manufacturer/model: iXBlue SAS, France / PHINS
Location (from sea surface): 21m


Parameter

Surveillance Scan	
Scan Interval [min] :	30
Elevations[deg] :	0.5
Pulse width (short/long) [μs] :	2 / 200
Scan speed [deg/sec] :	18
PRF*1 [Hz] :	400
Sweep integration (Pulse /Ray) :	16 samples
Ray spacing [deg] :	0.7
Bin spacing [m] :	150
Max. range [km] :	300

Volume Scan						
Scan interval [min] :	6					
Elevations[deg] :	0.5	1.0, 1.8, 2.6, 3.4, 4.2, 5.1, 6.2, 7.6, 9.7, 12.2, 15.2			18.7, 23.0, 27.9 33.5, 40.0	
Pulse width (short/long) [μs] :	1 / 64		1 / 32		1 / 32	
Scan speed [deg/sec] :	18		24		36	
PRF*1[Hz]	dual PRF (ray alternative)*2					
	667	833	938	1250	1333	2000
Sweep integration (Pulse /Ray)	26 samples	33 samples	27 samples	34 samples	37 samples	55 samples
Ray spacing [deg] :	0.7		0.7		1.0	
Bin spacing [m] :	150					
Max. range [km] :	150		100		60	

*1 Pulse Repetition Frequency
*2 During this cruise, the data were measured with the dual-PRF mode. Therefore, unfolding of Doppler velocity was applied automatically.

Need raw data?
If you would like the raw data set, please contact us from "Contact Us" above.



[Enlarge Image](#)

MR17-04 Leg2

Ship Name: MIRAI

Period: 2017-08-05 - 2017-08-21

Chief Scientist: Yoshihiro Fujiwara (JAMSTEC)

Proposal ▶ Collaborative experiment on Biogeochemical and Ecosystem Studies for sub-Arctic sea

Title:

Update History

2019-08-21 An observation data was registered.

JAMSTEC

[Site Policy](#)

[Privacy Policy](#)

[Application for Data and Samples](#)

[Data Policy](#)

What's New

[Update History](#)

[Feeds](#)

Lists

[Publication List](#)

[Amount of Public Info.](#)

Data

[Map Search](#)

[Data Tree](#)

[Detailed Search](#)

Information of the Ships

[NATSUSHIMA](#)

[KAIYO](#)

[YOKOSUKA](#)

[MIRAI](#)

[KAIREI](#)

[CHIKYU](#)

[KAIMEI](#)

[SHINSEI MARU](#)

[HAKUHO MARU](#)

Information of the Submersibles

[KAIKO](#)

[SHINKAI 2000](#)

[SHINKAI 6500](#)

[DEEP TOW](#)

[HYPER-DOLPHIN](#)

[URASHIMA](#)

[YOKOSUKA DEEP TOW](#)

[6K Camera DEEP TOW](#)

[6K Sonar DEEP TOW](#)

[KM-ROV](#)

[POWER GRAB](#)

[SAMPLER \(SHELL\)](#)

[POWER GRAB](#)

[SAMPLER \(CLOW\)](#)

[BMS](#)

Go to a Cruise Information

Cruise ID:

Go to a Dive Information

Dive ID:



MIRAI MR17-04 Leg2 Doppler Radar

Last Modified: 2019-08-21

ReadMe

Cruise ID: [MR17-04 Leg2](#)

Doppler Radar: Raw

Data Policy: [JAMSTEC](#)

Observation Items: Reflectivity, Doppler velocity

Science Keywords:

ATMOSPHERE > PRECIPITATION
ATMOSPHERE > CLOUDS
ATMOSPHERE > ATMOSPHERIC WINDS
SPECTRAL/ENGINEERING > RADAR > DOPPLER VELOCITY
SPECTRAL/ENGINEERING > RADAR > RADAR REFLECTIVITY

Cruise Report

http://www.godac.jamstec.go.jp/catalog/data/doc_catalog/media/MR17-04_leg1-2_all.pdf

For Using Data

Principal Investigator

Data Management Office

Use Constraints

See [Terms and Conditions](#) about constrain of use.

Data Citation

See [Terms and Conditions](#) about data citation.

Instrument

Instrument:

Doppler radar (MR14-04 Leg1 -)



Specifications

Doppler radar

Manufacturer/model: Toshiba Co., Japan/ TW4419A
Frequency: 5370MHz (C-band)
Transmitter: Solid-state transmitter
Pulse configuration : Using pulse-compression
Polarimetry: Horizontal and vertical
Peak power: 6kW(H) + 6kW(V)
Antenna diameter 4m
Beam angle: 1.0degree
Location (from sea surface): 24m (center position of antenna)

Inertial navigation system

Manufacturer/model: iXBlue SAS, France / PHINS
Location (from sea surface): 21m

Parameter

Surveillance Scan

Scan Interval [min] :	30
Elevations[deg] :	0.5
Pulse width (short/long) [μs] :	2 / 200
Scan speed [deg/sec] :	18
PRF*1 [Hz] :	400
Sweep integration (Pulse /Ray) :	16 samples
Ray spacing [deg] :	0.7
Bin spacing [m] :	150
Max. range [km] :	300

Volume Scan

Scan interval [min] :	6					
Elevations[deg] :	0.5	1.0, 1.8, 2.6, 3.4, 4.2, 5.1, 6.2, 7.6, 9.7, 12.2, 15.2	18.7, 23.0, 27.9 33.5, 40.0			
Pulse width (short/long) [μs] :	1 / 64	1 / 32	1 / 32			
Scan speed [deg/sec] :	18	24	36			
PRF*1[Hz]	dual PRF (ray alternative)*2					
	667	833	938	1250	1333	2000
Sweep integration (Pulse /Ray)	26 samples	33 samples	27 samples	34 samples	37 samples	55 samples
Ray spacing [deg] :	0.7	0.7			1.0	

Bin spacing [m] :	150		
Max. range [km] :	150	100	60

*1 Pulse Repetition Frequency


*2 During this cruise, the data were measured with the dual-PRF mode. Therefore, unfolding of Doppler velocity was applied automatically.

Need raw data?

If you would like the raw data set, please contact us from "Contact Us" above.

Related Information

☒ Cruise Data ☐ Dive Data



[Enlarge Image](#)

MR17-04 Leg2

Ship Name: MIRAI

Period: 2017-08-05 - 2017-08-21

Chief Scientist: Yoshihiro Fujiwara (JAMSTEC)

Proposal ▶ Collaborative experiment on Biogeochemical and Ecosystem Studies for sub-Arctic sea

Title:

Update History

2019-08-21 An observation data was registered.

JAMSTEC

[Site Policy](#)

[Privacy Policy](#)

[Application for Data and Samples](#)

[Data Policy](#)

[What's New](#)

[Update History](#)

[Feeds](#)

Lists

[Publication List](#)

[Amount of Public Info.](#)

Data

[Map Search](#)

[Data Tree](#)

[Detailed Search](#)

Information of the Ships

[NATSUSHIMA](#)

[KAIYO](#)

[YOKOSUKA](#)

[MIRAI](#)

[KAIREI](#)

[CHIKYU](#)

[KAIMEI](#)

[SHINSEI MARU](#)

[HAKUHO MARU](#)

Information of the Submersibles

[KAIKO](#)

[SHINKAI 2000](#)

[SHINKAI 6500](#)

[DEEP TOW](#)

[HYPER-DOLPHIN](#)

[URASHIMA](#)

[YOKOSUKA DEEP TOW](#)

[6K Camera DEEP TOW](#)

[6K Sonar DEEP TOW](#)

[KM-ROV](#)

[POWER GRAB SAMPLER \(SHELL\)](#)

[POWER GRAB SAMPLER \(CLOW\)](#)

[BMS](#)

Go to a Cruise Information

Cruise ID:

Go to a Dive Information

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology



JAMSTEC

国立研究開発法人
海洋研究開発機構
JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY