

## MIRAI MR98-K02 Doppler Radar

Last Modified: 2016-12-28

### ReadMe

Cruise ID: [MR98-K02](#)

Doppler Radar: Raw

Data Policy: [JAMSTEC](#)

Observation Items: Reflectivity, Doppler velocity

Science Keywords:

ATMOSPHERE > PRECIPITATION  
ATMOSPHERE > CLOUDS  
ATMOSPHERE > ATMOSPHERIC WINDS  
SPECTRAL/ENGINEERING > RADAR > DOPPLER VELOCITY  
SPECTRAL/ENGINEERING > RADAR > RADAR REFLECTIVITY

### Cruise Report

[http://www.godac.jamstec.go.jp/catalog/data/doc\\_catalog/media/MR98-K02\\_all.pdf](http://www.godac.jamstec.go.jp/catalog/data/doc_catalog/media/MR98-K02_all.pdf)

#### For Using Data

##### Principal Investigator

Data Management Office

##### Use Constraints

See [Terms and Conditions](#) about constrain of use.


##### Data Citation

See [Terms and Conditions](#) about data citation.

### Instrument

Instrument:

Doppler radar (- MR14-02)



### Specifications

Manufacturer/model: Mitsubishi Electric Co. Ltd., Japan / RC-52B  
Location (from sea surface): 18m  
Frequency: 5290MHz (C band)  
Peak power: 250kW  
Beam angle: <1.5degree  
Inertial navigation system  
Manufacturer/model: Honeywell Inc., USA / DRUH  
Processing system  
Manufacturer/model: Vaisala Inc. Sigmet Product Line, USA / RVP-6  
Data acquisition software  
Manufacturer/model: Vaisala Inc. Sigmet Product Line, USA / IRIS ver. 6.07

### Parameter

	Surveillance scan	Volume scan
Pulse width [μs]	2.0	0.5
Scan speed [deg/sec]	18	18
PRF *1 [Hz]	260	900 / 720 *2
Sweep integration	32 samples	32 samples
Ray spacing [deg]	about 1.0	about 1.0
Bin spacing [m]	250	125
Elevations [deg]	0.8	0.0, 0.6, 1.2, 1.8, 2.5, 3.2, 4.3, 5.3, 6.5, 8.0, 10.0, 12.5, 15.0, 18.0, 22.0, 26.0, 30.0
Range [km]	300	160
Scan interval	30 min	10 min


\*1 Pulse Repetition Frequency

\*2 During this cruise, the data were measured with the dual-PRF mode. Therefore, unfolding of Doppler velocity was applied automatically.

### About this data

If you need the raw data set, please refer to "Contact Us" above.

### Related Information



**MR98-K02**  
Ship Name: MIRAI  
Period: 1998-12-22 - 1999-01-31  
Chief Scientist: Takeshi Kawano (JAMSTEC)

#### Update History

2016-12-28	An observation data was registerd.
------------	------------------------------------

JAMSTEC  
Site Policy  
Privacy Policy  
Application for Data and Samples  
Data Policy  
**What's New**  
Update History  
Feeds

Lists  
Publication List  
Amount of Public Info.  
**Data**  
Map Search  
Data Tree  
Detailed Search

Information of the Ships  
NATSUSHIMA  
KAIYO  
YOKOSUKA  
MIRAI  
KAIREI  
CHIKYU  
KAIMEI  
SHINSEI MARU  
HAKUHO MARU

Information of the Submersibles  
KAIKO  
SHINKAI 2000  
SHINKAI 6500  
DEEP TOW  
HYPER-DOLPHIN  
URASHIMA  
YOKOSUKA DEEP TOW  
6K Camera DEEP TOW  
6K Sonar DEEP TOW  
KM-ROV  
POWER GRAB SAMPLER (SHELL)  
POWER GRAB SAMPLER (CLOW)  
BMS

#### Go to a Cruise Information

Cruise ID:

#### Go to a Dive Information

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology

 **JAMSTEC** 国立研究開発法人  
海洋研究開発機構  
JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY

## MIRAI MR98-K02 Doppler Radar

Last Modified: 2016-12-28

### ReadMe

Cruise ID: [MR98-K02](#)

Doppler Radar: Raw

Data Policy: [JAMSTEC](#)

Observation Items: Reflectivity, Doppler velocity

Science Keywords:

ATMOSPHERE > PRECIPITATION  
ATMOSPHERE > CLOUDS  
ATMOSPHERE > ATMOSPHERIC WINDS  
SPECTRAL/ENGINEERING > RADAR > DOPPLER VELOCITY  
SPECTRAL/ENGINEERING > RADAR > RADAR  
SPECTRAL/ENGINEERING > RADAR REFLECTIVITY

### Cruise Report

[http://www.godac.jamstec.go.jp/catalog/data/doc\\_catalog/media/MR98-K02\\_all.pdf](http://www.godac.jamstec.go.jp/catalog/data/doc_catalog/media/MR98-K02_all.pdf)

#### For Using Data

##### Principal Investigator

Data Management Office

##### Use Constraints

See [Terms and Conditions](#) about constrain of use.

##### Data Citation

See [Terms and Conditions](#) about data citation.

### Instrument

Instrument:

Doppler radar (- MR14-02)



### Specifications

Manufacturer/model: Mitsubishi Electric Co. Ltd., Japan / RC-52B  
Location (from sea surface): 18m  
Frequency: 5290MHz (C band)  
Peak power: 250kW  
Beam angle: <1.5degree  
Inertial navigation system  
Manufacturer/model: Honeywell Inc., USA / DRUH  
Processing system  
Manufacturer/model: Vaisala Inc. Sigmet Product Line, USA / RVP-6  
Data acquisition software  
Manufacturer/model: Vaisala Inc. Sigmet Product Line, USA / IRIS ver. 6.07

### Parameter

	Surveillance scan	Volume scan
Pulse width [μs]	2.0	0.5
Scan speed [deg/sec]	18	18
PRF *1 [Hz]	260	900 / 720*2
Sweep integration	32 samples	32 samples
Ray spacing [deg]	about 1.0	about 1.0
Bin spacing [m]	250	125
Elevations [deg]	0.8	0.0, 0.6, 1.2, 1.8, 2.5, 3.2, 4.3, 5.3, 6.5, 8.0, 10.0, 12.5, 15.0, 18.0, 22.0, 26.0, 30.0
Range [km]	300	160
Scan interval	30 min	10 min


\*1 Pulse Repetition Frequency

\*2 During this cruise, the data were measured with the dual-PRF mode. Therefore, unfolding of Doppler velocity was applied automatically.

### About this data

If you need the raw data set, please refer to "Contact Us" above.

### Related Information



 [Enlarge Image](#)

**MR98-K02**  
Ship Name: MIRAI  
Period: 1998-12-22 - 1999-01-31  
Chief Scientist: Takeshi Kawano (JAMSTEC)

#### Update History

Date	Description
2016-12-28	An observation data was registered.

#### JAMSTEC

[Site Policy](#)  
[Privacy Policy](#)  
[Application for Data and Samples](#)  
[Data Policy](#)  
**What's New**  
[Update History](#)  
[Feeds](#)

#### Lists

[Publication List](#)  
[Amount of Public Info.](#)  
**Data**  
[Map Search](#)  
[Data Tree](#)  
[Detailed Search](#)

#### Information of the Ships

[NATSUSHIMA](#)  
[KAIYO](#)  
[YOKOSUKA](#)  
[MIRAI](#)  
[KAIREI](#)  
[CHIKYU](#)  
[KAIMEI](#)  
[SHINSEI MARU](#)  
[HAKUHO MARU](#)

#### Information of the Submersibles

[KAIKO](#)  
[SHINKAI 2000](#)  
[SHINKAI 6500](#)  
[DEEP TOW](#)  
[HYPER-DOLPHIN](#)  
[URASHIMA](#)  
[YOKOSUKA DEEP TOW](#)  
[6K Camera DEEP TOW](#)  
[6K Sonar DEEP TOW](#)  
[KM-ROV](#)  
[POWER GRAB SAMPLER \(SHELL\)](#)  
[POWER GRAB SAMPLER \(CLOW\)](#)  
[BMS](#)

#### Go to a Cruise Information

Cruise ID:

#### Go to a Dive Information

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology



**JAMSTEC**

国立研究開発法人  
海洋研究開発機構  
JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY

## MIRAI MR98-K02 Doppler Radar

Last Modified: 2016-12-28

### ReadMe

Cruise ID: [MR98-K02](#)

Doppler Radar: Raw

Data Policy: [JAMSTEC](#)

Observation Items: Reflectivity, Doppler velocity

Science Keywords:

ATMOSPHERE > PRECIPITATION  
ATMOSPHERE > CLOUDS  
ATMOSPHERE > ATMOSPHERIC WINDS  
SPECTRAL/ENGINEERING > RADAR > DOPPLER VELOCITY  
SPECTRAL/ENGINEERING > RADAR > RADAR REFLECTIVITY

### Cruise Report

[http://www.godac.jamstec.go.jp/catalog/data/doc\\_catalog/media/MR98-K02\\_all.pdf](http://www.godac.jamstec.go.jp/catalog/data/doc_catalog/media/MR98-K02_all.pdf)

#### For Using Data

##### Principal Investigator

Data Management Office

##### Use Constraints

See [Terms and Conditions](#) about constrain of use.


##### Data Citation

See [Terms and Conditions](#) about data citation.

### Instrument

Instrument:

Doppler radar (- MR14-02)



### Specifications

Manufacturer/model: Mitsubishi Electric Co. Ltd., Japan / RC-52B  
Location (from sea surface): 18m  
Frequency: 5290MHz (C band)  
Peak power: 250kW  
Beam angle: <1.5degree  
Inertial navigation system  
Manufacturer/model: Honeywell Inc., USA / DRUH  
Processing system  
Manufacturer/model: Vaisala Inc. Sigmet Product Line, USA / RVP-6  
Data acquisition software  
Manufacturer/model: Vaisala Inc. Sigmet Product Line, USA / IRIS ver. 6.07

### Parameter

	Surveillance scan	Volume scan
Pulse width [μs]	2.0	0.5
Scan speed [deg/sec]	18	18
PRF *1 [Hz]	260	900 / 720 *2
Sweep integration	32 samples	32 samples
Ray spacing [deg]	about 1.0	about 1.0
Bin spacing [m]	250	125
Elevations [deg]	0.8	0.0, 0.6, 1.2, 1.8, 2.5, 3.2, 4.3, 5.3, 6.5, 8.0, 10.0, 12.5, 15.0, 18.0, 22.0, 26.0, 30.0
Range [km]	300	160
Scan interval	30 min	10 min


\*1 Pulse Repetition Frequency

\*2 During this cruise, the data were measured with the dual-PRF mode. Therefore, unfolding of Doppler velocity was applied automatically.

### About this data

If you need the raw data set, please refer to "Contact Us" above.

### Related Information



**MR98-K02**  
Ship Name: MIRAI  
Period: 1998-12-22 - 1999-01-31  
Chief Scientist: Takeshi Kawano (JAMSTEC)

#### Update History

2016-12-28	An observation data was registerd.
------------	------------------------------------

JAMSTEC  
Site Policy  
Privacy Policy  
Application for Data and Samples  
Data Policy  
**What's New**  
Update History  
Feeds

Lists  
Publication List  
Amount of Public Info.  
**Data**  
Map Search  
Data Tree  
Detailed Search

Information of the Ships  
NATSUSHIMA  
KAIYO  
YOKOSUKA  
MIRAI  
KAIREI  
CHIKYU  
KAIMEI  
SHINSEI MARU  
HAKUHO MARU

Information of the Submersibles  
KAIKO  
SHINKAI 2000  
SHINKAI 6500  
DEEP TOW  
HYPER-DOLPHIN  
URASHIMA  
YOKOSUKA DEEP TOW  
6K Camera DEEP TOW  
6K Sonar DEEP TOW  
KM-ROV  
POWER GRAB SAMPLER (SHELL)  
POWER GRAB SAMPLER (CLOW)  
BMS

#### Go to a Cruise Information

Cruise ID:

#### Go to a Dive Information

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology

 **JAMSTEC** 国立研究開発法人  
海洋研究開発機構  
JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY