

MIRAI MR00-K01 Bottle Sampling Water Chemical Analysis

Last Modified: 2017-07-28

[ReadMe](#) [Observation Data](#) [Data Format](#) [Quality Information](#)

Cruise ID: [MR00-K01](#)

Bottle Sampling Water Chemical Analysis: Processed (DMO)-QCed

Data Policy: [JAMSTEC](#)

Observation Items: Temperature, Salinity, Dissolved oxygen, Silicate, Nitrate, Nitrite, Phosphate, Total inorganic carbon, Alkalinity, pH, Potential temperature, Density

Science Keywords:

OCEANS > OCEAN CHEMISTRY > INORGANIC CARBON
OCEANS > OCEAN CHEMISTRY > NITRITE
OCEANS > OCEAN CHEMISTRY > NITRATE
OCEANS > OCEAN CHEMISTRY > NUTRIENTS
OCEANS > OCEAN CHEMISTRY > OXYGEN
OCEANS > OCEAN CHEMISTRY > pH
OCEANS > OCEAN CHEMISTRY > PHOSPHATE
OCEANS > OCEAN CHEMISTRY > SILICATE
OCEANS > OCEAN CHEMISTRY > SALINITY
OCEANS > OCEAN TEMPERATURE > WATER TEMPERATURE
OCEANS > SALINITY/DENSITY > SALINITY
OCEANS > OCEAN CHEMISTRY > ALKALINITY
OCEANS > OCEAN CHEMISTRY > CARBON
OCEANS > OCEAN TEMPERATURE > POTENTIAL TEMPERATURE

Cruise Report

http://www.godac.jamstec.go.jp/catalog/data/doc_catalog/media/MR00-K01_all.pdf

For Using Data

Principal Investigator

CTDTMP : Chizuru Saitoh (JAMSTEC)
CTDSAL : Chizuru Saitoh (JAMSTEC)
SALNTY : Chizuru Saitoh (JAMSTEC)
OXYGEN : Chizuru Saitoh (JAMSTEC)
SILCAT : Chizuru Saitoh (JAMSTEC)
NITRAT : Chizuru Saitoh (JAMSTEC)
NITRIT : Chizuru Saitoh (JAMSTEC)
PHSPHT : Chizuru Saitoh (JAMSTEC)
TCARBN : Yuichiro Kumamoto (JAMSTEC)
ALKALI : Akihiko Murata (JAMSTEC)
PH : Andrey Andreev (JAMSTEC)

Use Constraints

See [Terms and Conditions](#) about constrain of use.

Data Citation

See [Terms and Conditions](#) about data citation.

Instrument

Instrument:

Salinity measurement system



Instrument:

Nutrient analyzer(4ch) (- MR09-01)



Instrument:

Total dissolved inorganic carbon measurement system (- MR11-E02)



Instrument:

pH meter (- MR03-K04 Leg6)



Instrument:

Titration for total alkalinity (- MR14-02)



Notice

The values of TA and nutrients (silicate, phosphate, and nitrate) have systematic errors among cruises, because the analytical methods used for these determinations, and the precision and standards for analysis varied slightly from cruise to cruise. The dataset posted here is "corrected" in a cruise. If you need the corrected data for systematic errors among cruises, please see "[Hydrographic Data at Station K2 and KNOT](#)". (Available data are station KNOT data only.)

Information on CTD data

(1) Temperature sensor

Model: SBE3, Sea-Bird Electronics, Inc.
Measurement range: -5.0 to +35 deg C
Accuracy: 0.001 deg C
Resolution: 0.0002 deg C


(2) Salinity sensor
Model: SBE4, Sea-Bird Electronics, Inc.
Measurement range: 0.0 to 7 S/m
Accuracy: 0.0003 S/m
Resolution: 0.00004 S/m

(3) Pressure sensor
Model: SBE9plus, Sea-Bird Electronics, Inc.
Measurement range: up to 10500 m
Accuracy: 0.015% F.S.
Resolution: 0.001% F.S.

Information on Chemical and Biological data

1. Dissolved Oxygen
(1) Instruments: Titrator: Model 716 DMS Titrimo (Metrohm)
Detector: Pt electrode
(2) Methods: Winkler method/potentiometric method
(3) Precision: -
(4) Reference Material/Calibration: 0.0100N KIO₃ solution / Comparison with CSK standard solution (Wako pure chemical industries, Ltd.)
2. Salinity
(1) Instruments: Autosol salinometer model 8400B (Guildline Instruments Ltd.)
(2) Methods: -
(3) Precision: -
(4) Reference Material/Calibration: IAPSO Standard Sea Water batch P136 (Ocean Scientific International Ltd.)
3. Silicate
(1) Instruments: TRAACS800 (Bran+Luebbe)
(2) Methods: Molybdenum blue method
(3) Precision: From 0.15 to 1.5% except nitrite (CV%)
(4) Reference Material/Calibration: -
4. Nitrate
(1) Instruments: TRAACS800 (Bran+Luebbe)
(2) Methods: Diazotization method (reduced to nitrite by Cd - Cu tube)
(3) Precision: From 0.15 to 1.5% except nitrite (CV%)
(4) Reference Material/Calibration: -
5. Nitrite
(1) Instruments: TRAACS800 (Bran+Luebbe)
(2) Methods: Diazotization method
(3) Precision: -
(4) Reference Material/Calibration: -
6. Phosphate
(1) Instruments: TRAACS800 (Bran+Luebbe)
(2) Methods: Molybdenum blue method
(3) Precision: From 0.15 to 1.5% except nitrite (CV%)
(4) Reference Material/Calibration: -
7. Total inorganic carbon
(1) Instruments: automated TCO₂ sampling system (Nippon ANS Inc.) equipped with carbon coulometer 5012 (UIC Inc.)
(2) Methods: coulometry
(3) Precision: less than 0.1%
(4) Reference Material/Calibration: Na₂CO₃ solution and the CRM provided by Dr. Dickson in Scripps Institute of Oceanography
8. Total Alkalinity
(1) Instruments: auto-burette (Radiometer, ABU901), a pH glass electrode (Radiometer), a reference electrode (Radiometer)
(2) Methods: Modified Gran titration/Open-cell/potentiometry
(3) Precision: 0.15% on average
(4) Reference Material/Calibration: the CRM provided by Dr. Dickson in Scripps Institute of Oceanography
9. pH
(1) Instruments: a glass/reference electrode with a pH/Ion meter (Radiometer PHM95)
(2) Methods: potentiometric methods at 25deg-C
(3) Precision: -
(4) Reference Material/Calibration: total hydrogen ion scale

Related Information



MR00-K01
 Ship Name: MIRAI
 Period: 2000-01-05 - 2000-02-06
 Chief Scientist: Makio Honda (JAMSTEC)
 Project Name: [Station KEO, Station KNOT]

Update History

2017-07-28	An observation data was registerd.
2015-05-29	An observation data was registerd.
2013-08-21	An observation data was registerd.
2013-08-09	An observation data was registerd.
2012-12-25	An observation data was registerd.

JAMSTEC

Site Policy
 Privacy Policy
 Application for Data and Samples
 Data Policy
 What's New
 Update History
 Feeds

Lists

Publication List
 Amount of Public Info.
 Data
 Map Search
 Data Tree
 Detailed Search

Information of the Ships

NATSUSHIMA
 KAIYO
 YOKOSUKA
 MIRAI
 KAIREI
 CHIKYU
 KAIMEI
 SHINSEI MARU
 HAKUHO MARU

Information of the Submersibles

KAIKO
 SHINKAI 2000
 SHINKAI 6500
 DEEP TOW
 HYPER-DOLPHIN
 URASHIMA
 YOKOSUKA DEEP TOW
 6K Camera DEEP TOW
 6K Sonar DEEP TOW
 KM-ROV
 POWER GRAB SAMPLER (SHELL)
 POWER GRAB SAMPLER (CLOW)
 BMS

Go to a Cruise Information

Cruise ID:

Go to a Dive Information

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology



JAMSTEC 国立研究開発法人
 海洋研究開発機構
 JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY

MIRAI MR00-K01 Bottle Sampling Water Chemical Analysis

Last Modified: 2017-07-28

ReadMe Observation Data **Data Format** Quality Information

Cruise ID: **MR00-K01**

Bottle Sampling Water Chemical Analysis: Processed (DMO)-QCed

Data Policy: **JAMSTEC**

Exchange Format

Provided in the Exchange Format of CCHDO (CLIVAR and Carbon Hydrographic Data Office).

Please see the following link for details of Exchange Format.

[CCHDO | CLIVAR & Carbon Hydrographic Data Office](#)

Format Information

Column No.	Column Heading Mnemonic	Units Mnemonic	Reporting Precision FORTRAN Format	Comments
1	EXPCODE		A14	Expedition code
2	SECT		A6	For WOCE data the WHP section identifier
3	STNNBR		A18	Station number
4	CASTNO		I3	Cast number
5	SAMPNO		A7	Sample number
6	BTLNBR		A7	Bottle identification number
7	BTLNBR_FLAG_W		I1	Bottle quality flag
8	DATE		I8	Cast date(UTC)
9	TIME	UTC	I4	Cast time (UTC)
10	LATITUDE	DEG	F8.3	LATITUDE
11	LONGITUDE	DEG	F9.3	LONGITUDE
12	DEPTH	M	I5	Reported depth to bottom.
13	CTDPRS	DBAR	F9.1	Pressure
14	CTDPRS_FLAG_W		I1	Quality flag for CTD data
15	CTDTMP	ITS-90	F9.3	Temperature
16	CTDTMP_FLAG_W		I1	Quality flag for CTD data
17	CTDSAL	PSS-78	F9.3	CTD Salinity sensor
18	CTDSAL_FLAG_W		I1	Quality flag for CTD data
19	SALNTY	PSS-78	F9.3	Salinity
20	SALNTY_FLAG_W		I1	Quality flags for water samples
21	OXYGEN	UMOL/KG	F9.1	Oxygen
22	OXYGEN_FLAG_W		I1	Quality flags for water samples
23	SILCAT	UMOL/KG	F9.2	Silicate
24	SILCAT_FLAG_W		I1	Quality flags for water samples
25	NITRAT	UMOL/KG	F9.2	Nitrate
26	NITRAT_FLAG_W		I1	Quality flags for water samples
27	NITRIT	UMOL/KG	F9.2	Nitrite
28	NITRIT_FLAG_W		I1	Quality flags for water samples
29	PHSPHT	UMOL/KG	F9.2	Phosphate
30	PHSPHT_FLAG_W		I1	Quality flags for water samples
31	TCARBN	UMOL/KG	F9.1	Total carbon
32	TCARBN_FLAG_W		I1	Quality flags for water samples
33	ALKALI	UMOL/KG	F9.1	Total alkalinity
34	ALKALI_FLAG_W		I1	Quality flags for water samples
35	PH	-	F9.3	pH
36	PH_FLAG_W		I1	Quality flags for water samples
37	THETA	DEG C	F9.3	Potential temperature
38	SIG0	KG/CUM	F9.3	Density

ODV Format

Please see the following link for details of ODV Format and ODV Software.


[Ocean Data View \(ODV\)](#)

Format Information

Column No.	Column Heading	Comments
1	Cruise	Cruise Label
2	Station	Station number_Cast number
3	Type	Station type
4	mon/day/yr	Cast date(UTC)
5	hh:mm	Cast time (UTC)
6	Latitude [degrees_north]	LATITUDE
7	Longitude [degrees_east]	LONGITUDE
8	Bot. Depth [m]	Reported depth to bottom.
9	CTDDPT[M]	Depth(Calculate from CTDPRS and LATITUDE)
10	QF	Quality flag for CTD data
11	CTDPRS[DBAR]	Pressure
12	QF	Quality flag for CTD data
13	CTDTMP[ITS-90]	Temperature
14	QF	Quality flag for CTD data
15	CTDSAL[PSS-78]	CTD Salinity sensor
16	QF	Quality flag for CTD data
17	SALNTY[PSS-78]	Salinity
18	QF	Quality flags for water samples
19	OXYGEN[UMOL/KG]	Oxygen
20	QF	Quality flags for water samples
21	SILCAT[UMOL/KG]	Silicate

Column No.	Column Heading	Comments
22	QF	Quality flags for water samples
23	NITRAT[UMOL/KG]	Nitrate
24	QF	Quality flags for water samples
25	NITRIT[UMOL/KG]	Nitrite
26	QF	Quality flags for water samples
27	PHSPHT[UMOL/KG]	Phosphate
28	QF	Quality flags for water samples
29	TCARBN[UMOL/KG]	Total carbon
30	QF	Quality flags for water samples
31	ALKALI[UMOL/KG]	Total alkalinity
32	QF	Quality flags for water samples
33	PH	pH
34	QF	Quality flags for water samples
35	THETA[DEG C]	Potential temperature
36	QF	Quality flag for CTD data
37	SIG0[KG/CUM]	Density
38	QF	Quality flag for CTD data
39	SAMPNO	Sample number
40	QF	Bottle quality flag

Related Information



[Enlarge Image](#)

MR00-K01

Ship Name: MIRAI
Period: 2000-01-05 - 2000-02-06
Chief Scientist: Makio Honda (JAMSTEC)
Project Name: [Station KEO, Station KNOT]

Update History

2017-07-28	An observation data was registerd.
2015-05-29	An observation data was registerd.
2013-08-21	An observation data was registerd.
2013-08-09	An observation data was registerd.
2012-12-25	An observation data was registerd.

JAMSTEC
Site Policy
Privacy Policy
Application for Data and Samples
Data Policy
What's New
Update History
Feeds

Lists
Publication List
Amount of Public Info.
Data
Map Search
Data Tree
Detailed Search

Information of the Ships
NATSUSHIMA
KAIYO
YOKOSUKA
MIRAI
KAIREI
CHIKYU
KAIMEI
SHINSEI MARU
HAKUHO MARU

Information of the Submersibles
KAIKO
SHINKAI 2000
SHINKAI 6500
DEEP TOW
HYPER-DOLPHIN
URASHIMA
YOKOSUKA DEEP TOW
6K Camera DEEP TOW
6K Sonar DEEP TOW
KM-ROV
POWER GRAB
SAMPLER (SHELL)
POWER GRAB
SAMPLER (CLOW)
BMS

Go to a Cruise Information

Cruise ID:

Go to a Dive Information

Dive ID:

MIRAI MR00-K01 Bottle Sampling Water Chemical Analysis

Last Modified: 2017-07-28

[ReadMe](#) [Observation Data](#) [Data Format](#) [Quality Information](#)

Cruise ID: [MR00-K01](#)

Bottle Sampling Water Chemical Analysis: Processed (DMO)-QCed


Data Policy: [JAMSTEC](#)

Observation Items: Temperature, Salinity, Dissolved oxygen, Silicate, Nitrate, Nitrite, Phosphate, Total inorganic carbon, Alkalinity, pH, Potential temperature, Density

Science Keywords:

OCEANS > OCEAN CHEMISTRY > INORGANIC CARBON
 OCEANS > OCEAN CHEMISTRY > NITRITE
 OCEANS > OCEAN CHEMISTRY > NITRATE
 OCEANS > OCEAN CHEMISTRY > NUTRIENTS
 OCEANS > OCEAN CHEMISTRY > OXYGEN
 OCEANS > OCEAN CHEMISTRY > pH
 OCEANS > OCEAN CHEMISTRY > PHOSPHATE
 OCEANS > OCEAN CHEMISTRY > SILICATE
 OCEANS > OCEAN CHEMISTRY > SALINITY
 OCEANS > OCEAN TEMPERATURE > WATER TEMPERATURE
 OCEANS > SALINITY/DENSITY > SALINITY
 OCEANS > OCEAN CHEMISTRY > ALKALINITY
 OCEANS > OCEAN CHEMISTRY > CARBON
 OCEANS > OCEAN TEMPERATURE > POTENTIAL TEMPERATURE

Observation Map



... Observation Line ... Navigation ... Observation, Dive Point, Hole


Data List

☐ File names

☐ MR00K0100_ex_bot.csv

☐ MR00K0100_odv_bot.txt

Related Information



[Enlarge Image](#)

MR00-K01

Ship Name: MIRAI

Period: 2000-01-05 - 2000-02-06

Chief Scientist: Makio Honda (JAMSTEC)

Project Name: [Station KEO, Station KNOT]

Update History

2017-07-28	An observation data was registerd.
2015-05-29	An observation data was registerd.
2013-08-21	An observation data was registerd.
2013-08-09	An observation data was registerd.
2012-12-25	An observation data was registerd.

Application for Data and
Samples
Data Policy

What's New
Update History
Feeds

Data
Map Search
Data Tree
Detailed Search

YOKOSUKA
MIRAI
KAIREI
CHIKYU
KAIMEI
SHINSEI MARU
HAKUHO MARU

SHINKAI 6500
DEEP TOW
HYPER-DOLPHIN
URASHIMA
YOKOSUKA DEEP TOW
6K Camera DEEP TOW
6K Sonar DEEP TOW
KM-ROV
POWER GRAB SAMPLER
(SHELL)
POWER GRAB SAMPLER
(CLOW)
BMS

Go to a Dive Information

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and
Technology



JAMSTEC 国立研究開発法人
海洋研究開発機構
JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY