

MIRAI MR16-06 Underway Thermosalinograph

Last Modified: 2017-06-29

[ReadMe](#) [Observation Data](#) [Data Format](#)

Cruise ID: [MR16-06](#)

Underway Thermosalinograph: Processed (DMO)-QCed

Data Policy: [JAMSTEC](#)

Observation Items: Temperature, Salinity, Dissolved oxygen

Science Keywords:

OCEANS > OCEAN CHEMISTRY > OXYGEN
 OCEANS > SALINITY/DENSITY > SALINITY
 > OCEAN > SEA SURFACE
 OCEANS TEMPERATURE TEMPERATURE

Cruise Report

http://www.godac.jamstec.go.jp/catalog/data/doc_catalog/media/MR16-06_all.pdf

For Using Data

Principal Investigator

Shigeto Nishino (JAMSTEC)

Use Constraints

See [Terms and Conditions](#) about constrain of use.

Data Citation

See [Terms and Conditions](#) about data citation.

Instrument

Instrument:

Continuous sea surface water monitoring system (MR14-03 -)



Overview

Thermosalinograph measures the following surface parameters continuously.

- temperature
- salinity
- dissolved oxygen

Sea surface water is continuously pumped up at 4.5 meters depth to the sea surface monitoring laboratory and then flowed into each analysis equipment through a steel pipe and a vinyl-chloride pipe.

The flow rate of this system is controlled by some valves. Data are recorded in the personal computer.

System

- Temperature sensor
 - Model : SBE 38, Sea-Bird Electronics, Inc.
 - Serial number : 3852788-0457
 - Measurement range : -5 to 35 deg-C (ITS-90)
 - Sensor location : Bow thruster room
- Salinity sensor
 - Model : SBE45, Sea-Bird Electronics, Inc.
 - Serial number : 4552788-0264
 - Measurement range : [temperature] -5 to +35 deg-C (ITS-90), [conductivity] 0 to 7 S/m
 - Sensor location : Sea surface monitoring laboratory
- DO sensor
 - Model : OPTODE3835, AANDERAA Instruments.
 - Serial number : 1915
 - Measurement range : 0 ~ 500 μmol dm³
 - Sensor location : Sea surface monitoring laboratory

Number of significant figures of data

After considering the accuracy of the sensors, the significant digit of data was changed as in the following list.

Data	Raw (ASCII data)	On this web site
Temperature	0.0001 [deg-C]	0.001 [deg-C]
Salinity	0.0001 [PSU]	0.001 [PSU]
Dissolved oxygen	0.01 [μmol/kg]	0.1 [μmol/kg]

* The unit of the dissolved oxygen was changed from ml/l into μmol/kg since MR10-04.

Data acquisition

Date/Time (UTC)	Start/Stop	Remarks
2016/08/22, 03:08	start	40-23.50N, 142-18.33E
2016/08/29, 06:00	stop	59-43.12N, 177-54.58W
2016/08/29, 07:31	start	59-59.22N, 177-38.81W
2016/09/03, 23:30	stop	71-26.27N, 158-43.15W
2016/09/04, 00:40	start	71-25.61N, 158-43.16W
2016/09/11, 02:49	stop	72-27.08N, 159-00.94W
2016/09/11, 03:41	start	72-27.12N, 159-01.51W
2016/09/12, 05:45	stop	72-25.06N, 158-26.82W
2016/09/12, 07:49	start	72-26.07N, 158-30.05W

Date/Time (UTC)	Start/Stop	Remarks
		164-33.99W
2016/09/18, 19:27	start	71-32.41N, 164-50.49W
2016/09/23, 08:08	stop	64-24.95N, 167-25.43W
2016/09/23, 21:24	start	64-21.88N, 165-51.91W
2016/09/23, 21:52	stop	64-22.06N, 166-05.58W
2016/09/23, 22:37	start	64-22.04N, 166-27.90W
2016/10/03, 05:30	stop	40-19.21N, 143-58.35E

Calibration Information

Calibration Information is as follows.

[Calibration Information](#)

Data processing

(1) Quality control

QCed data were added flag according to the NODC (National Oceanographic Data Center) quality control procedure.

1) The gradient check of adjacent depth data

Please see the site of NODC of the following link for quality control procedure in detail.

[QUALITY CONTROL AND PROCESSING OF HISTORICAL OCEANOGRAPHIC TEMPERATURE, SALINITY, AND OXYGEN DATA](#)

In addition, an abnormal value is identified by a visual check, and the data after visual QC is released.

Note


(1) In this cruise, there is extra data (Turbidity, fluorescence intensity, dissolved oxygen obtained by RINKO sensor) in addition to temperature, salinity, dissolved oxygen obtained by OPTODE sensor that has been opened to the public. Please contact us from "Contact Us" above if necessary.

(2) The drift that exceeded the sensor specification (0.003PSU/month) turned out from the comparison between analysis data and the sensor data about the salinity data. Please see calibration information for details.

Calibration Information

[Figure: The comparison between analysis data and the sensor data](#)

Related Information



MR16-06

Ship Name: MIRAI

Period: 2016-08-22 - 2016-10-05

Chief Scientist: Shigeto Nishino (JAMSTEC)

Project Name: [Arctic Ocean Climate System Research]

Proposal ▶ Predictability study on weather and sea-ice forecasts linked with user engagement

Title:

[Enlarge Image](#)

Update History

2017-06-29	An observation data was registerd.
2017-04-21	An observation data was registerd.

JAMSTEC

Site Policy
 Privacy Policy
 Application for Data and Samples
 Data Policy
 What's New
 Update History
 Feeds

Lists

Publication List
 Amount of Public Info.
 Data
 Map Search
 Data Tree
 Detailed Search

Information of the Ships

NATSUSHIMA
 KAIYO
 YOKOSUKA
 MIRAI
 KAIREI
 CHIKYU
 KAIMEI
 SHINSEI MARU
 HAKUHO MARU

Information of the Submersibles

KAIKO
 SHINKAI 2000
 SHINKAI 6500
 DEEP TOW
 HYPER-DOLPHIN
 URASHIMA
 YOKOSUKA DEEP TOW
 6K Camera DEEP TOW
 6K Sonar DEEP TOW
 KM-ROV
 POWER GRAB SAMPLER (SHELL)
 POWER GRAB SAMPLER (CLOW)
 BMS

Go to a Cruise Information

Cruise ID:

Go to a Dive Information

Dive ID:

MIRAI MR16-06 Underway Thermosalinograph

Last Modified: 2017-06-29

[ReadMe](#) [Observation Data](#) [Data Format](#)

Cruise ID: [MR16-06](#)

Underway Thermosalinograph: Processed (DMO)-QCed

Data Policy: [JAMSTEC](#)

TSG DMO

Format Description for the QCed Data

Each data file contains one line header and daily observation data.

Header part

No.	Column	Content	Format	Remarks
1	1	Header ID	a1	fixed as '#'
2	3 - 6	Data ID	a4	TSG
3	8 - 22	Cruise ID	a15	e.g. MRYX-XX_legx
4	68 - 71	Number of data lines	i4	
5	72 - 73	Terminator	-	CR+LF

Data part

No.	Column	Content	Unit	Format	Remarks
1	1 - 8	Date	-	i8	YYYYMMDD (UTC)
2	10 - 13	Time	-	i4	hhmm (UTC)
3	15 - 23	Latitude	-	i2,a1,f5.2,a1	dd-mm.mmN(S)
4	25 - 34	Longitude	-	i3,a1,f5.2,a1	ddd-mm.mmE(W)
5	35 - 45	Temperature	deg-C	f11.3	ITS-90
6	46 - 56	Salinity	PSU	f11.3	PSS-78
7	57 - 67	Dissolved oxygen	μmol/kg	f11.1	
8	68 - 78	Flag	-	i11	1 - 6 : space 7 : flag of date/time 8 : flag of latitude/longitude 9 : flag of temperature 10 : flag of salinity 11 : flag of dissolved oxygen
9	79 - 80	Terminator	-	-	CR+LF

* This format has been applied since MR10-04 cruise of R/V Mirai.

* Temperature, Salinity, Dissolved oxygen: Missing value is presented by '-5', and error value is presented by '-9'.

Definition of Quality Control Flags

1. Observed Level Flags

- 0 - accepted value
- 1 - range outlier (outside of broad range check)
- A - doubtful value
- N - missing value

2. Date and time flag (Thermosalinograph only)

- 0 - accepted data and time
- 1 - failed duplicate/missing/incorrect date and time

3. Position flag (Thermosalinograph only)

- 0 - accepted position
- 1 - failed estimated ship speed check including missing/incorrect position


For details about range set of temperature, salinity and oxygen data, please refer the web site of NODC (National Oceanographic Data Center) from the following link for quality control procedure.

[QUALITY CONTROL AND PROCESSING OF HISTORICAL OCEANOGRAPHIC TEMPERATURE, SALINITY, AND OXYGEN DATA](#)

Sample Program

[ex_read2.f](#)

Related Information



[Enlarge Image](#)

MR16-06

Ship Name: MIRAI
Period: 2016-08-22 - 2016-10-05
Chief Scientist: Shigeto Nishino (JAMSTEC)
Project Name: [Arctic Ocean Climate System Reaserch]
Proposal ▶ Predictability study on weather and sea-ice forecasts linked with user engagement
Title:

Update History

2017-06-29	An observation data was registerd.
2017-04-21	An observation data was registerd.

[Privacy Policy](#)
[Application for Data and Samples](#)
[Data Policy](#)
[What's New](#)
[Update History](#)
[Feeds](#)

[Amount of Public Info.](#)

[Data](#)
[Map Search](#)
[Data Tree](#)
[Detailed Search](#)

[KAIYO](#)
[YOKOSUKA](#)
[MIRAI](#)
[KAIREI](#)
[CHIKYU](#)
[KAIMEI](#)
[SHINSEI MARU](#)
[HAKUHO MARU](#)

[SHINKAI 2000](#)
[SHINKAI 6500](#)
[DEEP TOW](#)
[HYPER-DOLPHIN](#)
[URASHIMA](#)
[YOKOSUKA DEEP TOW](#)
[6K Camera DEEP TOW](#)
[6K Sonar DEEP TOW](#)
[KM-ROV](#)
[POWER GRAB SAMPLER \(SHELL\)](#)
[POWER GRAB SAMPLER \(CLOW\)](#)
[BMS](#)

Cruise ID:

[Go to a Dive Information](#)

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology



JAMSTEC 国立研究開発法人
海洋研究開発機構
JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY

MIRAI MR16-06 Underway Thermosalinograph

Last Modified: 2017-06-29

[ReadMe](#) [Observation Data](#) [Data Format](#)

Cruise ID: **MR16-06**

Underway Thermosalinograph: Processed (DMO)-QCed


Data Policy: **JAMSTEC**

Observation Items: Temperature, Salinity, Dissolved oxygen


Science Keywords:

OCEANS > OCEAN CHEMISTRY > OXYGEN
 OCEANS > SALINITY/DENSITY > SALINITY
 > OCEAN > SEA SURFACE
 OCEANS TEMPERATURE TEMPERATURE

Observation Map



Figures




Data List

<input type="checkbox"/> File names
<input type="checkbox"/> 20160822.dat
<input type="checkbox"/> 20160823.dat
<input type="checkbox"/> 20160824.dat
<input type="checkbox"/> 20160825.dat
<input type="checkbox"/> 20160826.dat
<input type="checkbox"/> 20160827.dat
<input type="checkbox"/> 20160828.dat
<input type="checkbox"/> 20160829.dat
<input type="checkbox"/> 20160830.dat
<input type="checkbox"/> 20160831.dat
<input type="checkbox"/> 20160901.dat
<input type="checkbox"/> 20160902.dat
<input type="checkbox"/> 20160903.dat
<input type="checkbox"/> 20160904.dat
<input type="checkbox"/> 20160905.dat
<input type="checkbox"/> 20160906.dat
<input type="checkbox"/> 20160907.dat

File names	
<input type="checkbox"/>	20160908.dat
<input type="checkbox"/>	20160909.dat
<input type="checkbox"/>	20160910.dat
<input type="checkbox"/>	20160911.dat
<input type="checkbox"/>	20160912.dat
<input type="checkbox"/>	20160913.dat
<input type="checkbox"/>	20160914.dat
<input type="checkbox"/>	20160915.dat
<input type="checkbox"/>	20160916.dat
<input type="checkbox"/>	20160917.dat
<input type="checkbox"/>	20160918.dat
<input type="checkbox"/>	20160919.dat
<input type="checkbox"/>	20160920.dat
<input type="checkbox"/>	20160921.dat
<input type="checkbox"/>	20160922.dat
<input type="checkbox"/>	20160923.dat
<input type="checkbox"/>	20160924.dat
<input type="checkbox"/>	20160925.dat
<input type="checkbox"/>	20160926.dat
<input type="checkbox"/>	20160927.dat
<input type="checkbox"/>	20160928.dat
<input type="checkbox"/>	20160929.dat
<input type="checkbox"/>	20160930.dat
<input type="checkbox"/>	20161001.dat
<input type="checkbox"/>	20161002.dat
<input type="checkbox"/>	20161003.dat
<input type="checkbox"/>	ex_read2.f (Sample Program)

Related Information



[Enlarge Image](#)

MR16-06

Ship Name: MIRAI
 Period: 2016-08-22 - 2016-10-05
 Chief Scientist: Shigeto Nishino (JAMSTEC)
 Project Name: [Arctic Ocean Climate System Reaserch]
 Proposal ▶ Predictability study on weather and sea-ice forecasts linked with user engagement
 Title:

Update History

2017-06-29	An observation data was registerd.
2017-04-21	An observation data was registerd.

JAMSTEC

Site Policy
 Privacy Policy
 Application for Data and Samples
 Data Policy
 What's New
 Update History
 Feeds

Lists
 Publication List
 Amount of Public Info.
 Data
 Map Search
 Data Tree
 Detailed Search

Information of the Ships
 NATSUSHIMA
 KAIYO
 YOKOSUKA
 MIRAI
 KAIREI
 CHIKYU
 KAIMEI
 SHINSEI MARU
 HAKUHO MARU

Information of the Submersibles
 KAIKO
 SHINKAI 2000
 SHINKAI 6500
 DEEP TOW
 HYPER-DOLPHIN
 URASHIMA
 YOKOSUKA DEEP TOW
 6K Camera DEEP TOW
 6K Sonar DEEP TOW
 KM-ROV
 POWER GRAB
 SAMPLER (SHELL)
 POWER GRAB
 SAMPLER (CLOW)
 BMS

Go to a Cruise Information

Cruise ID:

Go to a Dive Information

Dive ID: