

MIRAI MR05-05 Leg3 Bottle Sampling Water Chemical Analysis

Last Modified: 2017-07-28

[ReadMe](#) [Observation Data](#) [Data Format](#) [Quality Information](#)

Cruise ID: [MR05-05 Leg3](#)

Bottle Sampling Water Chemical Analysis: Processed (PI)

Data Policy: [JAMSTEC](#)

Observation Items: Temperature, Salinity, Dissolved oxygen, Silicate, Nitrate, Nitrite, Phosphate, CFC11, CFC12, CFC113, Total inorganic carbon, Alkalinity, pH, Carbon14, Carbon13, Potential temperature, Density

Science Keywords:

OCEANS > OCEAN CHEMISTRY > DISSOLVED GASES
OCEANS > OCEAN CHEMISTRY > INORGANIC CARBON
OCEANS > OCEAN CHEMISTRY > NITRITE
OCEANS > OCEAN CHEMISTRY > NITRATE
OCEANS > OCEAN CHEMISTRY > NUTRIENTS
OCEANS > OCEAN CHEMISTRY > OXYGEN
OCEANS > OCEAN CHEMISTRY > pH
OCEANS > OCEAN CHEMISTRY > PHOSPHATE
OCEANS > OCEAN CHEMISTRY > RADIOCARBON
OCEANS > OCEAN CHEMISTRY > SILICATE
OCEANS > OCEAN CHEMISTRY > SALINITY
OCEANS > OCEAN TEMPERATURE > WATER TEMPERATURE
OCEANS > SALINITY/DENSITY > SALINITY
OCEANS > OCEAN CHEMISTRY > ALKALINITY
OCEANS > OCEAN CHEMISTRY > CARBON
OCEANS > OCEAN CHEMISTRY > OCEAN TRACERS
OCEANS > OCEAN CHEMISTRY > STABLE ISOTOPES
OCEANS > OCEAN TEMPERATURE > POTENTIAL TEMPERATURE

Cruise Report

http://www.godac.jamstec.go.jp/catalog/data/doc_catalog/media/MR05-05_leg1-3_all.pdf

For Using Data

Principal Investigator

CTDTMP : Hiroshi Uchida (JAMSTEC)
SBE35 : Hiroshi Uchida (JAMSTEC)
CTDSAL : Hiroshi Uchida (JAMSTEC)
SALNTY : Takeshi Kawano (JAMSTEC)
CTDOXY : Hiroshi Uchida (JAMSTEC)
OPTOXY : Hiroshi Uchida (JAMSTEC)
OXYGEN : Yuichiro Kumamoto (JAMSTEC)
DWNPRS : Hiroshi Uchida (JAMSTEC)
DWNNOXY : Hiroshi Uchida (JAMSTEC)
SILCAT : Michio Aoyama (Meteorological Research Institute)
NITRAT : Michio Aoyama (Meteorological Research Institute)
NITRIT : Michio Aoyama (Meteorological Research Institute)
PHSPHT : Michio Aoyama (Meteorological Research Institute)
CFC-11 : Kenichi Sasaki (JAMSTEC)
CFC-12 : Kenichi Sasaki (JAMSTEC)
CFC113 : Kenichi Sasaki (JAMSTEC)
TCARBN : Akihiko Murata (JAMSTEC)
ALKALI : Akihiko Murata (JAMSTEC)
PH : Akihiko Murata (JAMSTEC)
DELC14 : Yuichiro Kumamoto (JAMSTEC)
DELC13 : Yuichiro Kumamoto (JAMSTEC)

Use Constraints

See [Terms and Conditions](#) about constrain of use.

Data Citation

See [Terms and Conditions](#) about data citation.

Instrument

Instrument:
Salinity measurement system




Instrument:
Total dissolved inorganic carbon
measurement system (- MR11-E02)



Instrument:
Gas chromatograph




Instrument:
Titrator for DO (- MR11-05 Leg2)



Instrument:
Nutrient analyzer(4ch) (- MR09-01)





Overview

Please see the [Data book](#) for details of data.

Information on CTD data

(1) Temperature sensor

Model : SBE3, Sea-Bird Electronics, Inc.
Measurement range : -5.0 to +35degC
Accuracy : 0.001degC
Resolution : 0.0002degC

(2) Salinity sensor

Model : SBE4, Sea-Bird Electronics, Inc.
Measurement range : 0.0 to 7S/m
Accuracy : 0.0003S/m
Resolution : 0.00004S/m

(3) Pressure sensor

Model : SBE9plus, Sea-Bird Electronics, Inc.
Measurement range : up to 10500m
Accuracy : 0.015%F.S.
Resolution : 0.001%F.S.

(4) DO sensor

Model : SBE43, Sea-Bird Electronics, Inc.
Measurement range : 0-15ml/(120% of surface saturation)
Accuracy : 0.1ml/(2% of saturation)
Resolution : 0.01ml/l

(5) Deep Ocean Standards Thermometer

Model : SBE 35, Sea-Bird Electronics, Inc.

(6) Oxygen Optode

Model : Aanderaa Oxygen Optode 3830, Aanderaa Instruments AS, NORWAY

Information on Chemical and Biological data

1. Dissolved Oxygen

- (1) Instruments : Burette: APB-510 manufactured by Kyoto Electronic Co. Ltd. / 10 cm³ of titration vessel
Detector and Software: Automatic photometric titrator manufactured by Kimoto Electronic Co. Ltd
(2) Methods : Winkler method/photometric methods
(3) Precision : 0.085 umol kg⁻¹
(4) Reference Material/Calibration: 0.001667M KIO₃ solution/compared standard to CSK standard solution (Wako pure chemical industries, Ltd.)

2. Salinity

- (1) Instruments: Autosal salinometer model 8400B (Guildline Instruments Ltd.)
(2) Methods : -
(3) Precision : 0.00011 PSU
(4) Reference Material/Calibration: IAPSO Standard Sea Water batch P145 (Ocean Scientific International Ltd.)

3. Silicate

- (1) Instruments: TRAACS800 (Bran+Luebbe)
(2) Methods : Molybdenum blue method
(3) Precision : C.V. 0.090% (median)
(4) Reference Material/Calibration: RMNS [Aoyama et al., 2007] and commercial available silicon standard solution for atomic absorption spectrometry

4. Nitrate

- (1) Instruments: TRAACS800 (Bran+Luebbe)
(2) Methods : Diazotization method
(3) Precision : C.V. 0.070% (median),
(4) Reference Material/Calibration: KNO₃ solution and RMNS [Aoyama et al., 2007]

5. Nitrite

- (1) Instruments: TRAACS800 (Bran+Luebbe)
(2) Methods : Diazotization method (reduced to nitrite by Cd - Cu tube)
(3) Precision : -
(4) Reference Material/Calibration: NaNO₂ solution and RMNS [Aoyama et al., 2007]

6. Phosphate

- (1) Instruments: TRAACS800 (Bran+Luebbe)
(2) Methods : Molybdenum blue method
(3) Precision : C.V. 0.070% (median),
(4) Reference Material/Calibration: KH₂PO₄ solution and RMNS [Aoyama et al., 2007]

7. Total inorganic carbon

- (1) Instruments: the automated TCO₂ analyzer (Nippon ANS, Inc.) equipped with carbon coulometer 5012 (UIC, Inc.)
(2) Methods : coulometry
(3) Precision : 0.5 umol kg⁻¹
(4) Reference Material/Calibration: Na₂CO₃ solution and the CRM provided by Dr. Dickson in Scripps Institute of Oceanography

8. Total Alkalinity

- (1) Instruments: TALK measuring systems (TA-1000), which were made by Nippon ANS, Inc.
(2) Methods : Modified Gran titration/Closed-cell/potentiometry
(3) Precision : 1.9 umol kg⁻¹
(4) Reference Material/Calibration: Na₂CO₃ solution and the CRM provided by Dr. Dickson in Scripps Institute of Oceanography

9. pH

(1) Instruments: Measurement of pH was made by a pH measuring system (Nippon ANS, Inc.), which adopts a method of the spectrophotometric determination.

The measuring system comprises of a water dispensing unit with an auto-sampler and a spectrophotometer (Carry 50 Scan, Varian).

(2) Methods :spectrophotometric method

(3) Precision :0.0009 pH unit

(4) Reference Material/Calibration:total hydrogen ion scale

10. CFCs

(1) Instruments:A custom made purging and trapping system was attached to gas chromatograph (GC-14B: Shimadzu Ltd) having an electron capture detector (ECD-14: Shimadzu Ltd).

(2) Methods :see "DATA BOOK"

(3) Precision :CFC-11 0.006pmol kg⁻¹; CFC-12 0.004pmol kg⁻¹; CFC-113 0.004pmol kg⁻¹

(4) Reference Material/Calibration:see "DATA BOOK"

11.δ13C and Δ14 C of Dissolved Inorganic Carbon


(1) Instruments: see "DATA BOOK"

(2) Methods : see "DATA BOOK"

(3) Precision : see "DATA BOOK"

(4) Reference Material/Calibration: see "DATA BOOK"

Related Information



[Enlarge Image](#)

MR05-05 Leg3

Ship Name: MIRAI

Period: 2006-01-19 - 2006-01-30

Chief Scientist: Shuichi Watanabe (JAMSTEC)

Project Name: [POST-WOCE Hydrography]

Update History

2017-07-28	An observation data was registerd.
2017-04-11	An observation data was registerd.
2015-05-29	An observation data was registerd.
2013-08-24	An observation data was registerd.
2012-11-25	An observation data was registerd.

JAMSTEC

[Site Policy](#)
[Privacy Policy](#)
[Application for Data and Samples](#)
[Data Policy](#)

[What's New](#)
[Update History](#)
[Feeds](#)

Lists

[Publication List](#)
[Amount of Public Info.](#)

[Data](#)
[Map Search](#)
[Data Tree](#)
[Detailed Search](#)

Information of the Ships

NATSUSHIMA
KAIYO
YOKOSUKA
MIRAI
KAIREI
CHIKYU
KAIMEI
SHINSEI MARU
HAKUHO MARU

Information of the Submersibles

KAIKO
SHINKAI 2000
SHINKAI 6500
DEEP TOW
HYPER-DOLPHIN
URASHIMA
YOKOSUKA DEEP TOW
6K Camera DEEP TOW
6K Sonar DEEP TOW
KM-ROV
POWER GRAB SAMPLER (SHELL)
POWER GRAB SAMPLER (CLOW)
BMS

Go to a Cruise Information

Cruise ID:

Go to a Dive Information

Dive ID:



MIRAI MR05-05 Leg3 Bottle Sampling Water Chemical Analysis

Last Modified: 2017-07-28

ReadMe Observation Data **Data Format** Quality Information

Cruise ID: **MR05-05 Leg3**

Bottle Sampling Water Chemical Analysis: Processed (PI)

Data Policy: **JAMSTEC**

Exchange Format

Provided in the Exchange Format of CCHDO (CLIVAR and Carbon Hydrographic Data Office).

Please see the following link for details of Exchange Format.

[CCHDO | CLIVAR & Carbon Hydrographic Data Office](#)

Format Information

Column No.	Column Heading Mnemonic	Units Mnemonic	Reporting Precision FORTRAN Format	Comments
1	EXPCODE		A14	Expedition code
2	SECT		A6	For WOCE data the WHP section identifier
3	STNNBR		A6	Station number
4	CASTNO		I3	Cast number
5	SAMPNO		A7	Sample number
6	BTLNBR		A7	Bottle identification number
7	BTLNBR_FLAG_W		I1	Bottle quality flag
8	DATE		I8	Cast date(UTC)
9	TIME	UTC	I4	Cast time (UTC)
10	LATITUDE	DEG	F8.4	LATITUDE
11	LONGITUDE	DEG	F9.4	LONGITUDE
12	DEPTH	M	I5	Reported depth to bottom.
13	CTDPRS	DBAR	F9.1	Pressure
14	CTDPRS_FLAG_W		I1	Quality flag for CTD data
15	CTDTMP	ITS-90	F9.4	Temperature
16	CTDTMP_FLAG_W		I1	Quality flag for CTD data
17	SBE35	ITS-90	F10.5	Temperature from Deep Ocean Standards Thermometer
18	SBE35_FLAG_W		I1	Quality flag for CTD data
19	CTDSAL	PSS-78	F9.4	CTD Salinity sensor
20	CTDSAL_FLAG_W		I1	Quality flag for CTD data
21	SALNTY	PSS-78	F9.4	Salinity
22	SALNTY_FLAG_W		I1	Quality flags for water samples
23	CTDOXY	UMOL/KG	F9.2	CTD Oxygen sensor
24	CTDOXY_FLAG_W		I1	Quality flag for CTD data
25	OPTOXY	UMOL/KG	F9.2	Optode oxygen
26	OPTOXY_FLAG_W		I1	Quality flag for CTD data
27	OXYGEN	UMOL/KG	F9.2	Oxygen
28	OXYGEN_FLAG_W		I1	Quality flags for water samples
29	DWNPRS	DBAR	F9.1	Down-cast pressure at the same density of the up-cast CTD data
30	DWNPRS_FLAG_W		I1	Quality flag for CTD data
31	DWNOXY	UMOL/KG	F9.2	Down-cast CTD oxygen at pressure of DWNPRS
32	DWNOXY_FLAG_W		I1	Quality flag for CTD data
33	SILCAT	UMOL/KG	F9.2	Silicate
34	SILCAT_FLAG_W		I1	Quality flags for water samples
35	SILUNC	UMOL/KG	F9.2	Uncertainty of Silicate data
36	NITRAT	UMOL/KG	F9.2	Nitrate
37	NITRAT_FLAG_W		I1	Quality flags for water samples
38	NRAUNC	UMOL/KG	F9.2	Uncertainty of Nitrate data
39	NITRIT	UMOL/KG	F9.2	Nitrite
40	NITRIT_FLAG_W		I1	Quality flags for water samples
41	NRIUNC	UMOL/KG	F9.2	Uncertainty of Nitrite data
42	PHSPHT	UMOL/KG	F9.3	Phosphate
43	PHSPHT_FLAG_W		I1	Quality flags for water samples
44	PHPUNC	UMOL/KG	F9.3	Uncertainty of Phosphate data
45	CFC-11	PMOL/KG	F9.3	Freon-11
46	CFC-11_FLAG_W		I1	Quality flags for water samples
47	CFC-12	PMOL/KG	F9.3	Freon-12
48	CFC-12_FLAG_W		I1	Quality flags for water samples
49	CFC113	PMOL/KG	F9.3	Freon-113
50	CFC113_FLAG_W		I1	Quality flags for water samples
51	TCARBN	UMOL/KG	F9.1	Total carbon
52	TCARBN_FLAG_W		I1	Quality flags for water samples
53	ALKALI	UMOL/KG	F9.1	Total alkalinity
54	ALKALI_FLAG_W		I1	Quality flags for water samples
55	PH	-	F9.4	pH
56	PH_FLAG_W		I1	Quality flags for water samples
57	DELC14	/MILLE	F9.1	14Carbon
58	DELC14_FLAG_W		I1	Quality flags for water samples
59	C14ERR	/MILLE	F9.1	Expected error
60	DELC13	/MILLE	F9.3	13Carbon
61	DELC13_FLAG_W		I1	Quality flags for water samples
62	C13ERR	/MILLE	F9.3	Expected error
63	THETA	DEG C	F9.4	Potential temperature

Column No.	Column Heading Mnemonic	Units Mnemonic	Reporting Precision Format	Density Comments
------------	-------------------------	----------------	----------------------------	------------------

ODV Format

Please see the following link for details of ODV Format and ODV Software.


[Ocean Data View \(ODV\)](#)


Format Information

Column No.	Column Heading	Comments
1	Cruise	Cruise Label
2	Station	Station number _Cast number
3	Type	Station type
4	mon/day/yr	Cast date(UTC)
5	hh:mm	Cast time (UTC)
6	Latitude [degrees_north]	LATITUDE
7	Longitude [degrees_east]	LONGITUDE
8	Bot. Depth [m]	Reported depth to bottom.
9	CTDDPT[M]	Depth
10	QF	Quality flag for CTD data
11	CTDPRS[DBAR]	Pressure
12	QF	Quality flag for CTD data
13	CTDTMP[ITS-90]	Temperature
14	QF	Quality flag for CTD data
15	SBE35[ITS-90]	Temperature from Deep Ocean Standards Thermometer
16	QF	Quality flag for CTD data
17	CTDSAL[PSS-78]	CTD Salinity sensor
18	QF	Quality flag for CTD data
19	SALNTY[PSS-78]	Salinity
20	QF	Quality flags for water samples
21	CTDOXY[UMOL/KG]	CTD Oxygen sensor
22	QF	Quality flag for CTD data
23	OPTOXY[UMOL/KG]	Optode oxygen
24	QF	Quality flag for CTD data
25	OXYGEN[UMOL/KG]	Oxygen
26	QF	Quality flags for water samples
27	DWNPRS[DBAR]	Down-cast pressure at the same density of the up-cast CTD data
28	QF	Quality flag for CTD data
29	DWNOXY[UMOL/KG]	Down-cast CTD oxygen at pressure of DWNPRS
30	QF	Quality flag for CTD data
31	SILCAT[UMOL/KG]	Silicate
32	QF	Quality flags for water samples
33	SILUNC	Uncertainty of Silicate data
34	QF	Quality flags for water samples
35	NITRAT[UMOL/KG]	Nitrate
36	QF	Quality flags for water samples
37	NRAUNC	Uncertainty of Nitrate data
38	QF	Quality flags for water samples
39	NITRIT[UMOL/KG]	Nitrite
40	QF	Quality flags for water samples
41	NRIUNC	Uncertainty of Nitrite data
42	QF	Quality flags for water samples
43	PHSPHT[UMOL/KG]	Phosphate
44	QF	Quality flags for water samples
45	PHPUNC	Uncertainty of Phosphate data
46	QF	Quality flags for water samples
47	CFC-11[PMOL/KG]	Freon-11
48	QF	Quality flags for water samples
49	CFC-12[PMOL/KG]	Freon-12
50	QF	Quality flags for water samples
51	CFC113[PMOL/KG]	Freon-113
52	QF	Quality flags for water samples
53	TCARBN[UMOL/KG]	Total carbon
54	QF	Quality flags for water samples
55	ALKALI[UMOL/KG]	Total alkalinity
56	QF	Quality flags for water samples
57	PH	pH
58	QF	Quality flags for water samples
59	DELC14[MILLE]	14Carbon
60	QF	Quality flags for water samples
61	C14ERR	Expected error
62	QF	Quality flags for water samples
63	DELC13[MILLE]	13Carbon
64	QF	Quality flags for water samples
65	C13ERR	Expected error
66	QF	Quality flags for water samples
67	THETA[DEG C]	Potential temperature
68	QF	Quality flag for CTD data
69	SIG0[KG/CUM]	Density
70	QF	Quality flag for CTD data
71	SAMPNO	Sample number
72	QF	Bottle quality flag

Related Information

MIRAI MR05-05 Leg3 Cruise Track



 [Enlarge Image](#)

MR05-05 Leg3
Ship Name: MIRAI
Period: 2006-01-19 - 2006-01-30
Chief Scientist: Shuichi Watanabe (JAMSTEC)
Project Name: [POST-WOCE Hydrography]

Update History	
2017-07-28	An observation data was registered.
2017-04-11	An observation data was registered.
2015-05-29	An observation data was registered.
2013-08-24	An observation data was registered.
2012-11-25	An observation data was registered.

JAMSTEC
Site Policy
Privacy Policy
Application for Data and Samples
Data Policy

What's New
Update History
Feeds

Lists
Publication List
Amount of Public Info.

Data
Map Search
Data Tree
Detailed Search

Information of the Ships
NATSUSHIMA
KAIYO
YOKOSUKA
MIRAI
KAIREI
CHIKYU
KAIMEI
SHINSEI MARU
HAKUHO MARU

Information of the Submersibles
KAIKO
SHINKAI 2000
SHINKAI 6500
DEEP TOW
HYPER-DOLPHIN
URASHIMA
YOKOSUKA DEEP TOW
6K Camera DEEP TOW
6K Sonar DEEP TOW
KM-ROV
POWER GRAB
SAMPLER (SHELL)
POWER GRAB
SAMPLER (CLOW)
BMS

Go to a Cruise Information
Cruise ID:

Go to a Dive Information
Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology



JAMSTEC 国立研究開発法人
海洋研究開発機構
JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY

MIRAI MR05-05 Leg3 Bottle Sampling Water Chemical Analysis

Last Modified: 2017-07-28

[ReadMe](#) [Observation Data](#) [Data Format](#) [Quality Information](#)

Cruise ID: [MR05-05 Leg3](#)

Bottle Sampling Water Chemical Analysis: Processed (PI)


Data Policy: [JAMSTEC](#)

Observation Items: Temperature, Salinity, Dissolved oxygen, Silicate, Nitrate, Nitrite, Phosphate, CFC11, CFC12, CFC113, Total inorganic carbon, Alkalinity, pH, Carbon14, Carbon13, Potential temperature, Density

Science Keywords:

OCEANS > OCEAN CHEMISTRY > DISSOLVED GASES
OCEANS > OCEAN CHEMISTRY > INORGANIC CARBON
OCEANS > OCEAN CHEMISTRY > NITRITE
OCEANS > OCEAN CHEMISTRY > NITRATE
OCEANS > OCEAN CHEMISTRY > NUTRIENTS
OCEANS > OCEAN CHEMISTRY > OXYGEN
OCEANS > OCEAN CHEMISTRY > pH
OCEANS > OCEAN CHEMISTRY > PHOSPHATE
OCEANS > OCEAN CHEMISTRY > RADIOCARBON
OCEANS > OCEAN CHEMISTRY > SILICATE
OCEANS > OCEAN CHEMISTRY > SALINITY
OCEANS > OCEAN TEMPERATURE > WATER TEMPERATURE
OCEANS > SALINITY/DENSITY > SALINITY
OCEANS > OCEAN CHEMISTRY > ALKALINITY
OCEANS > OCEAN CHEMISTRY > CARBON
OCEANS > OCEAN CHEMISTRY > OCEAN TRACERS
OCEANS > OCEAN CHEMISTRY > STABLE ISOTOPES
OCEANS > OCEAN TEMPERATURE > POTENTIAL TEMPERATURE

Observation Map



— ... Observation Line — ... Navigation ● ... Observation, Dive Point, Hole

Data List


[Add to Basket](#)

☐ File names

☐ MR050503_ex_bot.csv

☐ MR050503_odv_bot.txt

Related Information



[Enlarge Image](#)

MR05-05 Leg3

Ship Name: MIRAI

Period: 2006-01-19 - 2006-01-30

Chief Scientist: Shuichi Watanabe (JAMSTEC)

Project Name: [POST-WOCE Hydrography]

Update History

2017-07-28	An observation data was registerd.
2017-04-11	An observation data was registerd.
2015-05-29	An observation data was registerd.
2013-08-24	An observation data was registerd.
2012-11-25	An observation data was registerd.

JAMSTEC
Site Policy
Privacy Policy
Application for Data and Samples
Data Policy

What's New
Update History
Feeds

Lists
Publication List
Amount of Public Info.

Data
Map Search
Data Tree
Detailed Search

Information of the Ships
NATSUSHIMA
KAIYO
YOKOSUKA
MIRAI
KAIREI
CHIKYU
KAIMEI
SHINSEI MARU
HAKUHO MARU

Information of the Submersibles
KAIKO
SHINKAI 2000
SHINKAI 6500
DEEP TOW
HYPER-DOLPHIN
URASHIMA
YOKOSUKA DEEP TOW
6K Camera DEEP TOW
6K Sonar DEEP TOW
KM-ROV
POWER GRAB SAMPLER (SHELL)
POWER GRAB SAMPLER (CLOW)
BMS

Go to a Cruise Information

Cruise ID:

Go to a Dive Information

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology



JAMSTEC
JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY

国立研究開発法人
海洋研究開発機構