

MIRAI MR12-E02 Leg2 Bottle Sampling Water Chemical Analysis

Last Modified: 2020-11-10

[ReadMe](#) [Observation Data](#) [Data Format](#) [Quality Information](#)

Cruise ID: [MR12-E02 Leg2](#)

Bottle Sampling Water Chemical Analysis: Processed (PI)

Data Policy: [JAMSTEC](#)

Observation Items: Temperature, Practical salinity, Transmittance, Dissolved oxygen, Silicate, Nitrate, Nitrite, Phosphate, Ammonia, Chlorophyll, Alkalinity, Dissolved Inorganic Carbon, LTA

Science Keywords:

OCEANS > OCEAN CHEMISTRY	> AMMONIA
OCEANS > OCEAN CHEMISTRY	> INORGANIC CARBON
OCEANS > OCEAN CHEMISTRY	> NITRATE
OCEANS > OCEAN CHEMISTRY	> NUTRIENTS
OCEANS > OCEAN CHEMISTRY	> OXYGEN
OCEANS > OCEAN CHEMISTRY	> PHOSPHATE
OCEANS > OCEAN CHEMISTRY	> SILICATE
OCEANS > OCEAN CHEMISTRY	> SALINITY
OCEANS > OCEAN CHEMISTRY	> CHLOROPHYLL
OCEANS > OCEAN TEMPERATURE	> WATER TEMPERATURE
OCEANS > SALINITY/DENSITY	> SALINITY
OCEANS > OCEAN CHEMISTRY	> ALKALINITY
OCEANS > OCEAN OPTICS	> FLUORESCENCE

Cruise Report

http://www.godac.jamstec.go.jp/catalog/data/doc_catalog/media/MR12-E02_leg2_all.pdf

For Using Data

Principal Investigator

Masahide Wakita (JAMSTEC)

Use Constraints

See [Terms and Conditions](#) about constrain of use.

Data Citation

See [Terms and Conditions](#) about data citation.

Instrument

Instrument:

Salinity measurement system



Instrument:

Nutrient analyzer(5ch) (MR09-02 -)



Instrument:

Total dissolved inorganic carbon measurement system (MR11-05 Leg1 -)




Instrument:

Titration for DO Dissolved oxygen titration equipment (MR11-06 -)



Instrument:

Titration for total alkalinity (- MR14-02)



Instrument:

Fluorometer (TURNER DESIGNS)



Notice

· Temperature data measured by a mercury thermometer is listed in CTDMP column at SAMPNO 0 which means sampled by bucket. Please notice that this data is different from other data in format (f9.1) and instrument.

Information on CTD data

Pressure sensor

Model : SBE9plus, Sea-Bird Electronics, Inc.

Measurement range : 0 to 10500 m

Accuracy : $\pm 0.015\%$ of full scale range

Resolution : 0.001% of full scale

Temperature sensor

Model : SBE3, Sea-Bird Electronics, Inc.

Measurement range : -5 to +35 °C

Accuracy : ± 0.001 °C

Resolution : 0.0002 °C

Salinity sensor

Model : SBE4, Sea-Bird Electronics, Inc.

Measurement range : 0 to 7 S/m

Accuracy : ± 0.0003 S/m

Resolution : 0.00004 S/m
Transmissometer
Model : C-Star WET Labs, Inc.
Linearity : 99% R²

Information on Chemical and Biological data

Salinity

Instruments : Autosal salinometer model 8400B (Guildline Instruments Ltd.)
Methods : -
Precision : -
Reference Material/Calibration : IAPSO Standard Seawater (Ocean Scientific International Ltd.)

Dissolved Oxygen

Instruments : Burette: APB-620 manufactured by Kyoto Electronic Co. Ltd. /10 cm³ of titration vessel
Detector and Software: Automatic photometric titrator DOT-01X manufactured by Kimoto Electronic Co. Ltd
Methods : Winkler method/photometric methods
Precision : Standard deviation 0.16 µmol kg⁻¹
Reference Material/Calibration : CSK standard of potassium iodate Lot EPJ3885

Silicate

Instruments : BL TEC K.K QuAAtro 2-HR
Methods : Molybdenum blue method
Precision : -
Reference Material/Calibration : RMNS, Silicon standard solution SiO₂ in NaOH 0.5 mol/L CertiPUR® (Merck KGaA)

Nitrate

Instruments : BL TEC K.K QuAAtro 2-HR
Methods : Diazotization method (reduced to nitrite by Cd - Cu tube)
Precision : -
Reference Material/Calibration : RMNS, potassium nitrate 99.995 suprapur® (Merck KGaA)

Nitrite

Instruments : BL TEC K.K QuAAtro 2-HR
Methods : Diazotization method
Precision : -
Reference Material/Calibration : RMNS, sodium nitrite (Wako Pure Chemical Industries, Ltd.)

Phosphate

Instruments : BL TEC K.K QuAAtro 2-HR
Methods : Molybdenum blue method
Precision : -
Reference Material/Calibration : RMNS, potassium dihydrogen phosphate anhydrous 99.995 suprapur® (Merck KGaA)

Ammonia

Instruments : BL TEC K.K QuAAtro 2-HR
Methods : Indophenol method
Precision : -
Reference Material/Calibration : ammonium sulfate (Wako Pure Chemical Industries, Ltd.)

Chlorophyll a


Instruments : Fluorophotometer model 10-AU-005 (Turner design)
Methods : Extract in N, N-dimethylformamide /fluorometric determination (Non-acidification method and Acidification method)
Precision : -
Reference Material/Calibration : Pure chlorophyll a (Sigma-chemical Co.)

About this data

There are some description error for nutrient data of this cruise.
Please refer to the errata of the cruise report.

Related Information

☒ Cruise Data ☐ Dive Data



[Enlarge Image](#)

MR12-E02 Leg2

Ship Name: MIRAI
Period: 2012-03-15 - 2012-03-21
Chief Scientist: Katsunori Fujikura (JAMSTEC)
Project Name: [Tohoku Ecosystem-Associated Marine Sciences (TEAMS)]
Proposal Title: Marine Ecosystems Investigation, Impact by the mega-earthquake (the 2011 Earthquake of the Pacific coast of Tohoku) and Tsunami: For Recovery and Rebuilding of Sanriku Fisheries Activities

Update History

2020-11-10	An observation data was registered.
2018-01-25	An observation data was registered.
2015-05-29	An observation data was registered.
2015-03-05	An observation data was registered.
2015-01-23	An observation data was registered.
2014-10-03	An observation data was registered.

JAMSTEC
[Site Policy](#)
[Privacy Policy](#)
[Application for Data and Samples](#)
[Data Policy](#)
[What's New](#)
[Update History](#)
[Feeds](#)

Lists
[Publication List](#)
[Amount of Public Info.](#)

Data
[Map Search](#)
[Data Tree](#)
[Detailed Search](#)

Information of the Ships
NATSUSHIMA
KAIYO
YOKOSUKA
MIRAI
KAIREI
CHIKYU
KAIMEI
SHINSEI MARU

Information of the Submersibles
KAIKO
SHINKAI 2000
SHINKAI 6500
DEEP TOW
HYPER-DOLPHIN
URASHIMA
YOKOSUKA DEEP TOW
6K Camera DEEP TOW

Go to a Cruise Information

Cruise ID:

Go to a Dive Information

Dive ID:

HAKUHO MARU

6K Sonar DEEP TOW

KM-ROV

POWER GRAB SAMPLER
(SHELL)

POWER GRAB SAMPLER
(CLOW)

BMS

Copyright 2011 Japan Agency for Marine-Earth Science and
Technology



JAMSTEC

国立研究開発法人
海洋研究開発機構
JAPAN AGENCY FOR MARINE EARTH SCIENCE AND TECHNOLOGY

MIRAI MR12-E02 Leg2 Bottle Sampling Water Chemical Analysis

Last Modified: 2020-11-10

[ReadMe](#) [Observation Data](#) [Data Format](#) [Quality Information](#)

Cruise ID: [MR12-E02 Leg2](#)

Bottle Sampling Water Chemical Analysis: Processed (PI)


Data Policy: [JAMSTEC](#)

Format Information

Column No.	Column Heading	Comments
1	Cruise	Cruise Label
2	Type	Station type
3	Station	Station number_Cast number
4	Year	Year
5	Month	Month
6	Day	Day
7	Hour	Hour
8	Minute	Minute
9	LATITUDE	LATITUDE
10	LONGITUDE	LONGITUDE
11	Bot. depth	Reported depth to bottom.
12	Pressure [db]	Pressure
13	QF	Quality flag for CTD data
14	Depth [m]	Depth
15	Temp. [C]	Temperature
16	QF	Quality flag for CTD data
17	Salinity-SBE	CTD Salinity sensor
18	QF	Quality flag for CTD data
19	Light transmission [%]	Light transmission
20	QF	Quality flag for CTD data
21	Salinity-Bottle	Salinity
22	QF	Quality flags for water samples
23	Oxygen [umol/kg]	Oxygen
24	QF	Quality flags for water samples
25	Silicate [umol/kg]	Silicate
26	QF	Quality flags for water samples
27	Nitrate [umol/kg]	Nitrate
28	QF	Quality flags for water samples
29	Nitrite [umol/kg]	Nitrite
30	QF	Quality flags for water samples
31	Phosphate [umol/kg]	Phosphate
32	QF	Quality flags for water samples
33	NH4 [umol/kg]	Ammonium
34	QF	Quality flags for water samples
35	Chl.a-Wel [ug/l]	Chlorophyll a (Non-acidification method)
36	QF	Quality flags for water samples
37	Chl.a-Hol [ug/l]	Chlorophyll a (Acidification method)
38	QF	Quality flags for water samples
39	TA [umol/kg]	Total alkalinity
40	QF	Quality flags for water samples
41	DIC [umol/kg]	Dissolved inorganic carbon
42	QF	Quality flags for water samples
43	DOC [umol/kg]	Dissolved organic carbon
44	QF	Quality flags for water samples
45	LTA [%]	LTA [%]
46	QF	Quality flags
47	TDN[umol/kg]	Total dissolved nitrogen
48	QF	Quality flags for water samples
49	18O	Oxygen isotope ratio of seawater
50	QF	Quality flags for water samples

Related Information

[Cruise Data](#) [Dive Data](#)



[Enlarge Image](#)

MR12-E02 Leg2

Ship Name: MIRAI

Period: 2012-03-15 - 2012-03-21

Chief Scientist: Katsunori Fujikura (JAMSTEC)

Project Name: [Tohoku Ecosystem-Associated Marine Sciences (TEAMS)]

Proposal Marine Ecosystems Investigation, Impact by the mega-earthquake (the 2011 Earthquake of the

Title: Pacific coast of Tohoku) and Tsunami: For Recovery and Rebuilding of Sanriku Fisheries Activities

Update History

2020-11-10	An observation data was registered.
2018-01-25	An observation data was registered.
2015-05-29	An observation data was registered.
2015-03-05	An observation data was registered.
2015-01-23	An observation data was registered.
2014-10-03	An observation data was registered.

JAMSTEC
Site Policy
Privacy Policy
Application for Data and Samples
Data Policy

What's New
Update History
Feeds

Lists
Publication List
Amount of Public Info.

Data
Map Search
Data Tree
Detailed Search

Information of the Ships
NATSUSHIMA
KAIYO
YOKOSUKA
MIRAI
KAIREI
CHIKYU
KAIMEI
SHINSEI MARU
HAKUHO MARU

Information of the Submersibles
KAIKO
SHINKAI 2000
SHINKAI 6500
DEEP TOW
HYPER-DOLPHIN
URASHIMA
YOKOSUKA DEEP TOW
6K Camera DEEP TOW
6K Sonar DEEP TOW
KM-ROV
POWER GRAB SAMPLER (SHELL)
POWER GRAB SAMPLER (CLOW)
BMS

Go to a Cruise Information

Cruise ID:

Go to a Dive Information

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology



MIRAI MR12-E02 Leg2 Bottle Sampling Water Chemical Analysis

Last Modified: 2020-11-10

[ReadMe](#) [Observation Data](#) [Data Format](#) [Quality Information](#)

Cruise ID: [MR12-E02 Leg2](#)

Bottle Sampling Water Chemical Analysis: Processed (PI)


Data Policy: [JAMSTEC](#)

Observation Items: Temperature, Practical salinity, Transmittance, Dissolved oxygen, Silicate, Nitrate, Nitrite, Phosphate, Ammonia, Chlorophyll, Alkalinity, Dissolved Inorganic Carbon, LTA

Science Keywords:

OCEANS > OCEAN CHEMISTRY > AMMONIA
OCEANS > OCEAN CHEMISTRY > INORGANIC CARBON
OCEANS > OCEAN CHEMISTRY > NITRATE
OCEANS > OCEAN CHEMISTRY > NUTRIENTS
OCEANS > OCEAN CHEMISTRY > OXYGEN
OCEANS > OCEAN CHEMISTRY > PHOSPHATE
OCEANS > OCEAN CHEMISTRY > SILICATE
OCEANS > OCEAN CHEMISTRY > SALINITY
OCEANS > OCEAN CHEMISTRY > CHLOROPHYLL
OCEANS > OCEAN TEMPERATURE > WATER TEMPERATURE
OCEANS > SALINITY/DENSITY > SALINITY
OCEANS > OCEAN CHEMISTRY > ALKALINITY
OCEANS > OCEAN OPTICS > FLUORESCENCE

Observation Map




Data List

File names

☐ MR12-E02_bottle_data.xlsx

Related Information

☒ Cruise Data ☐ Dive Data



[Enlarge Image](#)

MR12-E02 Leg2

Ship Name: MIRAI

Period: 2012-03-15 - 2012-03-21

Chief Scientist: Katsunori Fujikura (JAMSTEC)

Project Name: [Tohoku Ecosystem-Associated Marine Sciences (TEAMS)]

Proposal Title: Marine Ecosystems Investigation, Impact by the mega-earthquake (the 2011 Earthquake of the Pacific coast of Tohoku) and Tsunami: For Recovery and Rebuilding of Sanriku Fisheries Activities

Update History

2020-11-10	An observation data was registered.
2018-01-25	An observation data was registered.
2015-05-29	An observation data was registered.
2015-03-05	An observation data was registered.
2015-01-23	An observation data was registered.
2014-10-03	An observation data was registered.

[Data Policy](#)

What's New
[Update History](#)
[Feeds](#)

[Map Search](#)
[Data Tree](#)
[Detailed Search](#)

[MIRAI](#)
[KAIREI](#)
[CHIKYU](#)
[KAIMEI](#)
[SHINSEI MARU](#)
[HAKUHO MARU](#)

[DEEP TOW](#)
[HYPER-DOLPHIN](#)
[URASHIMA](#)
[YOKOSUKA DEEP TOW](#)
[6K Camera DEEP TOW](#)
[6K Sonar DEEP TOW](#)
[KM-ROV](#)
[POWER GRAB SAMPLER \(SHELL\)](#)
[POWER GRAB SAMPLER \(CLOW\)](#)
[BMS](#)

Go to a Dive Information

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology



JAMSTEC 国立研究開発法人
海洋研究開発機構
JAPAN AGENCY FOR MARINE EARTH SCIENCE AND TECHNOLOGY