

## MIRAI MR06-05 Leg1 Underway Thermosalinograph

Last Modified: 2017-06-29

[ReadMe](#) [Observation Data](#) [Data Format](#)

Cruise ID: [MR06-05 Leg1](#)

Underway Thermosalinograph: Processed (DMO)-QCed

Data Policy: [JAMSTEC](#)

Observation Items: Temperature, Salinity, Dissolved oxygen

Science Keywords:

OCEANS > OCEAN CHEMISTRY > OXYGEN  
OCEANS > SALINITY/DENSITY > SALINITY  
OCEANS > OCEAN > SEA SURFACE  
OCEANS TEMPERATURE TEMPERATURE

Cruise Report

[http://www.godac.jamstec.go.jp/catalog/data/doc\\_catalog/media/MR06-05\\_leg1\\_all.pdf](http://www.godac.jamstec.go.jp/catalog/data/doc_catalog/media/MR06-05_leg1_all.pdf)

### [For Using Data](#)

**Principal Investigator**

Data Management Office

**Use Constraints**

See [Terms and Conditions](#) about constrain of use.

**Data Citation**

See [Terms and Conditions](#) about data citation.

### Instrument

Instrument:

Continuous sea surface water  
monitoring system ( - MR10-03 Leg2)



### Overview

Thermosalinograph measures the following surface parameters continuously.

- temperature
- salinity
- dissolved oxygen

Sea surface water is continuously pumped up at 4.5 meters depth to the sea surface monitoring laboratory and then flowed into each analysis equipment through a steel pipe and a vinyl-chloride pipe.

The flow rate of this system is controlled by some valves. Data are recorded in the personal computer.

### System

- Temperature sensor  
Model : SBE 3S, Sea-Bird Electronics, Inc.  
Serial number : 2607  
Measurement range : -5 to 35 deg-C (ITS-90)  
Sensor location : Bow thruster room
- Salinity sensor  
SEACAT THERMOSALINOGRAPH  
Model : SBE-21, Sea-Bird Electronics, Inc.  
Serial number : 3126  
Measurement range : [temperature] -5 to +35 deg-C (ITS-90), [conductivity] 0 to 6.5 S/m  
Sensor location : Sea surface monitoring laboratory
- DO sensor  
Model : 2127A, Hach Ultra Analytics Japan Inc.  
Serial number : 44733  
Measurement range : 0 to 14 ppm  
Sensor location : Sea surface monitoring laboratory

### Data acquisition

Date/Time (UTC)	Start/Stop	Remarks
2006/10/04, 11:46	start	39-46.73N, 142-20.49E
2006/10/11, 01:59	stop	17-14.44N, 117-03.65E
2006/10/12, 19:06	start	10-10.43N, 110-55.72E
2006/10/13, 19:28	stop	06-33.82N, 107-49.89E
2006/10/16, 20:13	start	03-20.35N, 100-26.59E
2006/10/17, 09:16	stop	06-05.26N, 098-27.66E
2006/10/18, 19:02	start	01-59.97N, 092-13.78E
2006/10/23, 11:09	stop	02-40.27N, 079-43.93E
2006/10/23, 14:15	start	02-41.61N, 079-38.37E
2006/10/29, 18:57	stop	00-00.07S, 080-28.65E
2006/10/29, 19:04	start	00-00.11S, 080-28.68E
2006/11/26, 01:53	stop	01-05.93N, 077-26.58E

### Calibration Information

Calibration Information is as follows.

#### Calibration Information

#### Data processing

##### (1) Quality control

QCed data were added flag according to the NODC (National Oceanographic Data Center) quality control procedure.

1) The gradient check of adjacent depth data

Please see the site of NODC of the following link for quality control procedure in detail.


[QUALITY CONTROL AND PROCESSING OF HISTORICAL OCEANOGRAPHIC TEMPERATURE, SALINITY, AND OXYGEN DATA](#)

In addition, an abnormal value is identified by a visual check, and the data after visual QC is released.

#### Note

(1) In this cruise, there is extra data (fluorescence intensity) in addition to temperature, salinity, dissolved oxygen that has been opened to the public. Please contact us from "Contact Us" above if necessary.

#### Related Information



#### MR06-05 Leg1

Ship Name: MIRAI

Period: 2006-10-03 - 2006-11-27

Chief Scientist: Kunio Yoneyama (JAMSTEC)

Project Name: [Mirai Indian ocean cruise for the Study of the MJO convection Onset, MJO Research]

[Enlarge Image](#)

#### Update History

2017-06-29	An observation data was registered.
2014-07-29	An observation data was registered.
2014-03-08	An observation data was registered.
2012-11-25	An observation data was registered.

JAMSTEC  
Site Policy  
Privacy Policy  
Application for Data and Samples  
Data Policy  
What's New  
Update History  
Feeds

Lists  
Publication List  
Amount of Public Info.  
Data  
Map Search  
Data Tree  
Detailed Search

Information of the Ships  
NATSUSHIMA  
KAIYO  
YOKOSUKA  
MIRAI  
KAIREI  
CHIKYU  
KAIMEI  
SHINSEI MARU  
HAKUHO MARU

Information of the Submersibles  
KAIKO  
SHINKAI 2000  
SHINKAI 6500  
DEEP TOW  
HYPER-DOLPHIN  
URASHIMA  
YOKOSUKA DEEP TOW  
6K Camera DEEP TOW  
6K Sonar DEEP TOW  
KM-ROV  
POWER GRAB  
SAMPLER (SHELL)  
POWER GRAB  
SAMPLER (CLOW)  
BMS

#### Go to a Cruise Information

Cruise ID:

#### Go to a Dive Information

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology

**JAMSTEC** 国立研究開発法人 海洋研究開発機構  
JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY

## MIRAI MR06-05 Leg1 Underway Thermosalinograph

Last Modified: 2017-06-29

[ReadMe](#)   [Observation Data](#)   [Data Format](#)

 Cruise ID: [MR06-05 Leg1](#)

Underway Thermosalinograph: Processed (DMO)-QCed

 Data Policy: [JAMSTEC](#)

### TSG DMO (MR98-K01 - MR10-03)

#### Format Description for the Corrected Data

Please see the site of each cruise.

#### Format Description for the QCed Data (MR98-K01 - MR10-03)

Each data file contains one line header (meta data) followed by data lines for one day.

The number of data lines are recorded in the header.

#### Header part

No.	Column	Content	Format	Remarks
1	1	Header ID	a1	fixed as '#'
2	3 - 6	Data ID	a4	TSG
3	8 - 22	Cruise ID	a15	MYYY-(K)XX(_legx)
4	68 - 71	Number of data lines	i4	
5	72 - 73	Terminator	-	CR+LF

#### Data part

No.	Column	Content	Unit	Format	Remarks
1	1 - 8	Date	-	i8	YYYYMMDD (UTC)
2	10 - 13	Time	-	i4	hhmm (UTC)
3	15 - 23	Latitude	-	i2,a1,f5.2,a1	dd-mm.mmN(S)
4	25 - 34	Longitude	-	i3,a1,f5.2,a1	ddd-mm.mmE(W)
5	35 - 45	Temperature	deg-C	f11.4	ITS-90
6	46 - 56	Salinity	PSU	f11.4	PSS-78
7	57 - 67	Dissolved oxygen	mg/l	f11.4	
8	68 - 78	Flag	-	i11	1 - 6 : space 7 : flag of date/time 8 : flag of latitude/longitude 9 : flag of temperature 10 : flag of salinity 11 : flag of dissolved oxygen * reference : <a href="#">Definition of Quality Control Flags</a>
9	79 - 80	Terminator	-	-	CR+LF

#### Definition of Quality Control Flags

##### 1. Depth Flags

- 0 - accepted value
- 1 - error in recorded depth ( same or less than previous depth )
- 2 - density inversion

##### 2. Observed Level Flags

- N - missing value
- 0 - accepted value
- 1 - range outlier ( outside of broad range check )
- 2 - failed inversion check
- 3 - failed gradient check
- 4 - zero anomaly
- 5 - failed combined gradient and inversion checks
- 6 - failed range and inversion checks
- 7 - failed range and gradient checks
- 8 - failed range and zero anomaly checks
- 9 - failed range and combined gradient and inversion checks
- A - failed visual check

\* The check only about range check for Thermosalinograph data.

##### 3. Date and time flag (Thermosalinograph only)

- 0 - accepted data and time
- 1 - failed duplicate/missing/incorrect date and time

##### 4. Position flag (Thermosalinograph only)

- 0 - accepted position
- 1 - failed estimated ship speed check including missing/incorrect position

QCed data were added flag according to the NODC (National Oceanographic Data Center) quality control procedure, additionally visually checked. Please see the site of NODC of the following link for quality control procedure.

[QUALITY CONTROL AND PROCESSING OF HISTORICAL OCEANOGRAPHIC TEMPERATURE, SALINITY, AND OXYGEN DATA](#)

#### Sample Program

[ex\\_read.f](#)

#### Related Information

MIRAI MR06-05 Leg1 Cruise Track



Enlarge Image

**MR06-05 Leg1**

Ship Name: MIRAI

Period: 2006-10-03 - 2006-11-27

Chief Scientist: Kunio Yoneyama (JAMSTEC)

Project Name: [Mirai Indian ocean cruise for the Study of the MJO convection Onset,MJO Research]

Update History	
2017-06-29	An observation data was registerd.
2014-07-29	An observation data was registerd.
2014-03-08	An observation data was registerd.
2012-11-25	An observation data was registerd.

JAMSTEC

Site Policy

Privacy Policy

Application for Data and Samples

Data Policy

What's New

Update History

Feeds

Lists

Publication List

Amount of Public Info.

Data

Map Search

Data Tree

Detailed Search

Information of the Ships

NATSUSHIMA

KAIYO

YOKOSUKA

MIRAI

KAIREI

CHIKYU

KAIIMEI

SHINSEI MARU

HAKUHO MARU

Information of the Submersibles

KAIKO

SHINKAI 2000

SHINKAI 6500

DEEP TOW

HYPER-DOLPHIN

URASHIMA

YOKOSUKA DEEP TOW

6K Camera DEEP TOW

6K Sonar DEEP TOW

KM-ROV

POWER GRAB

SAMPLER (SHELL)

POWER GRAB

SAMPLER (CLOW)

BMS

Go to a Cruise Information

Cruise ID:

Go to a Dive Information

Dive ID:



**JAMSTEC** 国立研究開発法人  
海洋研究開発機構  
JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY

Copyright 2011 Japan Agency for Marine-Earth Science and Technology

## MIRAI MR06-05 Leg1 Underway Thermosalinograph

Last Modified: 2017-06-29

[ReadMe](#) [Observation Data](#) [Data Format](#)

Cruise ID: [MR06-05 Leg1](#)

Underway Thermosalinograph: Processed (DMO)-QCed


Data Policy: [JAMSTEC](#)

Observation Items: Temperature, Salinity, Dissolved oxygen

Science Keywords:

OCEANS > OCEAN CHEMISTRY > OXYGEN  
OCEANS > SALINITY/DENSITY > SALINITY  
OCEANS > OCEAN > SEA SURFACE  
OCEANS TEMPERATURE TEMPERATURE


### Observation Map



— ... Observation Line — ... Navigation ● ... Observation, Dive Point, Hole

### Figures

MR06-05 Leg1: Underway Thermosalino Graph



### Data List

[Add to Basket](#)

☐ File names

- ☐ 20061004.dat
- ☐ 20061005.dat
- ☐ 20061006.dat
- ☐ 20061007.dat
- ☐ 20061008.dat
- ☐ 20061009.dat
- ☐ 20061010.dat
- ☐ 20061011.dat
- ☐ 20061012.dat
- ☐ 20061013.dat
- ☐ 20061016.dat
- ☐ 20061017.dat
- ☐ 20061018.dat
- ☐ 20061019.dat
- ☐ 20061020.dat
- ☐ 20061021.dat

File names
<input type="checkbox"/> 20061022.dat
<input type="checkbox"/> 20061023.dat
<input type="checkbox"/> 20061024.dat
<input type="checkbox"/> 20061025.dat
<input type="checkbox"/> 20061026.dat
<input type="checkbox"/> 20061027.dat
<input type="checkbox"/> 20061028.dat
<input type="checkbox"/> 20061029.dat
<input type="checkbox"/> 20061030.dat
<input type="checkbox"/> 20061031.dat
<input type="checkbox"/> 20061101.dat
<input type="checkbox"/> 20061102.dat
<input type="checkbox"/> 20061103.dat
<input type="checkbox"/> 20061104.dat
<input type="checkbox"/> 20061105.dat
<input type="checkbox"/> 20061106.dat
<input type="checkbox"/> 20061107.dat
<input type="checkbox"/> 20061108.dat
<input type="checkbox"/> 20061109.dat
<input type="checkbox"/> 20061110.dat
<input type="checkbox"/> 20061111.dat
<input type="checkbox"/> 20061112.dat
<input type="checkbox"/> 20061113.dat
<input type="checkbox"/> 20061114.dat
<input type="checkbox"/> 20061115.dat
<input type="checkbox"/> 20061116.dat
<input type="checkbox"/> 20061117.dat
<input type="checkbox"/> 20061118.dat
<input type="checkbox"/> 20061119.dat
<input type="checkbox"/> 20061120.dat
<input type="checkbox"/> 20061121.dat
<input type="checkbox"/> 20061122.dat
<input type="checkbox"/> 20061123.dat
<input type="checkbox"/> 20061124.dat
<input type="checkbox"/> 20061125.dat
<input type="checkbox"/> 20061126.dat
<input type="checkbox"/> ex_read.f (Sample Program)

Related Information

**MR06-05 Leg1**  
 Ship Name: MIRAI  
 Period: 2006-10-03 - 2006-11-27  
 Chief Scientist: Kunio Yoneyama (JAMSTEC)  
 Project Name: [Mirai Indian ocean cruise for the Study of the MJO convection Onset,MJO Research]

[Enlarge Image](#)

Update History

2017-06-29	An observation data was registered.
2014-07-29	An observation data was registered.
2014-03-08	An observation data was registered.
2012-11-25	An observation data was registered.

JAMSTEC

Site Policy

Privacy Policy

Application for Data and Samples

Data Policy

What's New

Update History

Feeds

Lists

Publication List

Amount of Public Info.

Data

Map Search

Data Tree

Detailed Search

Information of the Ships

NATSUSHIMA

KAIYO

YOKOSUKA

MIRAI

KAIREI

CHIKYU

KAIMEI

SHINSEI MARU

HAKUHO MARU

Information of the Submersibles

KAIKO

SHINKAI 2000

SHINKAI 6500

DEEP TOW

HYPER-DOLPHIN

URASHIMA

YOKOSUKA DEEP TOW

6K Camera DEEP TOW

6K Sonar DEEP TOW

KM-ROV

POWER GRAB

SAMPLER (SHELL)

POWER GRAB

SAMPLER (CLOW)

BMS

Go to a Cruise Information

Cruise ID:

Go

Go to a Dive Information

Dive ID:

Go

Copyright 2011 Japan Agency for Marine-Earth Science and Technology

JAMSTEC

国立研究開発法人  
 海洋研究開発機構

JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY