

KAIMEI KM19-05C Underway Thermosalinograph

Last Modified: 2020-02-07

[ReadMe](#) [Observation Data](#) [Data Format](#)

Cruise ID: [KM19-05C](#)

Underway Thermosalinograph: Processed (DMO)-QCed

Data Policy: [JAMSTEC](#)

Observation Items: Temperature, Salinity, Dissolved oxygen

Science Keywords:

OCEANS > OCEAN CHEMISTRY > OXYGEN
OCEANS > SALINITY/DENSITY > SALINITY
OCEANS > OCEAN > SEA SURFACE
OCEANS TEMPERATURE TEMPERATURE

Cruise Report

http://www.godac.jamstec.go.jp/catalog/data/doc_catalog/media/KM19-05C_all.pdf

For Using Data

Principal Investigator

Data Management Office

Use Constraints

See [Terms and Conditions](#) about constrain of use.

Data Citation

See [Terms and Conditions](#) about data citation.

Instrument

Instrument:

Continuous sea surface water monitoring system



Overview

Thermosalinograph measures the following surface parameters continuously.

- temperature
- salinity
- dissolved oxygen

Sea surface water is continuously pumped up at 3.1 meters depth to the sea surface monitoring laboratory and then flowed into each analysis equipment through a steel pipe and a vinyl-chloride pipe.

The flow rate of this system is controlled.

System

- Temperature

Model : SBE38, Sea-Bird Electronics, Inc.

SN : 38-0803

Measurement range : -5 to 35 deg-C (ITS-90)

Sensor location : Bow thruster room

- Salinity

Model : SBE45, Sea-Bird Electronics, Inc.

SN : 45-0648

Measurement range : [temperature] -5 to +35 deg-C (ITS-90), [conductivity] 0 to 7 S/m

Sensor location : Sea surface monitoring laboratory

- Dissolved oxygen

Model : RINKO II ARO-CAR, JFE Advantech Co., Ltd.

SN : 0044

Measurement range : 0 - 200%

Sensor location : Sea surface monitoring laboratory

- Fluorescence and turbidity

Model : C3 Submersible Fluorometer, Turner Designs

SN : 2300558

Measurement range : [chlorophyll *in vivo*] 0 - 500 µg/L, [turbidity] 0 - 1500 NTU

Sensor location : Sea surface monitoring laboratory

Number of significant figures of data

After considering the accuracy of the sensors, the significant digit of data was changed as in the following list.

Data	Raw (ASCII data)	On this web site
Temperature	0.0001 [deg-C]	0.001 [deg-C]
Salinity	0.0001 [PSU]	0.001 [PSU]
Dissolved oxygen	0.01 [µmol/kg]	0.1 [µmol/kg]

Data processing

DMO-QCed data are flagged after the data check process shown below:

1) Range check

For details about range set of temperature, salinity and oxygen data, please refer the web site of NODC (National Oceanographic Data Center) from the following link for quality control procedure.

[QUALITY CONTROL AND PROCESSING OF HISTORICAL OCEANOGRAPHIC TEMPERATURE, SALINITY, AND OXYGEN DATA](#)

2) Visual check


If an value were extremely out from time-series plot of each variable or were affected by ambient air due to unstable flow of sampled water, it may be put flag "A" which means doubtful value. Graphs of Observation Data tab show data without flag "A".

About this data

This cruise obtained data of fluorescence and turbidity, in addition to data of temperature, salinity and dissolved oxygen. Please [contact us](#) for usage of those data.

Related Information

 [Cruise Data](#)  [Dive Data](#)



KM19-05C
 Ship Name: KAIMEI
 Period: 2019-07-14 - 2019-08-07
 Chief Scientist: Shinji Tsuchida (JAMSTEC)
 Project Name: [Tohoku Ecosystem-Associated Marine Sciences (TEAMS)]

Update History

2020-02-07 An observation data was registered.

JAMSTEC

- [Site Policy](#)
- [Privacy Policy](#)
- [Application for Data and Samples](#)
- [Data Policy](#)
- What's New**
- [Update History](#)
- [Feeds](#)

Lists

- [Publication List](#)
- [Amount of Public Info.](#)
- Data**
- [Map Search](#)
- [Data Tree](#)
- [Detailed Search](#)

Information of the Ships

- NATSUSHIMA
- KAIYO
- YOKOSUKA
- MIRAI
- KAIREI
- CHIKYU
- KAIMEI
- SHINSEI MARU
- HAKUHO MARU

Information of the Submersibles

- KAIKO
- SHINKAI 2000
- SHINKAI 6500
- DEEP TOW
- HYPER-DOLPHIN
- URASHIMA
- YOKOSUKA DEEP TOW
- 6K Camera DEEP TOW
- 6K Sonar DEEP TOW
- KM-ROV
- POWER GRAB SAMPLER (SHELL)
- POWER GRAB SAMPLER (CLOW)
- BMS

Go to a Cruise Information

Cruise ID:

Go to a Dive Information

Dive ID:

KAIMEI KM19-05C Underway Thermosalinograph

Last Modified: 2020-02-07

[ReadMe](#) [Observation Data](#) [Data Format](#)

Cruise ID: **KM19-05C**

Underway Thermosalinograph: Processed (DMO)-QCed

Data Policy: [JAMSTEC](#)

TSG DMO

Format Description for the QCed Data

Each data file contains one line header and daily observation data.

Header part

No.	Column	Content	Format	Remarks
1	1	Header ID	a1	fixed as '#'
2	3 - 6	Data ID	a4	TSG
3	8 - 22	Cruise ID	a15	e.g. MRYX-XX_legx
4	68 - 71	Number of data lines	i4	
5	72 - 73	Terminator	-	CR+LF

Data part

No.	Column	Content	Unit	Format	Remarks
1	1 - 8	Date	-	i8	YYYYMMDD (UTC)
2	10 - 13	Time	-	i4	hhmm (UTC)
3	15 - 23	Latitude	-	i2,a1,f5.2,a1	dd-mm.mmN(S)
4	25 - 34	Longitude	-	i3,a1,f5.2,a1	ddd-mm.mmE(W)
5	35 - 45	Temperature	deg-C	f11.3	ITS-90
6	46 - 56	Salinity	PSU	f11.3	PSS-78
7	57 - 67	Dissolved oxygen	μmol/kg	f11.1	
8	68 - 78	Flag	-	i11	1 - 6 : space 7 : flag of date/time 8 : flag of latitude/longitude 9 : flag of temperature 10 : flag of salinity 11 : flag of dissolved oxygen
9	79 - 80	Terminator	-	-	CR+LF

* This format has been applied since MR10-04 cruise of R/V Mirai.

* Temperature, Salinity, Dissolved oxygen: Missing value is presented by '-5', and error value is presented by '-9'.

Definition of Quality Control Flags

1. Observed Level Flags

- 0 - accepted value
- 1 - range outlier (outside of broad range check)
- A - doubtful value
- N - missing value

2. Date and time flag (Thermosalinograph only)

- 0 - accepted data and time
- 1 - failed duplicate/missing/incorrect date and time

3. Position flag (Thermosalinograph only)

- 0 - accepted position
- 1 - failed estimated ship speed check including missing/incorrect position

For details about range set of temperature, salinity and oxygen data, please refer the web site of NODC (National Oceanographic Data Center) from the following link for quality control procedure.


[QUALITY CONTROL AND PROCESSING OF HISTORICAL OCEANOGRAPHIC TEMPERATURE, SALINITY, AND OXYGEN DATA](#)

Sample Program

[ex_read2.f](#)

Related Information

[Cruise Data](#) [Dive Data](#)



[Enlarge Image](#)

KM19-05C

Ship Name: KAIMEI
Period: 2019-07-14 - 2019-08-07
Chief Scientist: Shinji Tsuchida (JAMSTEC)
Project Name: [Tohoku Ecosystem-Associated Marine Sciences (TEAMS)]

Update History

2020-02-07 An observation data was registerd.

[Privacy Policy](#)
[Application for Data and Samples](#)
[Data Policy](#)
[What's New](#)
[Update History](#)
[Feeds](#)

[Amount of Public Info.](#)

[Data](#)
[Map Search](#)
[Data Tree](#)
[Detailed Search](#)

[KAIYO](#)
[YOKOSUKA](#)
[MIRAI](#)
[KAIREI](#)
[CHIKYU](#)
[KAIMEI](#)
[SHINSEI MARU](#)
[HAKUHO MARU](#)

[SHINKAI 2000](#)
[SHINKAI 6500](#)
[DEEP TOW](#)
[HYPER-DOLPHIN](#)
[URASHIMA](#)
[YOKOSUKA DEEP TOW](#)
[6K Camera DEEP TOW](#)
[6K Sonar DEEP TOW](#)
[KM-ROV](#)
[POWER GRAB SAMPLER \(SHELL\)](#)
[POWER GRAB SAMPLER \(CLOW\)](#)
[BMS](#)

Cruise ID:

[Go to a Dive Information](#)

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology



JAMSTEC 国立研究開発法人
海洋研究開発機構
JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY

KAIMEI KM19-05C Underway Thermosalinograph

Last Modified: 2020-02-07

[ReadMe](#) [Observation Data](#) [Data Format](#)

Cruise ID: **KM19-05C**

Underway Thermosalinograph: Processed (DMO)-QCed


Data Policy: **JAMSTEC**

Observation Items: Temperature, Salinity, Dissolved oxygen

Science Keywords:

OCEANS > OCEAN CHEMISTRY > OXYGEN
 OCEANS > SALINITY/DENSITY > SALINITY
 > OCEAN > SEA SURFACE
 OCEANS TEMPERATURE TEMPERATURE


Observation Map



Imagery reproduced from ...

Figures

KM19-05C: Underway Thermosalinograph




Data List

<input type="checkbox"/> File names
<input type="checkbox"/> 20190714.dat
<input type="checkbox"/> 20190715.dat
<input type="checkbox"/> 20190716.dat
<input type="checkbox"/> 20190717.dat
<input type="checkbox"/> 20190718.dat
<input type="checkbox"/> 20190719.dat
<input type="checkbox"/> 20190720.dat
<input type="checkbox"/> 20190721.dat
<input type="checkbox"/> 20190722.dat
<input type="checkbox"/> 20190723.dat
<input type="checkbox"/> 20190724.dat
<input type="checkbox"/> 20190725.dat
<input type="checkbox"/> 20190726.dat
<input type="checkbox"/> 20190727.dat
<input type="checkbox"/> 20190728.dat
<input type="checkbox"/> 20190729.dat
<input type="checkbox"/> 20190730.dat

File names	
<input type="checkbox"/>	20190731.dat
<input type="checkbox"/>	20190801.dat
<input type="checkbox"/>	20190802.dat
<input type="checkbox"/>	20190803.dat
<input type="checkbox"/>	20190804.dat
<input type="checkbox"/>	20190805.dat
<input type="checkbox"/>	ex_read2.f (Sample Program)

Related Information

Cruise Data Dive Data



KM19-05C
 Ship Name: KAIMEI
 Period: 2019-07-14 - 2019-08-07
 Chief Scientist: Shinji Tsuchida (JAMSTEC)
 Project Name: [Tohoku Ecosystem-Associated Marine Sciences (TEAMS)]

Update History

2020-02-07 An observation data was registered.

JAMSTEC
 Site Policy
 Privacy Policy
 Application for Data and Samples
 Data Policy
 What's New
 Update History
 Feeds

Lists
 Publication List
 Amount of Public Info.
 Data
 Map Search
 Data Tree
 Detailed Search

Information of the Ships
 NATSUSHIMA
 KAIYO
 YOKOSUKA
 MIRAI
 KAIREI
 CHIKYU
 KAIMEI
 SHINSEI MARU
 HAKUHO MARU

Information of the Submersibles
 KAIKO
 SHINKAI 2000
 SHINKAI 6500
 DEEP TOW
 HYPER-DOLPHIN
 URASHIMA
 YOKOSUKA DEEP TOW
 6K Camera DEEP TOW
 6K Sonar DEEP TOW
 KM-ROV
 POWER GRAB
 SAMPLER (SHELL)
 POWER GRAB
 SAMPLER (CLOW)
 BMS

Go to a Cruise Information

Cruise ID:

Go to a Dive Information

Dive ID: