

## SHINSEI MARU KS-21-6 Gravity

Last Modified: 2021-10-29

[ReadMe](#) [Observation Data](#) [Data Format](#)

Cruise ID: [KS-21-6](#)

Gravity: Processed (DMO)-Corrected

Data Policy: [JURCAOS-JAMSTEC](#)

Observation Items: Absolute gravity

Science Keywords:

OCEANS > MARINE GEOPHYSICS > MARINE GRAVITY FIELD  
SOLID EARTH > GEODETICS/GRAVITY > GRAVITY

### For Using Data

#### Principal Investigator

Data Management Office

#### Use Constraints

See [Terms and Conditions](#) about constrain of use.

#### Data Citation

See [Terms and Conditions](#) about data citation.

### Period (UTC)

2021-04-11 05:21 – 2021-04-19 04:57


2021-04-19 05:35 – 2021-04-24 00:11

2021-04-24 00:54 – 2021-04-29 08:36

### Instrument

Instrument:

Shipboard gravimeter



Instrument:

Microgravimeter



### Overview

The data provided here are quality-controlled absolute gravity data and free-air anomalies. The absolute gravity data are a combination of relative gravity data measured by the shipboard gravity meter and the absolute gravity data of the ports in departure and arrival. Drift corrections and the Eotvos corrections were done before converting into absolute gravity. As a quality control, low reliability data were removed (see Quality control of data for the judging criteria). The absolute gravity values of the ports are referenced to those of the Japan Gravity Standardization Net of the Geographical Survey Institute of Japan.

### Measurement System

#### (1) Shipboard gravity meter

The system consists of two main assemblies; the gyro-stabilized platform including the gravity sensor and the data handling & control system.

Manufacturer : Micro-g LaCoste

Model : S-177

Measuring range : 20,000 mGal

Accuracy : 1.0 mGal

Drift rate : < 3.0mGal/month

Installation : Gravity meter room

Reference: "Air-Sea SystemII Marine Gravity Meter User Manual", Micro-g LaCoste

#### (2) Portable gravity meter

The portable gravity meter consists of two modules; the data acquisition/control module and the gravity sensor module. The gravity sensor is enclosed in a thermostatically controlled vacuum chamber. The portable gravity meter is used to calculate the absolute gravity of the port with reference to the gravity station of the Japan Gravity Standardization Net of the Geographical Survey Institute of Japan.

Manufacturer : SCINTREX

Model : CG-5

Measurement range : 8,000 mGal

Standard deviation : 0.005 mGal

Drift rate : < 0.02 mGal/day

Reference:"CG-5 OPERATION MANUAL", SCINTREX

### Absolute gravity in Ports

| Date (UTC)          | Port             | Absolute gravity (mGal) | Sea level (cm) | Draft shipboard (cm) | Absolute gravity at sensor position (mGal) | Reading of shipboard gravity meter (mGal) |
|---------------------|------------------|-------------------------|----------------|----------------------|--|---|
| 2021/04/02 00:05:29 | YOKOSUKA/JAMSTEC | 979758.01               | 275            | 440                  | 979759.48                                  | 11830.9                                   |
| 2021/05/18 05:46:10 | YOKOSUKA/JAMSTEC | 979757.99               | 370            | 430                  | 979759.74                                  | 11830.2                                   |

\* see [Term description](#)

### Data processing

According to the filter process of the gravity meter system, the gravity data has a time lag of 180 seconds between the measurement and its output. After adjustment of this lag time, the following corrections and calculations were performed.

#### (1) Drift correction

(1) Drift correction

$$D = ((V_{ge}-V_{gs})-(Age-A_{gs}))/ (T_e-T_s)$$

D: Drift value (mGal/day)

V<sub>gs</sub>: The shipboard gravity at the start of the cruise (mGal)

V<sub>ge</sub>: The shipboard gravity at the end of the cruise (mGal)

A<sub>gs</sub>: The absolute gravity at the shipboard sensor position at the start of the cruise (mGal)

A<sub>ge</sub>: The absolute gravity at the shipboard sensor position at the end of the cruise (mGal)

T<sub>s</sub>: The start time of the cruise (day)

T<sub>e</sub>: The end time of the cruise (day)

(2) Eotvoes correction

$$E = 7.503 \times S^2 \cos(\varphi) \sin(\alpha) + 0.004154 \times S^2$$

E: Eotvoes correction (mGal)

S: Ground speed of the ship (knot)

φ: Latitude

α: Course of the ship (measured clockwise from the north)

Reference: Blakely,R.J., Potential theory in gravity & magnetic applications, Cambridge University Press,New York,441pp,1995

\* The navigation data such as S,φand αare the 4-min average values. Before average processing, following data were removed from each dataset. If the number of data used for a 4-min average calculation did not include more than 50% of good data, the processed average value was considered as a missing value.

- Time error (inversion of time, continuation of same timestamps)
- Ship speed exceeding 20knot
- Course of the ship except 0-360°

(3) Calculation of the absolute gravity

$$G = A_{gs} + (V_{g}-V_{gs}) \cdot D \cdot (T-T_s) + E - H \cdot (\beta - 4\pi \cdot k \cdot \rho_w)$$

G: The absolute gravity at sea surface (mGal)

A<sub>gs</sub>: The absolute gravity at the shipboard sensor position at the start of the cruise (mGal)

V<sub>gs</sub>: The shipboard gravity at the start of the cruise (mGal)

V<sub>g</sub>: The shipboard gravity at the measurement time (mGal)

D: Drift value (mGal/day)

T<sub>s</sub>: The start time of the cruise (day)

T: The measurement time (day)

E: Eotvoes correction (mGal)

H: Height from sea surface of the shipboard sensor position (m)

β: Free-air gradient 0.3086 (mGal/m)

k: Gravitational constant

ρ<sub>w</sub>: Density of sea water

$$4\pi \cdot k \cdot \rho_w = 0.0864$$

(4) Calculation of the Free-air anomaly

$$G_f = G - \gamma + \delta$$

G<sub>f</sub>: The Free-air anomaly (mGal)

G: Absolute gravity at sea surface (mGal)

γ: Normal gravity(mGal)

\*The normal gravity formula of the Geodetic Reference System 1980

$$\gamma = 978032.67715(1 + 0.0052790414 \sin^2 \varphi + 0.0000232718 \sin^4 \varphi + 0.0000001262 \sin^6 \varphi + 0.0000000007 \sin^8 \varphi)$$

δ: Atmospheric correction at sea surface

$$\delta = 0.87 - 0.0000965 \times 0 \text{ (mGal)}$$

(5) Output of the data

Time (UTC)

Latitude (degree)

Longitude (degree)

Processed absolute gravity at sea surface (mGal)

Free-air anomaly (mGal)

Quality control of data


Following criteria were used for removal of low reliability data:

- Abrupt free-air anomaly change exceeding 10mGal/km
- Change in Eotvoes correction exceeding 3mGal/min
- Ground speed of the ship below 3knot

Note

- (1) File naming rule: Cruise\_ID\_corr.grv
- (2) Sampling rate: ten seconds
- (3) Geodetic system: WGS84
- (4) If you would like the raw data set, please contact us from "Contact Us" above.

Related Information



KS-21-6

Ship Name: SHINSEI MARU

Period: 2021-04-11 - 2021-04-29

Chief Scientist: Jun Nishioka (Hokkaido University)

Proposal Influence of sea ice melt water on physical and biogeochemical processes in the southern

Title: Sea of Okhotsk

Update History

2021-10-29

An observation data was registerd.

#### JAMSTEC

[Site Policy](#)  
[Privacy Policy](#)  
[Application for Data and Samples](#)  
[Data Policy](#)

#### What's New

[Update History](#)  
[Feeds](#)

#### Lists

[Publication List](#)  
[Amount of Public Info.](#)

#### Data

[Map Search](#)  
[Data Tree](#)  
[Detailed Search](#)

#### Information of the Ships

[NATSUSHIMA](#)  
[KAIYO](#)  
[YOKOSUKA](#)  
[MIRAI](#)  
[KAIREI](#)  
[CHIKYU](#)  
[KAIMEI](#)  
[SHINSEI MARU](#)  
[HAKUHO MARU](#)

#### Information of the Submersibles

[KAIKO](#)  
[SHINKAI 2000](#)  
[SHINKAI 6500](#)  
[DEEP TOW](#)  
[HYPER-DOLPHIN](#)  
[URASHIMA](#)  
[YOKOSUKA DEEP TOW](#)  
[6K Camera DEEP TOW](#)  
[6K Sonar DEEP TOW](#)  
[KM-ROV](#)  
[POWER GRAB SAMPLER \(SHELL\)](#)  
[POWER GRAB SAMPLER \(CLOW\)](#)  
[BMS](#)

#### Go to a Cruise Information

Cruise ID:

#### Go to a Dive Information

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology



**JAMSTEC**  
JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY

国立研究開発法人  
海洋研究開発機構

## SHINSEI MARU KS-21-6 Gravity

Last Modified: 2021-10-29

[ReadMe](#) [Observation Data](#) [Data Format](#)

Cruise ID: [KS-21-6](#)


Gravity: Processed (DMO)-Corrected

Data Policy: [JURCAOS-JAMSTEC](#)

### Gravity Corrected

| No. | Column | Content          | Format   | Unit   | Remarks   |
|-----|--------|------------------|----------|--------|---|
| 1   | 1 - 8  | Date             | i4,i2,i2 |        | YYYYMMDD (UTC)  |
| 2   | 10 -15 | Time             | i2,i2,i2 |        | hhmmss (UTC)  |
| 3   | 17 -25 | Latitude         | f9.5     | degree | No sign for the northern hemisphere.<br>Negative for the southern hemisphere. |
| 4   | 27 -36 | Longitude        | f10.5    | degree | No sign for eastern hemisphere.<br>Negative for the western hemisphere.       |
| 5   | 38 -45 | Absolute gravity | f8.1     | mGal   |   |
| 6   | 48 -53 | Free-air anomaly | f6.1     | mGal   |   |

### Related Information



[Enlarge Image](#)

#### KS-21-6

Ship Name: SHINSEI MARU

Period: 2021-04-11 - 2021-04-29

Chief Scientist: Jun Nishioka (Hokkaido University)

Proposal Influence of sea ice melt water on physical and biogeochemical processes in the southern

Title: Sea of Okhotsk

### Update History

2021-10-29 An observation data was registerd.

#### JAMSTEC

[Site Policy](#)  
[Privacy Policy](#)  
[Application for Data and Samples](#)  
[Data Policy](#)

**What's New**  
[Update History](#)  
[Feeds](#)

#### Lists

[Publication List](#)  
[Amount of Public Info.](#)

#### Data

[Map Search](#)  
[Data Tree](#)  
[Detailed Search](#)

#### Information of the Ships

[NATSUSHIMA](#)  
[KAIYO](#)  
[YOKOSUKA](#)  
[MIRAI](#)  
[KAIREI](#)  
[CHIKYU](#)  
[KAIMEI](#)  
[SHINSEI MARU](#)  
[HAKUHO MARU](#)

#### Information of the Submersibles

[KAIKO](#)  
[SHINKAI 2000](#)  
[SHINKAI 6500](#)  
[DEEP TOW](#)  
[HYPER-DOLPHIN](#)  
[URASHIMA](#)  
[YOKOSUKA DEEP TOW](#)  
[6K Camera DEEP TOW](#)  
[6K Sonar DEEP TOW](#)  
[KM-ROV](#)  
[POWER GRAB SAMPLER \(SHELL\)](#)  
[POWER GRAB SAMPLER \(CLOW\)](#)  
[BMS](#)

#### Go to a Cruise Information

Cruise ID:

#### Go to a Dive Information

Dive ID:

## SHINSEI MARU KS-21-6 Gravity

Last Modified: 2021-10-29

[ReadMe](#) [Observation Data](#) [Data Format](#)

Cruise ID: **KS-21-6**

Gravity: Processed (DMO)-Corrected


Data Policy: [JURCAOS-JAMSTEC](#)

Observation Items: Absolute gravity

Science Keywords:

OCEANS > MARINE GEOPHYSICS > MARINE GRAVITY FIELD  
SOLID EARTH > GEODETICS/GRAVITY > GRAVITY


### Observation Map




— ... Observation Line — ... Navigation ● ... Observation, Dive Point, Hole

Imagery reproduced from ...

### Figures



KS-21-6: Gravity  
Absolute gravity




### Data List

[Add to Basket](#)

File names

☐ KS-21-6\_0\_corr.grv

### Related Information



[Enlarge Image](#)

#### KS-21-6

Ship Name: SHINSEI MARU

Period: 2021-04-11 - 2021-04-29

Chief Scientist: Jun Nishioka (Hokkaido University)

Proposal: Influence of sea ice melt water on physical and biogeochemical processes in the southern

Title: Sea of Okhotsk

### Update History

2021-10-29 An observation data was registered.

[Data Policy](#)

**What's New**

[Update History](#)

[Feeds](#)

[Map Search](#)

[Data Tree](#)

[Detailed Search](#)

[MIRAI](#)

[KAIREI](#)

[CHIKYU](#)

[KAIMEI](#)

[SHINSEI MARU](#)

[HAKUHO MARU](#)

[DEEP TOW](#)

[HYPER-DOLPHIN](#)

[URASHIMA](#)

[YOKOSUKA DEEP TOW](#)

[6K Camera DEEP TOW](#)

[6K Sonar DEEP TOW](#)

[KM-ROV](#)

[POWER GRAB SAMPLER  
\(SHELL\)](#)

[POWER GRAB SAMPLER  
\(CLOW\)](#)

[BMS](#)

**Go to a Dive Information**

Dive ID:

Go

Copyright 2011 Japan Agency for Marine-Earth Science and Technology



**JAMSTEC**

国立研究開発法人  
海洋研究開発機構

JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY