

MIRAI MR98-K01 Bottle Sampling Water Chemical Analysis

Last Modified: 2018-05-08

[ReadMe](#) [Observation Data](#) [Data Format](#) [Quality Information](#)

Cruise ID: [MR98-K01](#)

Bottle Sampling Water Chemical Analysis: Processed (DMO/PI)

Data Policy: [JAMSTEC](#)

Observation Items: Temperature, Salinity, Dissolved oxygen, Silicate, Nitrate, Nitrite, Phosphate, Total inorganic carbon, Alkalinity, pH, Potential temperature, Density

Science Keywords:

OCEANS > OCEAN CHEMISTRY > INORGANIC CARBON
OCEANS > OCEAN CHEMISTRY > NITRATE
OCEANS > OCEAN CHEMISTRY > NUTRIENTS
OCEANS > OCEAN CHEMISTRY > OXYGEN
OCEANS > OCEAN CHEMISTRY > pH
OCEANS > OCEAN CHEMISTRY > PHOSPHATE
OCEANS > OCEAN CHEMISTRY > SILICATE
OCEANS > OCEAN CHEMISTRY > SALINITY
OCEANS > OCEAN TEMPERATURE > WATER TEMPERATURE
OCEANS > SALINITY/DENSITY > SALINITY
OCEANS > OCEAN CHEMISTRY > ALKALINITY
OCEANS > OCEAN CHEMISTRY > CARBON
OCEANS > OCEAN TEMPERATURE > POTENTIAL TEMPERATURE

Cruise Report

http://www.godac.jamstec.go.jp/catalog/data/doc_catalog/media/MR98-K01_all.pdf

For Using Data

Principal Investigator

CTDTMP : Chizuru Saitoh (JAMSTEC)
CTDSAL : Chizuru Saitoh (JAMSTEC)
SALNTY : Chizuru Saitoh (JAMSTEC)
CTDOXY : Chizuru Saitoh (JAMSTEC)
OXYGEN : Chizuru Saitoh (JAMSTEC)
SILCAT : Chizuru Saitoh (JAMSTEC)
NITRAT : Chizuru Saitoh (JAMSTEC)
NITRIT : Chizuru Saitoh (JAMSTEC)
PHSPHT : Chizuru Saitoh (JAMSTEC)
TCARBN : Yuichiro Kumamoto (JAMSTEC)
ALKALI : Akihiko Murata (JAMSTEC)
PH : Makio Honda (JAMSTEC)

Use Constraints

See [Terms and Conditions](#) about constrain of use.

Data Citation

See [Terms and Conditions](#) about data citation.

Instrument

Instrument:

Salinity measurement system



Instrument:

Nutrient analyzer(4ch) (- MR09-01)



Instrument:

Total dissolved inorganic carbon measurement system (- MR11-E02)



Instrument:

pH meter (- MR03-K04 Leg6)



Instrument:

Titration for total alkalinity (- MR14-02)



Notice

- The values of DIC, TA, and nutrients (silicate, phosphate, and nitrate) have systematic errors among cruises, because the analytical methods used for these determinations, and the precision and standards for analysis varied slightly from cruise to cruise.

The dataset posted here is "corrected" in a cruise. If you need the corrected data for systematic errors among cruises, please see ["Hydrographic Data at Station K2 and KNOT"](#). (Available data are station KNOT data only.)


Information on CTD data

- (1) Temperature sensor
Model: SBE3, Sea-Bird Electronics, Inc.
Measurement range: -5.0 to +35 deg C
Accuracy: 0.001 deg C
Resolution: 0.0002 deg C
- (2) Salinity sensor
Model: SBE4, Sea-Bird Electronics, Inc.
Measurement range: 0.0 to 7 S/m
Accuracy: 0.0003 S/m
Resolution: 0.00004 S/m
- (3) Pressure sensor
Model: SBE9plus, Sea-Bird Electronics, Inc.
Measurement range: up to 10500 m
Accuracy: 0.015% F.S.
Resolution: 0.001% F.S.
- (4) DO sensor
Model: SBE13, Sea-Bird Electronics, Inc.
Measurement range: 0-15ml/l (120% of surface saturation)
Accuracy: 0.1ml/l (2% of saturation)
Resolution: 0.01ml/l

Information on Chemical and Biological data

1. Dissolved Oxygen
(1) Instruments: Titrator: Model 716 DMS Titrimo (Metrohm)
Detector: Pt electrode
(2) Methods: Winkler method/potentiometric method
(3) Precision: Standard deviation (2 sigma) of 0.004ml/l (0.06% of D.O. max., 7.120ml/l in this cruise)
(4) Reference Material/Calibration: 0.01002N KIO₃ solution/Comparison with CSK standard solution (Wako pure chemical industries, Ltd.)
2. Salinity
(1) Instruments: Autosol salinometer model 8400B (Guildline Instruments Ltd.)
(2) Methods: -
(3) Precision: -
(4) Reference Material/Calibration: IAPSO Standard Sea Water batch P133 (Ocean Scientific International Ltd.)
3. Silicate
(1) Instruments: TRAACS800 (Bran+Luebbe)
(2) Methods: Molybdenum blue method
(3) Precision: From 0.06 to 3.4% except nitrite and Phosphate (CV%)
(4) Reference Material/Calibration: -
4. Nitrate
(1) Instruments: TRAACS800 (Bran+Luebbe)
(2) Methods: Diazotization method (reduced to nitrite by Cd - Cu tube)
(3) Precision: From 0.06 to 3.4% except nitrite and phosphate (CV%)
(4) Reference Material/Calibration: -
5. Nitrite
(1) Instruments: TRAACS800 (Bran+Luebbe)
(2) Methods: Diazotization method
(3) Precision: -
(4) Reference Material/Calibration: -
6. Phosphate
(1) Instruments: TRAACS800 (Bran+Luebbe)
(2) Methods: Molybdenum blue method
(3) Precision: -
(4) Reference Material/Calibration: -
7. Total inorganic carbon
(1) Instruments: automated TCO₂ sampling system (Nippon ANS Inc.) equipped with carbon coulometer 5012 (UIC Inc.)
(2) Methods: coulometry
(3) Precision: less than 0.2%
(4) Reference Material/Calibration: Na₂CO₃ solution and the CRM provided by Dr. Dickson in Scripps Institute of Oceanography
8. Total Alkalinity
(1) Instruments: auto-burette (Radiometer, ABU901), a pH glass electrode (Radiometer), a reference electrode (Radiometer)
(2) Methods: Modified Gran titration/Open-cell/potentiometry
(3) Precision: 0.15% on average
(4) Reference Material/Calibration: the CRM provided by Dr. Dickson in Scripps Institute of Oceanography
9. pH
(1) Instruments: a glass/reference electrode with a pH/Ion meter (Radiometer PHM95)
(2) Methods: potentiometric methods at 25deg-C
(3) Precision: -
(4) Reference Material/Calibration: total hydrogen ion scale

Related Information



MR98-K01

Ship Name: MIRAI

Period: 1998-10-30 - 1998-12-15

Chief Scientist: Masashi Kusakabe (JAMSTEC)

Project Name: [Station KNOT]

Update History

2018-05-08	An observation data was registerd.
2017-07-28	An observation data was registerd.
2015-05-29	An observation data was registerd.
2013-08-09	An observation data was registerd.
2013-01-25	An observation data was registerd.

JAMSTEC

Site Policy

Privacy Policy

Application for Data and Samples

Data Policy

What's New

Update History

Feeds

Lists

Publication List

Amount of Public Info.

Data

Map Search

Data Tree

Detailed Search

Information of the Ships

NATSUSHIMA

KAIYO

YOKOSUKA

MIRAI

KAIREI

CHIKYU

KAIMEI

SHINSEI MARU

HAKUHO MARU

Information of the Submersibles

KAIKO

SHINKAI 2000

SHINKAI 6500

DEEP TOW

HYPER-DOLPHIN

URASHIMA

YOKOSUKA DEEP TOW

6K Camera DEEP TOW

6K Sonar DEEP TOW

KM-ROV

POWER GRAB SAMPLER

(SHELL)

POWER GRAB SAMPLER

(CLOW)

BMS

Go to a Cruise Information

Cruise ID:

Go to a Dive Information

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology



JAMSTEC

国立研究開発法人
海洋研究開発機構
JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY

MIRAI MR98-K01 Bottle Sampling Water Chemical Analysis

Last Modified: 2018-05-08

[ReadMe](#) [Observation Data](#) [Data Format](#) [Quality Information](#)

Cruise ID: **MR98-K01**

Bottle Sampling Water Chemical Analysis: Processed (DMO/PI)

Data Policy: [JAMSTEC](#)

Exchange Format

Provided in the Exchange Format of CCHDO (CLIVAR and Carbon Hydrographic Data Office).

Please see the following link for details of Exchange Format.

[CCHDO | CLIVAR & Carbon Hydrographic Data Office](#)

Format Information

Column No.	Column Heading Mnemonic	Units Mnemonic	Reporting Precision FORTRAN Format	Comments
1	EXPCODE		A14	Expedition code
2	SECT		A6	For WOCE data the WHP section identifier
3	STNNBR		A6	Station number
4	CASTNO		I3	Cast number
5	SAMPNO		A7	Sample number
6	BTLNBR		A7	Bottle identification number
7	BTLNBR_FLAG_W		I1	Bottle quality flag
8	DATE		I8	Cast date(UTC)
9	TIME	UTC	I4	Cast time (UTC)
10	LATITUDE	DEG	F8.3	LATITUDE
11	LONGITUDE	DEG	F9.3	LONGITUDE
12	DEPTH	M	I5	Reported depth to bottom.
13	CTDPRS	DBAR	F9.1	Pressure
14	CTDPRS_FLAG_W		I1	Quality flag for CTD data
15	CTDTMP	ITS-90	F9.4	Temperature
16	CTDTMP_FLAG_W		I1	Quality flag for CTD data
17	CTDSAL	PSS-78	F9.4	CTD Salinity sensor
18	CTDSAL_FLAG_W		I1	Quality flag for CTD data
19	SALNTY	PSS-78	F9.4	Salinity
20	SALNTY_FLAG_W		I1	Quality flags for water samples
21	CTDOXY	UMOL/KG	F9.1	CTD Oxygen sensor
22	CTDOXY_FLAG_W		I1	Quality flag for CTD data
23	OXYGEN	UMOL/KG	F9.1	Oxygen
24	OXYGEN_FLAG_W		I1	Quality flags for water samples
25	SILCAT	UMOL/KG	F9.2	Silicate
26	SILCAT_FLAG_W		I1	Quality flags for water samples
27	NITRAT	UMOL/KG	F9.2	Nitrate
28	NITRAT_FLAG_W		I1	Quality flags for water samples
29	NITRIT	UMOL/KG	F9.2	Nitrite
30	NITRIT_FLAG_W		I1	Quality flags for water samples
31	PHSPHT	UMOL/KG	F9.2	Phosphate
32	PHSPHT_FLAG_W		I1	Quality flags for water samples
33	TCARBN	UMOL/KG	F9.1	Total carbon
34	TCARBN_FLAG_W		I1	Quality flags for water samples
35	ALKALI	UMOL/KG	F9.1	Total alkalinity
36	ALKALI_FLAG_W		I1	Quality flags for water samples
37	PH	-	F9.3	pH
38	PH_FLAG_W		I1	Quality flags for water samples
39	THETA	DEG C	F9.4	Potential temperature
40	SIG0	KG/CUM	F9.4	Density

ODV Format

Please see the following link for details of ODV Format and ODV Software.


[Ocean Data View \(ODV\)](#)

Format Information

Column No.	Column Heading	Comments
1	Cruise	Cruise Label
2	Station	Station number_Cast number
3	Type	Station type
4	mon/day/yr	Cast date(UTC)
5	hh:mm	Cast time (UTC)
6	Latitude [degrees_north]	LATITUDE
7	Longitude [degrees_east]	LONGITUDE
8	Bot. Depth [m]	Reported depth to bottom.
9	CTDDPT[M]	Depth(Calculate from CTDPRS and LATITUDE)
10	QF	Quality flag for CTD data
11	CTDPRS[DBAR]	Pressure
12	QF	Quality flag for CTD data
13	CTDTMP[ITS-90]	Temperature
14	QF	Quality flag for CTD data
15	CTDSAL[PSS-78]	CTD Salinity sensor
16	QF	Quality flag for CTD data
17	SALNTY[PSS-78]	Salinity
18	QF	Quality flags for water samples
19	CTDOXY[UMOL/KG]	CTD Oxygen sensor

Column No.	Column Heading	Comments
20	QF	Quality flag for CTD data
21	OXYGEN[UMOL/KG]	Oxygen
22	QF	Quality flags for water samples
23	SILCAT[UMOL/KG]	Silicate
24	QF	Quality flags for water samples
25	NITRAT[UMOL/KG]	Nitrate
26	QF	Quality flags for water samples
27	NITRIT[UMOL/KG]	Nitrite
28	QF	Quality flags for water samples
29	PHSPHT[UMOL/KG]	Phosphate
30	QF	Quality flags for water samples
31	TCARBN[UMOL/KG]	Total carbon
32	QF	Quality flags for water samples
33	ALKALI[UMOL/KG]	Total alkalinity
34	QF	Quality flags for water samples
35	PH	pH
36	QF	Quality flags for water samples
37	THETA[DEG C]	Potential temperature
38	QF	Quality flag for CTD data
39	SIG0[KG/CUM]	Density
40	QF	Quality flag for CTD data
41	SAMPNO	Sample number
42	QF	Bottle quality flag

Related Information



MIRAI MR98-K01 Cruise Track


MR98-K01

Ship Name: MIRAI

Period: 1998-10-30 - 1998-12-15

Chief Scientist: Masashi Kusakabe (JAMSTEC)

Project Name: [Station KNOT]



Enlarge Image

Update History

2018-05-08	An observation data was registerd.
2017-07-28	An observation data was registerd.
2015-05-29	An observation data was registerd.
2013-08-09	An observation data was registerd.
2013-01-25	An observation data was registerd.

JAMSTEC

[Site Policy](#)
[Privacy Policy](#)
[Application for Data and Samples](#)
[Data Policy](#)

[What's New](#)
[Update History](#)
[Feeds](#)

[Lists](#)
[Publication List](#)
[Amount of Public Info.](#)

[Data](#)
[Map Search](#)
[Data Tree](#)
[Detailed Search](#)

[Information of the Ships](#)
[NATSUSHIMA](#)
[KAIYO](#)
[YOKOSUKA](#)
[MIRAI](#)
[KAIREI](#)
[CHIKYU](#)
[KAIMEI](#)
[SHINSEI MARU](#)
[HAKUHO MARU](#)

[Information of the Submersibles](#)
[KAIKO](#)
[SHINKAI 2000](#)
[SHINKAI 6500](#)
[DEEP TOW](#)
[HYPER-DOLPHIN](#)
[URASHIMA](#)
[YOKOSUKA DEEP TOW](#)
[6K Camera DEEP TOW](#)
[6K Sonar DEEP TOW](#)
[KM-ROV](#)
[POWER GRAB SAMPLER \(SHELL\)](#)
[POWER GRAB SAMPLER \(CLOW\)](#)
[BMS](#)

Go to a Cruise Information

Cruise ID:

Go to a Dive Information

Dive ID:



JAMSTEC

国立研究開発法人
 海洋研究開発機構
 JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY

Copyright 2011 Japan Agency for Marine-Earth Science and Technology

MIRAI MR98-K01 Bottle Sampling Water Chemical Analysis

Last Modified: 2018-05-08

[ReadMe](#) [Observation Data](#) [Data Format](#) [Quality Information](#)

Cruise ID: [MR98-K01](#)

Bottle Sampling Water Chemical Analysis: Processed (DMO/PI)


Data Policy: [JAMSTEC](#)

Observation Items: Temperature, Salinity, Dissolved oxygen, Silicate, Nitrate, Nitrite, Phosphate, Total inorganic carbon, Alkalinity, pH, Potential temperature, Density

Science Keywords:

OCEANS > OCEAN CHEMISTRY > INORGANIC CARBON
OCEANS > OCEAN CHEMISTRY > NITRATE
OCEANS > OCEAN CHEMISTRY > NUTRIENTS
OCEANS > OCEAN CHEMISTRY > OXYGEN
OCEANS > OCEAN CHEMISTRY > pH
OCEANS > OCEAN CHEMISTRY > PHOSPHATE
OCEANS > OCEAN CHEMISTRY > SILICATE
OCEANS > OCEAN CHEMISTRY > SALINITY
OCEANS > OCEAN TEMPERATURE > WATER TEMPERATURE
OCEANS > SALINITY/DENSITY > SALINITY
OCEANS > OCEAN CHEMISTRY > ALKALINITY
OCEANS > OCEAN CHEMISTRY > CARBON
OCEANS > OCEAN TEMPERATURE > POTENTIAL TEMPERATURE

Observation Map



... Observation Line ... Navigation ... Observation, Dive Point, Hole


Data List

☐ File names

☐ MR98K0100_ex_bot.csv

☐ MR98K0100_odv_bot.txt

Related Information



[Enlarge Image](#)

MR98-K01

Ship Name: MIRAI

Period: 1998-10-30 - 1998-12-15

Chief Scientist: Masashi Kusakabe (JAMSTEC)

Project Name: [Station KNOT]

Update History

2018-05-08	An observation data was registered.
2017-07-28	An observation data was registered.
2015-05-29	An observation data was registered.
2013-08-09	An observation data was registered.
2013-01-25	An observation data was registered.

[Data Policy](#)

What's New
[Update History](#)
[Feeds](#)

[Map Search](#)
[Data Tree](#)
[Detailed Search](#)

[KAIREI](#)
[CHIKYU](#)
[KAIMEI](#)
[SHINSEI MARU](#)
[HAKUHO MARU](#)

[DEEP TOW](#)
[HYPER-DOLPHIN](#)
[URASHIMA](#)
[YOKOSUKA DEEP TOW](#)
[6K Camera DEEP TOW](#)
[6K Sonar DEEP TOW](#)
[KM-ROV](#)
[POWER GRAB SAMPLER \(SHELL\)](#)
[POWER GRAB SAMPLER \(CLOW\)](#)
[BMS](#)

Go to a Dive Information

Dive ID:



Go

Copyright 2011 Japan Agency for Marine-Earth Science and Technology



JAMSTEC
JAPAN AGENCY FOR MARINE EARTH SCIENCE AND TECHNOLOGY

国立研究開発法人
海洋研究開発機構