

## NATSUSHIMA NT08-21 Leg1 Navigation

Last Modified: 2012-10-25

[ReadMe](#) [Observation Data](#) [Data Format](#)

Cruise ID: [NT08-21 Leg1](#)

Navigation: Processed (DMO)-QCed

Data Policy: [JAMSTEC](#)

Observation Items:

Science Keywords:

#### Cruise Report

[http://www.godac.jamstec.go.jp/catalog/data/doc\\_catalog/media/NT08-21\\_leg1-2\\_all.pdf](http://www.godac.jamstec.go.jp/catalog/data/doc_catalog/media/NT08-21_leg1-2_all.pdf)

#### For Using Data

##### Principal Investigator

Data Management Office

##### Use Constraints

See [Terms and Conditions](#) about constrain of use.

##### Data Citation

See [Terms and Conditions](#) about data citation.

#### Instrument

Instrument:

Radio navigation system



#### Overview

The following information is continuously collected and recorded as the Navigation QCed data during the cruise of R/V NATSUSHIMA.

Time  
Location  
Surface temperature  
Wind direction and velocity  
Current direction and velocity  
Water depth

Data are recorded every one minute, and data file named after cruise code.

#### System

Manufacturer:SENA Co., Ltd.

Model: Sena Advanced Integrated Navigation System

#### Sensor specifications

##### 1)GPS receiver

Manufacturer:Leica Geosystems AG (GPS2)

Model: MX9400N

Location: Mast[starboard side]

Manufacturer:Leica Geosystems AG (GPS3)

Model: MX9400N

Location: Mast [port side]

##### 2)Thermometer (seawater temperature)

Manufacturer:Murayama DENKI Ltd.

Model: DT-3110ARZ

Range: -10 - 50degC

Accuracy: +-0.1degC

##### 3)Doppler sonar

Manufacturer:FURUNO ELECTRIC CO., LTD.

Model: DS-30

Range: Ship speed: -10.00 - +40.00knot [Cross direction]

-9.99 - +9.99knot [Horizontal direction]

Current direction and speed: 0.0 - 9.9knot [All direction]

Accuracy: Current speed: +-(2.0%+0.2knot)

##### 4)Multi narrow beam echo sounder

Manufacturer:RESON Inc.

Model: SeaBat 8160

Frequency: 50kHz

Range: Max 3000m

##### 5)Anemometer

Manufacturer:Nunotani Nautical Instrument Mfg. Co., Ltd.

Altitude: 20m (above sea level)

Range: Wind direction: all direction


Wind speed: 2 - 60m/s

Accuracy: Wind direction: +-5degree


Wind speed: 10m/s or less +-0.5m/s

10m/s or more +-0.5%

#### Related Information

 Cruise Data

 Dive Data



**NT08-21 Leg1**  
Ship Name: NATSUSHIMA  
Period: 2008-09-25 - 2008-09-27  
Chief Scientist: Kantaro Fujioka (JAMSTEC)

#### Update History

| Date       | Description                        |
|------------|------------------------------------|
| 2012-10-25 | An observation data was registerd. |

JAMSTEC  
Site Policy  
Privacy Policy  
Application for Data and Samples  
Data Policy  
**What's New**  
Update History  
Feeds

**Lists**  
Publication List  
Amount of Public Info.  
**Data**  
Map Search  
Data Tree  
Detailed Search

**Information of the Ships**  
NATSUSHIMA  
KAIYO  
YOKOSUKA  
MIRAI  
KAIREI  
CHIKYU  
KAIMEI  
SHINSEI MARU  
HAKUHO MARU

**Information of the Submersibles**  
KAIKO  
SHINKAI 2000  
SHINKAI 6500  
DEEP TOW  
HYPER-DOLPHIN  
URASHIMA  
YOKOSUKA DEEP TOW  
6K Camera DEEP TOW  
6K Sonar DEEP TOW  
KM-ROV  
POWER GRAB SAMPLER (SHELL)  
POWER GRAB SAMPLER (CLOW)  
BMS

#### Go to a Cruise Information

Cruise ID:

#### Go to a Dive Information

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology



**JAMSTEC** 国立研究開発法人  
海洋研究開発機構  
JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY

## NATSUSHIMA NT08-21 Leg1 Navigation

Last Modified: 2012-10-25

[ReadMe](#)   [Observation Data](#)   [Data Format](#)

Cruise ID: **NT08-21 Leg1**

Navigation: Processed (DMO)-QCed

Data Policy: **JAMSTEC**

### Navigation Qced

The one record of this data has 117 bytes of data part and 12 bytes of flag part.

Data part

| No. | Column    | Content                       | Format        | Unit            | Remarks  |
|-----|-----------|-------------------------------|---------------|-----------------|--|
| 1   | 1 - 8     | Date                          | i4,i2,i2      |                 | YYYYMMDD (UTC)   |
| 2   | 10 - 15   | Time                          | i2,i2,i2      |                 | hhmmss (UTC)   |
| 3   | 17 - 19   | Datum                         | a3            |                 | W84:WGS84<br>TD_:TOKYO DATUM   |
| 4   | 21 - 31   | Latitude                      | i2,x1,f7.4,a1 | degree - minute | dd-mm.mmmN(S)  |
| 5   | 33 - 44   | Longitude                     | i3,x1,f7.4,a1 | degree - minute | ddd-mm.mmmE(W)   |
| 6   | 46 - 49   | Ship speed (Ground)           | f4.1          | knot            |  |
| 7   | 51 - 55   | Course (Ground)               | f5.1          | degree          |  |
| 8   | 57 - 60   | Ship speed (Water)            | f4.1          | knot            | *1   |
| 9   | 62 - 66   | Gyro                          | f5.1          | degree          |  |
| 10  | 68 - 72   | Air temperature               | f5.1          | deg-C           |  |
| 11  | 74 - 78   | Sea surface temperature (SST) | f5.2          | deg-C           |  |
| 12  | 80 - 85   | Atmospheric pressure          | f6.1          | hPa             | Adjusted to the sea surface level  |
| 13  | 87 - 89   | Relative humidity             | i3            | %               |  |
| 14  | 91 - 93   | True wind direction           | i3            | degree          | Averaged over the previous 6 seconds *2                                    |
| 15  | 95 - 98   | True wind speed               | f4.1          | m/sec           | Averaged over the previous 6 seconds *2<br>No anemometer height adjustment |
| 16  | 100 - 106 | Depth                         | f7.1          | m               |  |
| 17  | 108 - 112 | Current direction             | f5.1          | degree          | Calculated value   |
| 18  | 114 - 117 | Current speed                 | f4.1          | knot            | Calculated value   |

Flag part

| No. | Column | Description | Format | Remarks   |
|-----|--------|-------------|--------|---|
| 19  | 119    | Flag 1      | i1     | QC flag for 'Latitude' and 'Longitude'              |
| 20  | 120    | Flag 2      | i1     | QC flag for 'Ship speed (Ground)'                   |
| 21  | 121    | Flag 3      | i1     | QC flag for 'Course (Ground)'                       |
| 22  | 122    | Flag 4      | i1     | QC flag for 'Ship speed (Water)'                    |
| 23  | 123    | Flag 5      | i1     | QC flag for 'Gyro'                                  |
| 24  | 124    | Flag 6      | i1     | QC flag for 'Air temperature'                       |
| 25  | 125    | Flag 7      | i1     | QC flag for 'Sea Surface Temperature (SST)'         |
| 26  | 126    | Flag 8      | i1     | QC flag for 'Atmospheric pressure'                  |
| 27  | 127    | Flag 9      | i1     | QC flag for 'Relative humidity'                     |
| 28  | 128    | Flag 10     | i1     | QC flag for 'Wind direction' and 'Wind speed'       |
| 29  | 129    | Flag 11     | i1     | QC flag for 'Depth'                                 |
| 30  | 130    | Flag 12     | i1     | QC flag for 'Current direction' and 'Current speed' |

\*1 The plus and minus sign of No.8 [Ship speed (Water)] about R/V KAIREI indicates the velocity of direction of a bow and stem.

\*2 No.14 [True wind direction] and No.15 [True wind speed] about R/V SHINSEI MARU are instantaneous value.

\* The terminator of each record is 'CR+LF' code.

\* Missing value and format error value are filled with '9'.

#### Definition of Quality Control Flags

##### Flag 1 : Longitude and Latitude

- 1 - accepted
- 2 - questionable value
- 4 - failed in location check
- 9 - system error or input error

##### Flag 2 : Ship speed (ground)

- 1 - accepted
- 2 - questionable value
- 4 - failed range check (under 20 knots)
- 9 - system error or input error

##### Flag 3 : Course (ground)

- 1 - accepted
- 2 - questionable value
- 4 - failed range check (0 ~ 360 degree)
- 9 - system error or input error

##### Flag 4 : Ship speed (water)

- 1 - accepted
- 4 - failed range check (under 20 knots)
- 9 - system error or input error

9 - system error or input error

Flag 5 : Gyro

- 1 - accepted
- 4 - failed range check (0 ~ 360 degree)
- 9 - system error or input error

Flag 6 : Air temperature

- 3 - assumed good\*
- 4 - failed range check (-20 ~ 40 degC)
- 9 - system error or input error

Flag 7 : Sea surface temperature

- 3 - assumed good\*
- 4 - failed range check (-3 ~ 37 degC)
- 9 - system error or input error

Flag 8 : Atmospheric pressure

- 3 - assumed good\*
- 4 - failed range check (890 ~ 1040 hPa)
- 9 - system error or input error

Flag 9 : Relative humidity

- 3 - assumed good\*
- 4 - failed range check (0 ~ 100 %)
- 9 - system error or input error

Flag 10 : Wind direction and wind speed

- 3 - assumed good\*
- 4 - failed range check (0 ~ 360 degree : wind direction, 0 ~ 60 m/s : wind speed)
- 9 - system error or input error

Flag 11 : Depth

- 3 - assumed good\*
- 4 - failed range check (4 ~ 11000 m)
- 9 - system error or input error

Flag 12 : Current direction and current speed


- 3 - assumed good\*
- 4 - failed range check (0 ~ 360 degree : current direction, 0 ~ 5 knots : current speed)
- 9 - system error or input error

\* 'assumed good' means that this data passed range check but may contains leap or inappropriate zero.

## Related Information

 Cruise Data

 Dive Data



 Enlarge Image

### NT08-21 Leg1

Ship Name: NATSUSHIMA  
Period: 2008-09-25 - 2008-09-27  
Chief Scientist: Kantaro Fujioka (JAMSTEC)

## Update History

|            |                                    |
|------------|------------------------------------|
| 2012-10-25 | An observation data was registerd. |
|------------|------------------------------------|

### JAMSTEC

[Site Policy](#)  
[Privacy Policy](#)  
[Application for Data and Samples](#)  
[Data Policy](#)

[What's New](#)  
[Update History](#)  
[Feeds](#)

### Lists

[Publication List](#)  
[Amount of Public Info.](#)

### Data

[Map Search](#)  
[Data Tree](#)  
[Detailed Search](#)

### Information of the Ships

NATSUSHIMA  
KAIYO  
YOKOSUKA  
MIRAI  
KAIREI  
CHIKYU  
KAIMEI  
SHINSEI MARU  
HAKUHO MARU

### Information of the Submersibles

KAIKO  
SHINKAI 2000  
SHINKAI 6500  
DEEP TOW  
HYPER-DOLPHIN  
URASHIMA  
YOKOSUKA DEEP TOW  
6K Camera DEEP TOW  
6K Sonar DEEP TOW  
KM-ROV  
POWER GRAB SAMPLER (SHELL)  
POWER GRAB SAMPLER (CLOW)  
BMS

### Go to a Cruise Information

Cruise ID:

### Go to a Dive Information

Dive ID:



## NATSUSHIMA NT08-21 Leg1 Navigation

Last Modified: 2012-10-25

[ReadMe](#) [Observation Data](#) [Data Format](#)

Cruise ID: **NT08-21 Leg1**


Navigation: Processed (DMO)-QCed

Data Policy: [JAMSTEC](#)

Observation Items:


Science Keywords:

### Observation Map



... Observation Line ... Navigation ... Observation, Dive Point, Hole

### Figures



### Data List


[Add to Basket](#)

File names

☐ NT08-21\_leg1.dat

### Related Information

[Cruise Data](#) [Dive Data](#)



[Enlarge Image](#)

### NT08-21 Leg1

Ship Name: NATSUSHIMA

Period: 2008-09-25 - 2008-09-27

Chief Scientist: Kantaro Fujioke (JAMSTEC)

### Update History

2012-10-25

An observation data was registered.

JAMSTEC

Site Policy  
Privacy Policy  
Application for Data and Samples  
Data Policy

What's New  
Update History  
Feeds

Lists

Publication List  
Amount of Public Info.

Data

Map Search  
Data Tree  
Detailed Search

Information of the Ships

NATSUSHIMA  
KAIYO  
YOKOSUKA  
MIRAI  
KAIREI  
CHIKYU  
KAIMEI  
SHINSEI MARU  
HAKUHO MARU

Information of the Submersibles

KAIKO  
SHINKAI 2000  
SHINKAI 6500  
DEEP TOW  
HYPER-DOLPHIN  
URASHIMA  
YOKOSUKA DEEP TOW  
6K Camera DEEP TOW  
6K Sonar DEEP TOW  
KM-ROV  
POWER GRAB SAMPLER (SHELL)  
POWER GRAB SAMPLER (CLOW)  
BMS

Go to a Cruise Information

Cruise ID:

Go to a Dive Information

Dive ID:

