

MIRAI MR14-05 Doppler Radar

Last Modified: 2017-02-21

ReadMe

Cruise ID: [MR14-05](#)

Doppler Radar: Raw

Data Policy: [JAMSTEC](#)

Observation Items: Reflectivity, Doppler velocity

Science Keywords:

ATMOSPHERE > PRECIPITATION
ATMOSPHERE > CLOUDS
ATMOSPHERE > ATMOSPHERIC WINDS
SPECTRAL/ENGINEERING > RADAR > DOPPLER VELOCITY
SPECTRAL/ENGINEERING > RADAR > RADAR REFLECTIVITY

Cruise Report

http://www.godac.jamstec.go.jp/catalog/data/doc_catalog/media/MR14-05_all.pdf

For Using Data

Principal Investigator

Data Management Office

Use Constraints

See [Terms and Conditions](#) about constrain of use.

Data Citation

See [Terms and Conditions](#) about data citation.

Instrument

Instrument:

Doppler radar (MR14-04 Leg1 -)



Specifications

Doppler radar

Manufacturer/model: Toshiba Co., Japan/ TW4419A
Frequency: 5370MHz (C-band)
Transmitter: Solid-state transmitter
Pulse configuration : Using pulse-compression
Polarimetry: Horizontal and vertical
Peak power: 6kW(H) + 6kW(V)
Antenna diameter 4m
Beam angle: 1.0degree
Location (from sea surface): 24m (center position of antenna)

Inertial navigation system

Manufacturer/model: iXBlue SAS, France / PHINS
Location (from sea surface): 21m

Parameter

Surveillance Scan

Scan Interval [min] :	30
Elevations[deg] :	0.5
Pulse width (short/long) [μs] :	2 / 200
Scan speed [deg/sec] :	36
PRF*1 [Hz] :	400
Sweep integration (Pulse /Ray) :	8 samples
Ray spacing [deg] :	0.7
Bin spacing [m] :	150
Max. range [km] :	300

Volume Scan

Scan interval [min] :	6					
Elevations[deg] :	0.5	1.0, 1.7, 2.4, 3.1, 3.8, 4.6, 5.5, 6.5, 7.6, 8.9	10.4, 12.0, 13.8, 16.0, 18.3, 21.0			
Pulse width (short/long) [μs] :	1 / 64	1 / 32	1 / 32			
Scan speed [deg/sec] :	18	24	36			
PRF*1[Hz]	dual PRF (ray alternative)*2					
	667	833	938	1250	1333	2000
Sweep integration (Pulse /Ray)	26 samples	33 samples	27 samples	34 samples	37 samples	55 samples
Ray spacing [deg] :	0.7	0.7			1.0	

Bin spacing [m] :	150		
Max. range [km] :	150	100	60


*1 Pulse Repetition Frequency

*2 During this cruise, the data were measured with the dual-PRF mode. Therefore, unfolding of Doppler velocity was applied automatically.

Need raw data?

If you would like the raw data set, please contact us from "Contact Us" above.

Related Information



[Enlarge Image](#)

MR14-05

Ship Name: MIRAI
 Period: 2014-08-31 - 2014-10-10
 Chief Scientist: Jun Inoue (JAMSTEC)
 Project Name: [Arctic Ocean Climate System Reaserch]
 Proposal ▶ Predictability study of Arctic cyclones
 Title:

Update History

2017-02-21	An observation data was registerd.
------------	------------------------------------

JAMSTEC

Site Policy
 Privacy Policy
 Application for Data and Samples
 Data Policy
 What's New
 Update History
 Feeds

Lists

Publication List
 Amount of Public Info.
 Data
 Map Search
 Data Tree
 Detailed Search

Information of the Ships

NATSUSHIMA
 KAIYO
 YOKOSUKA
 MIRAI
 KAIREI
 CHIKYU
 KAIMEI
 SHINSEI MARU
 HAKUHO MARU

Information of the Submersibles

KAIKO
 SHINKAI 2000
 SHINKAI 6500
 DEEP TOW
 HYPER-DOLPHIN
 URASHIMA
 YOKOSUKA DEEP TOW
 6K Camera DEEP TOW
 6K Sonar DEEP TOW
 KM-ROV
 POWER GRAB SAMPLER (SHELL)
 POWER GRAB SAMPLER (CLOW)
 BMS

Go to a Cruise Information

Cruise ID:

Go to a Dive Information

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology

 **JAMSTEC** 国立研究開発法人 海洋研究開発機構
 JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY

MIRAI MR14-05 Doppler Radar

Last Modified: 2017-02-21

[ReadMe](#)

Cruise ID: [MR14-05](#)

Doppler Radar: Raw

Data Policy: [JAMSTEC](#)

Observation Items: Reflectivity, Doppler velocity

Science Keywords:

ATMOSPHERE > PRECIPITATION
ATMOSPHERE > CLOUDS
ATMOSPHERE > ATMOSPHERIC WINDS
SPECTRAL/ENGINEERING > RADAR > DOPPLER VELOCITY
SPECTRAL/ENGINEERING > RADAR > RADAR
REFLECTIVITY

Cruise Report

http://www.godac.jamstec.go.jp/catalog/data/doc_catalog/media/MR14-05_all.pdf

For Using Data

Principal Investigator

Data Management Office

Use Constraints

See [Terms and Conditions](#) about constrain of use.


Data Citation

See [Terms and Conditions](#) about data citation.

Instrument

Instrument:

Doppler radar (MR14-04 Leg1 -)



Specifications

Doppler radar

Manufacturer/model: Toshiba Co., Japan/ TW4419A
Frequency: 5370MHz (C-band)
Transmitter: Solid-state transmitter
Pulse configuration : Using pulse-compression
Polarimetry: Horizontal and vertical
Peak power: 6kW(H) + 6kW(V)
Antenna diameter 4m
Beam angle: 1.0degree
Location (from sea surface): 24m (center position of antenna)

Inertial navigation system

Manufacturer/model: iXBlue SAS, France / PHINS
Location (from sea surface): 21m

Parameter

Surveillance Scan

Scan Interval [min] :	30
Elevations[deg] :	0.5
Pulse width (short/long) [μs] :	2 / 200
Scan speed [deg/sec] :	36
PRF*1 [Hz] :	400
Sweep integration (Pulse /Ray) :	8 samples
Ray spacing [deg] :	0.7
Bin spacing [m] :	150
Max. range [km] :	300

Volume Scan

Scan interval [min] :	6					
Elevations[deg] :	0.5	1.0, 1.7, 2.4, 3.1, 3.8, 4.6, 5.5, 6.5, 7.6, 8.9	10.4, 12.0, 13.8, 16.0, 18.3, 21.0			
Pulse width (short/long) [μs] :	1 / 64	1 / 32	1 / 32			
Scan speed [deg/sec] :	18	24	36			
PRF*1[Hz]	dual PRF (ray alternative)*2					
	667	833	938	1250	1333	2000
Sweep integration (Pulse /Ray)	26 samples	33 samples	27 samples	34 samples	37 samples	55 samples
Ray spacing [deg] :	0.7	0.7			1.0	
Bin spacing [m] :	150					
Max. range [km] :	150	100			60	


*1 Pulse Repetition Frequency

*2 During this cruise, the data were measured with the dual-PRF mode. Therefore, unfolding of Doppler velocity was applied automatically.

Need raw data?

If you would like the raw data set, please contact us from "Contact Us" above.

MIRAI MR14-05 Cruise Track



 [Enlarge Image](#)

MR14-05

Ship Name: MIRAI
Period: 2014-08-31 - 2014-10-10
Chief Scientist: Jun Inoue (JAMSTEC)
Project Name: [Arctic Ocean Climate System Reaserch]
Proposal ▶ Predictability study of Arctic cyclones
Title:

Update History

Date	Description
2017-02-21	An observation data was registerd.

JAMSTEC

[Site Policy](#)
[Privacy Policy](#)
[Application for Data and Samples](#)
[Data Policy](#)
What's New
[Update History](#)
[Feeds](#)

Lists

[Publication List](#)
[Amount of Public Info.](#)

Data

[Map Search](#)
[Data Tree](#)
[Detailed Search](#)

Information of the Ships

NATSUSHIMA
KAIYO
YOKOSUKA
MIRAI
KAIREI
CHIKYU
KAIMEI
SHINSEI MARU
HAKUHO MARU

Information of the Submersibles

KAIKO
SHINKAI 2000
SHINKAI 6500
DEEP TOW
HYPER-DOLPHIN
URASHIMA
YOKOSUKA DEEP TOW
6K Camera DEEP TOW
6K Sonar DEEP TOW
KM-ROV
POWER GRAB
SAMPLER (SHELL)
POWER GRAB
SAMPLER (CLOW)
BMS

Go to a Cruise Information

Cruise ID:

Go to a Dive Information

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology



JAMSTEC

国立研究開発法人
海洋研究開発機構
JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY

MIRAI MR14-05 Doppler Radar

Last Modified: 2017-02-21

ReadMe

Cruise ID: [MR14-05](#)

Doppler Radar: Raw

Data Policy: [JAMSTEC](#)

Observation Items: Reflectivity, Doppler velocity

Science Keywords:

ATMOSPHERE > PRECIPITATION
ATMOSPHERE > CLOUDS
ATMOSPHERE > ATMOSPHERIC WINDS
SPECTRAL/ENGINEERING > RADAR > DOPPLER VELOCITY
SPECTRAL/ENGINEERING > RADAR > RADAR REFLECTIVITY

Cruise Report

http://www.godac.jamstec.go.jp/catalog/data/doc_catalog/media/MR14-05_all.pdf

For Using Data

Principal Investigator

Data Management Office

Use Constraints

See [Terms and Conditions](#) about constrain of use.

Data Citation

See [Terms and Conditions](#) about data citation.

Instrument

Instrument:

Doppler radar (MR14-04 Leg1 -)



Specifications

Doppler radar

Manufacturer/model: Toshiba Co., Japan/ TW4419A
Frequency: 5370MHz (C-band)
Transmitter: Solid-state transmitter
Pulse configuration : Using pulse-compression
Polarimetry: Horizontal and vertical
Peak power: 6kW(H) + 6kW(V)
Antenna diameter: 4m
Beam angle: 1.0degree
Location (from sea surface): 24m (center position of antenna)

Inertial navigation system

Manufacturer/model: iXBlue SAS, France / PHINS
Location (from sea surface): 21m

Parameter

Surveillance Scan

Scan Interval [min] :	30
Elevations[deg] :	0.5
Pulse width (short/long) [μs] :	2 / 200
Scan speed [deg/sec] :	36
PRF*1 [Hz] :	400
Sweep integration (Pulse /Ray) :	8 samples
Ray spacing [deg] :	0.7
Bin spacing [m] :	150
Max. range [km] :	300

Volume Scan

Scan interval [min] :	6					
Elevations[deg] :	0.5	1.0, 1.7, 2.4, 3.1, 3.8, 4.6, 5.5, 6.5, 7.6, 8.9	10.4, 12.0, 13.8, 16.0, 18.3, 21.0			
Pulse width (short/long) [μs] :	1 / 64	1 / 32	1 / 32			
Scan speed [deg/sec] :	18	24	36			
PRF*1[Hz]	dual PRF (ray alternative)*2					
	667	833	938	1250	1333	2000
Sweep integration (Pulse /Ray)	26 samples	33 samples	27 samples	34 samples	37 samples	55 samples
Ray spacing [deg] :	0.7	0.7			1.0	

Bin spacing [m] :	150		
Max. range [km] :	150	100	60


*1 Pulse Repetition Frequency

*2 During this cruise, the data were measured with the dual-PRF mode. Therefore, unfolding of Doppler velocity was applied automatically.

Need raw data?

If you would like the raw data set, please contact us from "Contact Us" above.

Related Information



[Enlarge Image](#)

MR14-05

Ship Name: MIRAI
 Period: 2014-08-31 - 2014-10-10
 Chief Scientist: Jun Inoue (JAMSTEC)
 Project Name: [Arctic Ocean Climate System Reaserch]
 Proposal ▶ Predictability study of Arctic cyclones
 Title:

Update History

2017-02-21	An observation data was registerd.
------------	------------------------------------

JAMSTEC

Site Policy
 Privacy Policy
 Application for Data and Samples
 Data Policy
 What's New
 Update History
 Feeds

Lists

Publication List
 Amount of Public Info.
 Data
 Map Search
 Data Tree
 Detailed Search

Information of the Ships

NATSUSHIMA
 KAIYO
 YOKOSUKA
 MIRAI
 KAIREI
 CHIKYU
 KAIMEI
 SHINSEI MARU
 HAKUHO MARU

Information of the Submersibles

KAIKO
 SHINKAI 2000
 SHINKAI 6500
 DEEP TOW
 HYPER-DOLPHIN
 URASHIMA
 YOKOSUKA DEEP TOW
 6K Camera DEEP TOW
 6K Sonar DEEP TOW
 KM-ROV
 POWER GRAB SAMPLER (SHELL)
 POWER GRAB SAMPLER (CLOW)
 BMS

Go to a Cruise Information

Cruise ID:

Go to a Dive Information

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology

 **JAMSTEC** 国立研究開発法人 海洋研究開発機構
 JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY