

MIRAI MR00-K08 Cloud Ceiling

Last Modified: 2014-07-12

[ReadMe](#) [Observation Data](#) [Data Format](#)

Cruise ID: [MR00-K08](#)

Cloud Ceiling: Raw

Data Policy: [JAMSTEC](#)

Observation Items: Cloud base height

Science Keywords:

ATMOSPHERE > CLOUDS > CLOUD
BASE

For Using Data

Principal Investigator

Data Management Office

Use Constraints

See [Terms and Conditions](#) about constrain of use.

Data Citation

See [Terms and Conditions](#) about data citation.

Instrument

Instrument:

Ceiliometer (- MR12-05Leg3)



Overview

Ceiliometer is the system that measures cloud base height by laser pulse emitted vertically.

Up to three levels of cloud base can be detected by measuring the change of strength of backscatter signal.

And the cloud base height is calculated from the elapsed time from laser pulse emission to backscatter detection.

In case the cloud base is obscured, it measures the vertical visibility.

System

Manufacturer: Vaisala Inc.
Type: CT25K Ver2.01
Serial number: T18102
Measurement range: up to 7500m
Resolution: 15m
Sampling rate: 15-120 seconds available (60sec as default)
Accuracy: +2% or +1/2 * Resolution
Location: Compass deck bow side (18 meters high from sea surface)
Recording software: CT-VIEW Ver1.05 (before MR01-K04)
CT-VIEW Ver2.10 (MR01-K05 or later)

Note

(1) File naming rule for CYMMDDHH.DAT(Ver1.05) and AYMMDDHH.DAT(Ver2.10).

C or A : Fixed as 'C' or 'A'

Y : Year in 1 digit

MM : Recording start month (UTC)

DD : Recording start day (UTC)

HH : Recording start time (UTC)

(2) Adjustment for the height : No sea surface level adjustment is applied to the raw data.

(3) Invalid data information : Ceiliometer data files include the invalid data in this cruise as follows.

Date/Time : Date,Time data is invalid

Format : Format error data

DataLack : Lack of data

Start : Stop

File name	Date,Time	File name	Date,Time	Remarks
C0122912.DAT20001229,145157-C0122912.DAT20001229,145357				DataLack
C0122912.DAT20001229,161358-C0122912.DAT20001229,161558				DataLack
C0122918.DAT20001229,180158-C0122918.DAT20001229,180358				DataLack
C0123018.DAT20001230,204357				Format
C0123100.DAT20001231,045458-C0123100.DAT20001231,045657				DataLack
C0123106.DAT20001231,103857-C0123106.DAT20001231,104057				DataLack
C1010100.DAT20010101,041658-C1010100.DAT20010101,041858				DataLack
C1010106.DAT20010101,095957-C1010106.DAT20010101,100157				DataLack
C1010112.DAT20010101,123858-C1010112.DAT20010101,124058				DataLack
C1010200.DAT20010102,014057-C1010400.DAT20010104,002757				DataLack
C1010506.DAT20010105,080759				Format
C1010506.DAT20010105,082259-C1010506.DAT20010105,082559				DataLack
C1010518.DAT20010105,204659-C1010518.DAT20010105,204859				DataLack
C1010606.DAT20010106,091359-C1010606.DAT20010106,091559				DataLack
C1010612.DAT20010106,161059				Format
C1010612.DAT20010106,173059-C1010818.DAT20010108,205900				DataLack
C1010900.DAT20010109,002101-C1010900.DAT20010109,002401				DataLack
C1011006.DAT20010110,083301-C1011006.DAT20010110,083500				DataLack
C1011006.DAT20010110,100801-C1011006.DAT20010110,101201				DataLack
C1011018.DAT20010110,183601-C1011018.DAT20010110,183801				DataLack

Format

© 2004 Blackwell Publishing Ltd *Journal of Internal Medicine* 255: 105–112

 [Enlarge Image](#)

Ship Name: MIRAI
Period: 2000-12-27 - 2001-02-07
Chief Scientist: Takeshi Kawano (JAMSTEC)

2014-07-12	An observation data was registered.
2012-12-25	An observation data was registered.

- Site Policy
- Privacy Policy
- Application for Data and Samples
- Data Policy

Update History Feeds

[illegible]

- Map Search
- Data Tree
- Detailed Search

NATSUSHIMA
KAIYO
YOKOSUKA
MIRAI
KAIREI
CHIKYU
KAIMEI
SHINSEI MAR
HAKUHO MAR

KAIKO
SHINKAI 2000
SHINKAI 6500
DEEP TOW
HYPER-DOLPHIN
URASHIMA
YOKOSUKA DEEP TOW
6K Camera DEEP TOW
6K Sonar DEEP TOW
KM-ROV
POWER GRAB
SAMPLER (SHELL)
POWER GRAB
SAMPLER (CLOW)
BMS

Cruise ID: Go

Dive ID:

MIRAI MR00-K08 Cloud Ceiling

Last Modified: 2014-07-12

[ReadMe](#) [Observation Data](#) [Data Format](#)

Cruise ID: [MR00-K08](#)

Cloud Ceiling: Raw

Data Policy: [JAMSTEC](#)

Ceiling Raw

The record length of the data file is 56 bytes.


No.	Column	Content	Format	Remarks
1	1 - 8	Date	i4,i2,i2	YYYYMMDD (UTC)
2	10 - 15	Time	i2,i2,i2	hhmmss (UTC)
3	17 - 19	Operating software	a3	'CT0' : CT-VIEW 'CL0' : CL-VIEW
4	20 - 21	Software version	i2	Version of operating software
5	22	Data status	i1	1: Cloud base height/vertical visibility data 2: Cloud base height/vertical visibility, backscatter signal 6: Cloud base height/vertical visibility, cloud amount/height of cloud layer 7: Cloud base height/vertical visibility, backscatter signal, cloud amount/height of cloud layer
6	23	Spare character	a1	
7	25	Detection status	i1	0: Clear 1: One cloud base detected 2: Two cloud bases detected 3: Three cloud bases detected 4: Full obscuration determined but no cloud base detected 5: Some obscuration detected but determined to transparent
8	26	Warning and alarm information	a1	0: Self-check OK W: At least one warning active, no alarms A: At least one alarm active See No.12:observation information
9	28 - 32	Lowest cloud base height or vertical visibility	i5	In the case of detection status is 1,2 or 3: Lowest cloud base height In the case of detection status is 4: Calculation of vertical visibility In the case of detection status is 0 or 5: ///// Unit: See No.12:observation information
10	34 - 38	Second lowest cloud base height or highest signal detected	i5	In the case of detection status is 2 or 3: Second lowest cloud base height In the case of detection status is 4: Maximum height that a signal was detected In the case of detection status is 0,1 or 5: ///// Unit: See No.12:observation information
11	40 - 44	Highest cloud base height	i5	In the case of detection status is 3: Highest cloud base height In the case of detection status is 0,1,2,4,5: ///// Unit: See No.12:observation information
12	46 - 53	Observation information	a8	*1
13	55 - 56	Terminator	a2	CR+LF

*1: Observation information

The information is presented using 8 bytes characters. Each character, indicated in hexadecimal character, shows the following meanings;

Byte	Hexadecimal character (0:on, -:off)																Message(A:alarm, W:warning)
	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F	
1	-	-	-	-	-	-	-	0	0	0	0	0	0	0	0	0	Laser temperature shut-off(A)
	-	-	-	0	0	0	0	-	-	-	-	0	0	0	0	0	Laser failure(A)
	-	0	0	-	0	0	0	-	0	0	-	-	0	0	0	0	Receiver failure(A)
	0	-	0	-	0	-	0	-	0	-	0	-	0	-	0	0	Voltage failure(A)
2	-	-	-	-	-	-	-	0	0	0	0	0	0	0	0	0	Spare(A)
	-	-	-	0	0	0	0	-	-	-	0	0	0	0	0	0	Spare(A)
	-	0	0	-	-	0	0	-	-	0	0	-	-	0	0	0	Spare(A)
	0	-	0	-	0	-	0	-	0	-	0	-	0	-	0	0	Spare(A)
3	-	-	-	-	-	-	-	0	0	0	0	0	0	0	0	0	Windows contaminated(W)
	-	-	-	0	0	0	0	-	-	-	-	0	0	0	0	0	Battery low(W)
	-	0	0	-	-	0	0	-	-	0	0	-	-	0	0	0	Laser power low(W)
	0	-	0	-	0	-	0	-	0	-	0	-	0	-	0	0	Laser temperature high or low(W)
4	-	-	-	-	-	-	-	0	0	0	0	0	0	0	0	0	Internal temperature high or low(W)
	-	-	-	0	0	0	0	-	-	-	-	0	0	0	0	0	Voltage high or low(W)
	-	0	0	-	-	0	0	-	-	0	0	-	-	0	0	0	Relative Humidity is > 85%(W)
	0	-	0	-	0	-	0	-	0	-	0	-	0	-	0	0	Receiver cross-talk compensation poor(W)
5	-	-	-	-	-	-	-	0	0	0	0	0	0	0	0	0	Blower suspect(W)
	-	-	-	0	0	0	0	-	-	-	0	0	0	0	0	0	Spare(W)
	-	0	0	-	-	0	0	-	-	0	0	-	-	0	0	0	Spare(W)
	0	-	0	-	0	-	0	-	0	-	0	-	0	-	0	0	Spare(W)
6	-	-	-	-	-	-	-	0	0	0	0	0	0	0	0	0	Blower is ON
	-	-	-	0	0	0	0	-	-	-	-	0	0	0	0	0	Blower heater is ON
	-	0	0	-	-	0	0	-	-	0	0	-	-	0	0	0	Internal heater is ON
	0	-	0	-	0	-	0	-	0	-	0	-	0	-	0	0	Units are METERS if ON , else FEET
7	-	-	-	-	-	-	-	0	0	0	0	0	0	0	0	0	Polling mode is ON
	-	-	-	0	0	0	0	-	-	-	0	0	0	0	0	0	Working from battery
	-	0	0	-	-	0	0	-	-	0	0	-	-	0	0	0	Single sequence mode is ON
	0	-	0	-	0	-	0	-	0	-	0	-	0	-	0	0	Manual settings are effective
8	-	-	-	-	-	-	-	0	0	0	0	0	0	0	0	0	Tilt angle is > 45 degrees
	-	-	-	0	0	0	0	-	-	-	-	0	0	0	0	0	High background radiance
	-	0	0	-	-	0	0	-	-	0	0	-	-	0	0	0	Manual blower control
	0	-	0	-	0	-	0	-	0	-	0	-	0	-	0	0	Spare

Related Information



 [Enlarge Image](#)

MR00-K08
Ship Name: MIRAI
Period: 2000-12-27 - 2001-02-07
Chief Scientist: Takeshi Kawano (JAMSTEC)

Update History

2014-07-12	An observation data was registerd.
2012-12-25	An observation data was registerd.

JAMSTEC
Site Policy
Privacy Policy
Application for Data and Samples
Data Policy
What's New
Update History
Feeds

Lists
Publication List
Amount of Public Info.

Data
Map Search
Data Tree
Detailed Search

Information of the Ships
NATSUSHIMA
KAIYO
YOKOSUKA
MIRAI
KAIREI
CHIKYU
KAIMEI
SHINSEI MARU
HAKUHO MARU

Information of the Submersibles
KAIKO
SHINKAI 2000
SHINKAI 6500
DEEP TOW
HYPER-DOLPHIN
URASHIMA
YOKOSUKA DEEP TOW
6K Camera DEEP TOW
6K Sonar DEEP TOW
KM-ROV
POWER GRAB
SAMPLER (SHELL)
POWER GRAB
SAMPLER (CLOW)
BMS

Go to a Cruise Information

Cruise ID:

Go to a Dive Information

Dive ID:

Copyright 2011 Japan Agency for Marine-Earth Science and Technology

 **JAMSTEC** 国立研究開発法人 海洋研究開発機構
JAPAN AGENCY FOR MARINE-EARTH SCIENCE AND TECHNOLOGY

MIRAI MR00-K08 Cloud Ceiling

Last Modified: 2014-07-12

[ReadMe](#) [Observation Data](#) [Data Format](#)

Cruise ID: [MR00-K08](#)

Cloud Ceiling: Raw


Data Policy: [JAMSTEC](#)

Observation Items: Cloud base height


Science Keywords:

ATMOSPHERE > CLOUDS > CLOUD
BASE

Observation Map








































































Figures



Data List


[Add to Basket](#)

<input type="checkbox"/> File names
<input type="checkbox"/> C0122700.DAT
<input type="checkbox"/> C0122706.DAT
<input type="checkbox"/> C0122712.DAT
<input type="checkbox"/> C0122718.DAT
<input type="checkbox"/> C0122800.DAT
<input type="checkbox"/> C0122806.DAT
<input type="checkbox"/> C0122812.DAT
<input type="checkbox"/> C0122818.DAT
<input type="checkbox"/> C0122900.DAT
<input type="checkbox"/> C0122906.DAT
<input type="checkbox"/> C0122912.DAT
<input type="checkbox"/> C0122918.DAT
<input type="checkbox"/> C0123000.DAT
<input type="checkbox"/> C0123006.DAT
<input type="checkbox"/> C0123012.DAT
<input type="checkbox"/> C0123018.DAT
<input type="checkbox"/> C0123100.DAT
<input type="checkbox"/> C0123106.DAT
<input type="checkbox"/> C0123112.DAT
<input type="checkbox"/> C0123118.DAT
<input type="checkbox"/> C1010100.DAT
<input type="checkbox"/> C1010106.DAT
<input type="checkbox"/> C1010112.DAT
<input type="checkbox"/> C1010118.DAT
<input type="checkbox"/> C1010200.DAT
<input type="checkbox"/> C1010400.DAT
<input type="checkbox"/> C1010406.DAT
<input type="checkbox"/> C1010412.DAT

	C1010412.DAT
	File names
	C1010418.DAT
	
	C1010500.DAT
	C1010506.DAT
	C1010512.DAT
	C1010518.DAT
	C1010600.DAT
	C1010606.DAT
	C1010612.DAT
	C1010818.DAT
	C1010900.DAT
	C1010906.DAT
	C1010912.DAT
	C1010918.DAT
	C1011000.DAT
	C1011006.DAT
	C1011012.DAT
	C1011018.DAT
	C1011100.DAT
	C1011106.DAT
	C1011112.DAT
	C1011118.DAT
	C1011200.DAT
	C1011206.DAT
	C1011212.DAT
	C1011218.DAT
	C1011300.DAT
	C1011306.DAT
	C1011312.DAT
	C1011318.DAT
	C1011400.DAT
	C1011406.DAT
	C1011412.DAT
	C1011418.DAT
	C1011500.DAT
	C1011506.DAT
	C1011512.DAT
	C1011518.DAT
	C1011600.DAT
	C1011606.DAT
	C1011612.DAT
	C1011618.DAT
	C1011700.DAT
	C1011706.DAT
	C1011712.DAT
	C1011718.DAT
	C1011800.DAT
	C1011806.DAT
	C1011812.DAT
	C1011818.DAT
	C1011900.DAT
	C1011906.DAT
	C1011912.DAT
	C1011918.DAT
	C1012000.DAT
	C1012006.DAT
	C1012012.DAT
	C1012018.DAT
	C1012100.DAT
	C1012106.DAT
	C1012112.DAT
	C1012118.DAT
	C1012200.DAT
	C1012206.DAT
	C1012212.DAT
	C1012218.DAT
	C1012300.DAT
	C1012306.DAT
	C1012312.DAT
	C1012318.DAT
	C1012400.DAT
	C1012406.DAT
	C1012412.DAT
	C1012418.DAT
	C1012500.DAT
	C1012506.DAT
	C1012512.DAT
	C1012518.DAT
	C1012600.DAT
	C1012606.DAT
	C1012612.DAT
	C1012618.DAT

File names
C1012700.DAT
C1012706.DAT
C1012712.DAT
C1012718.DAT
C1012800.DAT
C1012806.DAT
C1012812.DAT
C1012818.DAT
C1012900.DAT
C1012906.DAT
C1012912.DAT
C1012918.DAT
C1013000.DAT
C1013006.DAT
C1013012.DAT
C1013018.DAT
C1013100.DAT
C1013106.DAT
C1013112.DAT
C1013118.DAT
C1020200.DAT
C1020206.DAT
C1020212.DAT
C1020218.DAT
C1020300.DAT
C1020306.DAT
C1020312.DAT
C1020318.DAT
C1020400.DAT
C1020406.DAT
C1020412.DAT
C1020418.DAT
C1020500.DAT
C1020506.DAT
C1020512.DAT
C1020518.DAT
C1020600.DAT
C1020606.DAT
C1020612.DAT
C1020618.DAT

Related Information



[Enlarge Image](#)

MR00-K08
Ship Name: MIRAI
Period: 2000-12-27 - 2001-02-07
Chief Scientist: Takeshi Kawano (JAMSTEC)

Update History

2014-07-12	An observation data was registerd.
2012-12-25	An observation data was registerd.

JAMSTEC
Site Policy
Privacy Policy
Application for Data and Samples
Data Policy
What's New
Update History
Feeds

Lists
Publication List
Amount of Public Info.
Data
Map Search
Data Tree
Detailed Search

Information of the Ships
NATSUSHIMA
KAIYO
YOKOSUKA
MIRAI
KAIREI
CHIKYU
SHINSEI MARU
HAKUHO MARU

Information of the Submersibles
KAIKO
SHINKAI 2000
SHINKAI 6500
DEEP TOW
HYPER-DOLPHIN
URASHIMA
YOKOSUKA DEEP TOW
6K Camera DEEP TOW
6K Sonar DEEP TOW
KM-ROV
POWER GRAB
SAMPLER (SHELL)
POWER GRAB
SAMPLER (CLOW)
BMS

Go to a Cruise Information
Cruise ID:

Go to a Dive Information
Dive ID: